# LOW-LEVEL RADIOACTIVE WASTE MANAGEMENT IN CONNECTICUT - 1996

### **Prepared By**

Connecticut Hazardous Waste Management Service Low-Level Radioactive Waste Program 50 Columbus Boulevard, 4th Floor Hartford, Connecticut 06106

**Pursuant To** 

Connecticut General Statutes Section 22a-163b

December 1997

### LOW-LEVEL RADIOACTIVE WASTE MANAGEMENT IN CONNECTICUT - 1996

### **Prepared By**

Connecticut Hazardous Waste Management Service Low-Level Radioactive Waste Program 50 Columbus Boulevard, 4th Floor Hartford, Connecticut 06106

**Pursuant To** 

Connecticut General Statutes Section 22a-163b

December 1997

### **Connecticut Hazardous Waste Management Service**

### **Board of Directors**

voting members

R. Christopher Blake, Esq., Chairman
Wallace C. Pringle, Ph.D., Vice-Chairman
Richard J. Heller, Secretary
Robert H. Lutts
Barbara H. McWhirter, Esq.
Samuel C. Stowell
William C. Summers, M.D., Ph.D.

non-voting members

Leonard F. D'Amico, Office of Policy and Management Carmine DiBattista, Department of Environmental Protection Brian Toal, Department of Public Health Edgar Hurle, Department of Transportation

The Connecticut Hazardous Waste Management Service is a non-regulatory, quasi-public agency with statutory responsibility to promote the appropriate management of hazardous waste and low-level radioactive waste generated in Connecticut. Activities are directed by a Board of Directors consisting of a voting chairperson who is appointed by the Governor; six additional voting members, who are appointed by the Governor, with representation from Connecticut's six Congressional districts and from the general public, the scientific community, and the business community; and four non-voting members who are statutorily-specified state agency heads or their designees.

Low-Level Radioactive Waste Program Director

Ronald E. Gingerich

Manuscript Prepared By

Steven L. Levine, Esq., Technical Specialist

### **CONTENTS**

Lis	t of Tables	ii
1.	The Connecticut Hazardous Waste Management Service	1
2.	Low-Level Radioactive Waste	2
3.	3.6 Decay of LLRW Shipped Off-Site	4 4 8
4.	LLRW Management After 1996	19
	LIST OF TABLES	
Ta	ble No.	
1	Connecticut Generators that Stored, Shipped, or Disposed LLRW in 1996, or that Plan to Ship LLRW for Management - By Town and Category of Generator	6
2A	Connecticut LLRW Shipped to Disposal Facilities in 1996 - By Generator (Ranked by Radioactivity)	9
2B	Connecticut LLRW Shipped to Disposal Facilities in 1996 - By Generator (Ranked by Volume)	10
3	Disposal Facilities Used by Connecticut Generators in 1996 - By Category of Generator	18
4	50-Year Volume and Radioactivity Projections for Connecticut's LLRW Disposal Facility	22

### LIST OF FIGURES

Figui	re No.	
1	Locations of Connecticut LLRW Generators	5
2	Paths to Disposal of Connecticut LLRW During 1996	11
3	Connecticut LLRW Shipped to Disposal Facilities in 1996 - By Category of Generator	12
4	Connecticut LLRW Shipped to Disposal Facilities in 1996 - By NRC Waste Class	13
5	Volume of Connecticut LLRW Shipped to Disposal Facilities - 1979 Through 1996	14
6	Radioactivity of Connecticut LLRW Shipped to Disposal Facilities - 1979 Through 1996	15
7	Disposal Facilities Used by Connecticut Generators in 1996	18
8	Decay of 1996 LLRW Shipped Off-Site for Management from Connecticut	20
	APPENDICES	
Appe	endix A: Low-Level Radioactive Waste Management in Connecticut - 1996	
Appe	endix B: Annual Low-Level Radioactive Waste Report Form for 1996	
<u>Appe</u>	endix C: Board of Directors, Connecticut Hazardous Waste Management Service	<u>:e</u>
Appe	endix D: Glossary	

### SUMMARY OF CHANGES TO THE OCTOBER, 1997 DRAFT

The October, 1997 draft of "Low-Level Radioactive Waste Management in Connecticut - 1996" was released for public review and comment pursuant to <u>CGS</u> Section 1-121 following publication of a notice of intent to adopt procedures in the <u>Connecticut Law Journal</u> on October 14, 1997. The closing date for receipt of public comments was November 14, 1997.

The Connecticut Hazardous Waste Management Service held a public meeting on the draft report at its offices in Hartford on November 12, 1997.

No written or documented verbal comments were received.

The following list identifies significant changes made to the draft report as a result of internal review of the document. The revisions are listed by page number and in the order which they appear in the final report.

<u>Page</u> <u>Revision</u>

- 1+ Portions of the report and Appendix A were rewritten and reorganized to improve their accuracy, clarity, and content. Changes included revision or addition of text concerning: Volume reduction trends and statistics due to off-site processing of LLRW; and the projected restart schedule for the Millstone 3 nuclear power plant.
- 7+ The volume of waste disposed by Wesleyan University has been corrected from 5.0 cubic feet to 5.3 cubic feet in text, tables, and figures. The total volume of waste disposed by all Connecticut LLRW generators in 1996 has been corrected from 11,769.6 cubic feet to 11,769.9 cubic feet. Other figures dependent on Wesleyan University's disposal volume have been revised accordingly as well.
- 9+ On Tables 2A, 2B, AP-3A, and AP-3B, the volume disposed by ABB Combustion Engineering Nuclear Products has been corrected from 9.0 cubic feet to 900.0 cubic feet. The volume totals presented on these tables were not affected by this error.
- A-8 Storage figures for 1993 were corrected to reflect Northeast Utilities' reclassification of 60 cubic feet of waste as Greater-than-Class-C LLRW and to correct omissions discovered as a consequence of recalculating the 1993 storage numbers. Storage figures for 1994 and 1995 were confirmed to be correct.

y			

# LOW-LEVEL RADIOACTIVE WASTE MANAGEMENT IN CONNECTICUT - 1996

The Connecticut Hazardous Waste Management Service (CHWMS) is required by Connecticut's low-level radioactive waste (LLRW) disposal facility development law (Connecticut General Statutes (CGS) 22a-163 et seq.) to undertake the following responsibilities:

- Prepare and revise, as necessary, a LLRW Management Plan for the state;
- Select a site for a LLRW disposal facility;
- Select a disposal technology to be used at the site;
- Select a firm to obtain the necessary approvals for the facility and to develop and operate it; and
- Serve as the custodial agency for the facility.

Connecticut is developing a LLRW disposal facility because of requirements imposed by federal law. In 1980 and again in 1985, federal legislation was enacted that makes each state responsible for providing disposal capacity, either individually or in cooperation with other states as a member of an interstate compact, for many types of LLRW generated in the state. Connecticut is a member of the Northeast Interstate LLRW Compact, along with New Jersey. Both states are in the process of siting in-state LLRW disposal facilities, as well as cooperatively seeking an out-of-state and out-of-region option for providing LLRW disposal capacity under the auspices of the Northeast Compact.

In undertaking its responsibilities, the CHWMS's primary goal, as established in state statute, is protection of public health and safety and the environment.

Since 1988, the CHWMS has reported annually on the generation and management of LLRW in Connecticut. This report presents information on the generation and management of LLRW in Connecticut during 1996. The data presented here for 1996 were compiled from annual reports submitted by LLRW generators to the Connecticut Department of Environmental Protection (DEP) during the spring of 1997. A more detailed analysis of the data is presented as Appendix A, and a copy of the form used for generator reports is provided in Appendix B.

### 1. The Connecticut Hazardous Waste Management Service

The CHWMS is a nonregulatory, quasi-public agency established by the Connecticut General Assembly in 1983. When the General Assembly originally established the

CHWMS, it gave the CHWMS responsibility for planning for and promoting the appropriate management of hazardous waste (i.e., waste covered under the federal Resource Conservation and Recovery Act) generated in Connecticut. The CHWMS's LLRW responsibilities were established by the General Assembly in the 1987 LLRW disposal facility development law.

The CHWMS is directed by an 11-member Board of Directors, seven of whom are currently voting members.

- The Chairperson of the Board is appointed by the Governor, with the consent of both houses of the General Assembly. The Chairperson is selected atlarge from Connecticut's citizens without geographic or economic sector constraints and serves at the pleasure of the Governor. The Chairperson also serves as the Executive Officer of the CHWMS.
- The other six voting directors are appointed by the Governor for staggered four-year terms. One director must be appointed from each of Connecticut's six Congressional districts. Two of these directors must represent the public, two the business community and two the scientific community.
- The four non-voting directors, representing various state agencies, will become voting members after a preferred site is selected for a LLRW disposal facility. The members of the Board of Directors are listed in Appendix C.

### 2. Low-Level Radioactive Waste

LLRW is defined in federal law (P. L. 99-240, Sec. 2(9)) and state law (<u>CGS</u> 22a-163a(9)) in two ways: first, by stating what it is not and, second, by stating what it is. LLRW is not spent fuel assemblies from commercial nuclear reactors, high-level radioactive waste (which is the residue from reprocessing spent fuel), or uranium mining and milling wastes. LLRW is waste containing radioactive material that the U.S. Nuclear Regulatory Commission (NRC), consistent with existing law, classifies as LLRW. The NRC defines LLRW as having the same meaning as in federal law.

LLRW includes a wide variety of materials that have a wide range of levels of radioactivity. It includes slightly radioactive items, such as protective clothing, paper towels and laboratory equipment, as well as some very radioactive items, such as materials used to purify reactor coolant in nuclear power plants and used equipment from inside nuclear reactors. LLRW is generated in the operation and maintenance of nuclear power plants, as well as by many public and private institutions (hospitals and universities), private research firms, industrial facilities, and the military.

<sup>&</sup>lt;sup>a</sup>For additional definitions, please refer to the Glossary at Appendix D.

As previously noted, federal law makes each state responsible for providing disposal capacity for LLRW generated in the state. However, federal law does not make states responsible for all LLRW generated within their borders. The federal government, specifically, the U.S. Department of Energy, is responsible for LLRW from the following sources and the following types:

- LLRW owned or generated by the U.S. Department of Energy;
- LLRW owned or generated by the U.S. Navy as a result of decommissioning Navy vessels;
- LLRW owned or generated by the Federal government as a result of any research, development, testing or production of nuclear weapons; and
- Any other LLRW with concentrations of radionuclides that exceed the limits established by the NRC for waste that can be disposed of in a surface or near-surface disposal facility (i.e., "greater than Class C" LLRW).

The NRC's classification system for LLRW is designed to take into account the potential hazards of LLRW in a disposal facility. The system is based on the concentration of particular radionuclides in the waste and is part of an overall regulatory system designed to control the potential human exposure to disposed waste. The classes of LLRW are:

- Class A waste, which generally consists of short-lived radionuclides (radioactive half-lives of less than 30 years), but also includes low concentrations of some long-lived radionuclides. Disposal of Class A waste must isolate the waste for at least 100 years.
- Class B waste, which includes waste with higher concentrations of short-lived radionuclides than Class A waste and concentrations of long-lived radionuclides similar to Class A waste. Class B waste must be in a structurally stable physical form for disposal or in a structurally stable container that will last for a minimum of 300 years.
- Class C waste, which includes waste with the highest concentrations of short-lived and long-lived radionuclides that states are responsible for managing. Disposal units for Class C LLRW must have barriers capable of preventing people in the future from accidentally encountering the waste for at least 500 years.

As federal law specifies, the Department of Energy, rather than the states, is responsible for the management of LLRW that exceeds the concentrations for Class C waste. This LLRW is generally referred to as "greater than Class C" waste. The primary source of "greater than Class C" waste will be the decommissioning of nuclear power plants.

An additional form of waste which the states are currently responsible for managing is "mixed waste." Mixed waste satisfies the definitions of both LLRW and hazardous waste in federal law. Therefore, mixed waste is LLRW which is also chemically hazardous.

### 3. LLRW Generation and Management in 1996

### 3.1 <u>Inventory of Generators</u>

Based on analysis of the 1996 generator reports, CHWMS staff has identified 69 active and potential generators of LLRW in Connecticut. These generators are located in 36 towns throughout the state. Figure 1 shows the location of each generator. Table 1 lists and identifies the 69 generators by town and generator category, i.e., fuel fabrication, industrial, institutional, military, nuclear power plant, or private research.

Table 1 also gives the radioactivity and volume of LLRW that each generator 1) was storing on-site at the end of 1996, 2) shipped off-site for management, including disposal, during 1996, and 3) actually disposed during the year. Of the 69 generators listed, 40 generators shipped LLRW off-site for management or to disposal in 1996 and comprise the active subset of generators. The remaining 29 generators are listed with zero entries for LLRW shipped and disposed because they stored LLRW on-site for future disposal (23 potential generators), or projected future generation of LLRW requiring off-site management, but did not ship or dispose LLRW in 1996 (six potential generators).

### 3.2 Radioactivity and Volume of LLRW Stored On-Site in 1996

Large-scale temporary on-site waste storage by generators continued to be a significant feature of Connecticut's LLRW management during 1996 despite the availability of out-of-state disposal capacity.

Prior to 1994, Connecticut's LLRW generators were able to dispose most of their LLRW (primarily at the Barnwell, South Carolina LLRW disposal facility) within a reasonable time after it was generated and maintained only a small inventory of waste on-site from one year to another.

However, between July, 1994 and June, 1995, as a consequence of national developments in the availability of LLRW disposal capacity, Connecticut generators, as well as generators in many other states, lost access to all full-service LLRW disposal facilities. On July 1, 1994, they began storing waste on-site indefinitely. By the end of 1994, 40 LLRW generators in 23 Connecticut towns had accumulated and were storing substantial quantities of LLRW.

Owing to political and fiscal developments within South Carolina and the Southeast Compact, the Governor and General Assembly of South Carolina enacted legislation which withdrew South Carolina from the Southeast Compact and re-opened the Barnwell facility to LLRW from outside the Southeast Compact region effective July 1, 1995. The




FIGURE 1: LOCATIONS OF CONNECTICUT LLRW GENERATORS

(Identifying numbers are keyed to Table 1.)

TABLE 1: CONNECTICUT GENERATORS THAT STORED, SHIPPED, OR DISPOSED LLRW IN 1996, OR THAT PLAN TO SHIP LLRW FOR MANAGEMENT - BY TOWN AND CATEGORY OF GENERATOR

				LLRW F	LLRW HELD IN ON-SITE STORAGE	LLRW SHII SITE FOR M	ILRW SHIPPED OFF. SITE FOR MANAGEMENT	LLRW SHIPPED TO DISPOSAL FACILITIES	PPED TO FACILITIES
뜅	GENERATOR	TOWN	CATEGORY OF GENERATOR *	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)
<u></u>	ARR Combustion Engineering Nuclear Products	Windsor	Fuel Fabrication	15785	0.032	903	0.037	0 000	0.037
٠,	ABB Combission Engineering Nicker Services	Windsor	Industrial	1 150.0	0.00	7 707 5	77.0	0.000	90.00
ic	Action of Tochnology Maketing Indiana	Donbus		0.06.1	3 5	C. 161,7	0.737	0.21	0.130
; <b>-</b>	Account the months materials, inc.	Lindon		7 0.0	2000	# G	10000	7.0	40,001
đ r	Aerospace metals, irc.	nariora	and supplied	0.71	0000	0.0	0.000	0.0	0.000
ç, ı	Alexion Pharmaceuticals	New Haven	Private Hesearch	43.6	0.042	0.0	0000	0.0	0.000
<b>છ</b> ં 1	Allegheny Ludlum Steel Corp.	Walfingford	Industrial	0.0	0.000	0.4	40.001	9.4	<b>6</b> .001
7	AlliedSignal Engines (Textron Lycoming)	Strattord	Industrial	0.0	0.000	207.0	0.005	5.6	<b>40.001</b>
ϒ	Alpha Q, Inc.	Colchester	Industrial	0.0	0.000	0.0	0000	0.0	0.000
တ်	Bayer Corporation (Miles Inc.)	West Haven	Private Research	7.5	<0.001	811.7	0.248	167.8	0.255
₽.	Boehringer Ingetheim Pharmaceuticals	Ridgefield	Private Research	57.0	0.052	42.3	0.518	63.9	1.036
÷.	Brass Center, Ltd.	Waterbury	Industrial	0.0	0.000	0.2	<0.001	0.2	40.001
12	Bridgeport Hospital	Bridgeport	Institutional	0.0	0.000	7.5	0.023	12	0.023
5	Bristo-Myers Squibb	Wallingford	Private Research	0.0	0000	294.0	0.482	14	0.177
4	Butkin Precision Manufacturing Corp.	Millord	Industrial	320.0	0.001	0.0	0000	0	0000
5	CT Adricultural Experiment Station	New Haven	Institutional	12.6	0.001	000	0000	00	000
16	CT Yankee Atomic Power Co.	Haddam	Nuclear Power Plant	2.193.8	1000	14 823 6	1 252 541	1 557 1	1 196 031
4	Charlotte Hunderford Hospital	Torrington	Institutional	00	0000	0.7	0.00	00	0000
8	Ciba-Geiov (ICI Americas)	Farmington	Private Research	0.0	0.000	134.8	0.001	, c	0.00
6	Clairo	Starnford	Private Research	0.0	0000	0.0	0000	00	0000
8	Connecticut College	New London	Institutional	0,7	0.001	0.0	0000	00	0000
2	Connecticut Resources Recovery Authority	Hartford	Institutional	0.0	0000	4.7	40.001	1.4	40.001
સં	Cuno Inc.	Meriden	Private Research	7.5	0.001	7.5	0.001	0.0	0.000
ଷ	Cytec Industries Inc.	Starriford	Private Research	0.0	0.000	6. 1.	40.001	8	40.001
24.	DeKalb Genetics Corp.	Stonington	Private Research	10.7	<0.001	0.0	0000	0.0	0.000
83	Diagnostic Radiology Associates	Waterbury	Institutional	0.0	0.000	0.0	0.000	0.0	0000
œ.	Eastern CT State University	Windham	Institutional	5.6	<0.001	1.4	€0.00	¥.	€0.00
27.	Electro-Methods Overhaul & Repair	South Windsor	Industrial	36.8	40.001	0.0	0.000	0.0	0.000
83	Electro-Methods, Inc.	South Windsor	Industrial	6.7	<0.001	0.0	0.000	0.0	0.000
ଷ୍ପ	Fairfield University	Fairfield	Institutional	6.5	0.001	0.0	0.000	0.0	0.000
ଞ	Fischer Technology Inc.	Windsor	Industrial	40.1	0.068	0.0	0000	0.0	0.000
<del>હ</del>	Genaissance Pharmaceuticals, Inc.	New Haven	Private Research	0.2	9000	0.0	0.000	0.0	0.000
છું	General Dynamics, Electric Boat Div.	Groton	Military	0.0	0000	0.0	0000	0.0	0000
ଞ୍ଚ	Hamilton Chemical	New Haven	Industrial	0.0	0.000	0.4	<0.001	<b>9</b> .0	40.001
S.	Hartford Hospital	Hartford	Institutional	2.0	0.001	0.0	0.000	0.0	0.000
35.	Hopkins School	New Haven	Institutional	0.0	0.000	0.1	<0.001	0.1	€0.00
8	Hughes Danbury Optical Systems	Danbury	Industrial	10.0	<0.001	43.8	<0.001	18.3	<0.001
37.	International Fuel Cells, Inc.	South Windsor	Industrial	0.0	0.000	0.0	0.000	0.0	0.000
æ	John B. Pierce Laboratory	New Haven	Private Research	20.3	0.001	0.0	0.000	0.0	0.000
ଞ୍ଚ	Kodak S.I.S. (International Biotechnologies)	New Haven	Industrial	7.5	<0.001	0.0	0.000	0.0	0.000
<del>6</del>	Middlesex Hospital	Middletown	Institutional	22.0	0.010	0.0	0.000	0.0	0.000

				LLRW ON-SITE	LLRW HELD IN ON-SITE STORAGE	LLRW SHIPPED OFF- SITE FOR MANAGEMENT	PED OFF- NAGEMENT	LLRW SHIPPED TO DISPOSAL FACILITIE	LLRW SHIPPED TO DISPOSAL FACILITIES
GEN	GENERATOR	TOWN	CATEGORY OF GENERATOR *	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curles)
41	Millstone 1 Northeast Nirchar Power Co.	Waterford	Nuclear Power Plant	637.6	52,800.000 **	21,178.9	1,080.916	4,264.8	1,096.556
; ;	Military 2 Months of Milabor Dougs Co.	Waterford	Nuclear Power Plant	133.0	33,900	7,028.0	75.987	1,366.2	73.172
į	MIRROLLE Z NOTHERAS INCOME TOWN CO.	Waterford	Nuclear Power Plant	190.8	75.200	4,164.2	499.312	2,101.9	525,599
3	Militaria S Ivolunday Indonesi Power Co.	Branford	Private Research	46.0	6000	133.0	0.013	23.0	0.010
į	Neurogen Culporation	Cheshire	Private Research	2.6	<0.001	0.0	0000	0.0	0.000
ð. 3	Off Research	Maridan	Inclustrial	0.0	0000	0.0	0000	0.0	0.000
ģ ţ	Packard bioscience company (carpona industries)	Groton	Private Besearch	206.3	0.086	1,768.2	2.057	34.0	1.453
	Pitcer III.	Meniden	Industrial	4	0.020	0.0	0000	0.0	0.000
ģ ç	Potent substitute for the control of	Hehmu	Industrial	0.1	<0.001	0.0	0.000	0.0	0.000
į	TOA Laboratahi Oteteme	Wilton	Industrial	1.2	<0.001	0.0	0.000	0.0	0.000
Šū	Cohlumbarrar Dall Decearch	Richaeffeld	Private Research	0.5	<0.001	0.0	0.000	0.0	0.000
	Comment Lich Cohool	Sevmour	Institutional	0.0	0.000	=	<0.001	0.0	0.000
ម្ភ ខ្ម	Clariford Dublic Schools	Stamford	Institutional	0.0	0.000	0.2	<0.001	0.2	<0.001
ŚZ	Stanley Works (Laboratory)	New Britain	Industrial	0.0	0.000	9.4	<0.001	0.4	<b>40.001</b>
į	Trinky College	Hartford	Institutional	13.0	0.001	0.0	0.000	0.0	0.000
ខ្លួំ	Thinky Connections National Guard	Windsor Locks	Military	0.0	0.000	13.1	191.014	13.1	191.014
ġ C	11.5 Now	Groton	Military	142.0	<0.001	997.5	2.002	997.5	2.002
. 8	Universi Chemical Co	Middlebury	Private Research	9.69	0.033	74.5	0.018	4.4	0.003
į g	United States Surgical Comoration	North Haven	Industrial	4.0	<0.001	15.0	0.014	4.	0.014
i 8	United Technologies Research Center	East Hartford	Industrial	6.1	0.003	7.4	<0.001	0.0	0.000
	United Technologies Hamilton Standard Div.	Windsor Locks	Industrial	3.5	0.075	0.0	0.000	0.0	0.000
. 6	United Technologies Pratt & Whitney Div	East Hartford	Industrial	300.0	0.020	0.0	0.000	0.0	0.000
į	This of CT Envisor Health & Safety	Mansfield	Institutional	0.0	0.000	79.0	0.123	35.2	0.049
į	University of CT Beath Center	Farmington	Institutional	245.0	0.222	150.0	0.050	92.5	0.110
į	University of Or research Control (VA Med Ctr Hosp.)	West Haven	Institutional	0.0	0.000	15.0	<0.001	0.0	0.000
g g	Woolevan University	Middletown	Institutional	0.0	0.000	15.0	0.001	5.3	0.001
3 5	Windham Community Memorial Hospital	Windham	Institutional	0.0	0.000	3.0	0.001	0.0	0.000
· 8	Yale University	New Haven	Institutional	213.9	0.600	1,075.9	0.402	16.1	0.181
88	Yale-New Haven Hospital	New Haven	Institutional	0.0	0.000	00	0000	44 760 0	0.005
				7,745.0	52,911.490	2.108,10	3,100.525	B-00-1-1	2,100,ta

FF. Fuel Fabrication \* Note: Generator categories are abbreviated as follows on subsequent tables and figures ID- Industrial PR- Private Research IT- Institutional NPP- Nuclear Power Plant M- Military

<sup>\*\* 36,000</sup> Curies of this radioactivity were contained in 330 cubic feet of Class C control rod blades.

State of South Carolina has imposed additional surcharges for the right to dispose LLRW at Barnwell and hopes to collect substantial revenue for public education in South Carolina.

Although many Connecticut generators have resumed LLRW shipments to the Barnwell facility, others continued to store waste on-site (see Table 1). Reasons cited for this practice are the high costs of disposing LLRW at the Barnwell facility; and lower rates of generating LLRW, which results in a longer time to collect enough LLRW to justify an off-site shipment.

Thus, at the end of 1996, 42 generators in 26 Connecticut towns were storing 52,911.490 Curies of radioactivity in 7,745.0 cubic feet of LLRW. The 42 generators consisted of 23 which only stored LLRW and 19 that stored waste in addition to shipping and/or disposing LLRW.

### 3.3 Radioactivity and Volume of LLRW Disposed

As indicated by Table 1, 39 generators shipped a total of 3,106.525 Curies of radioactivity in 61,801.2 cubic feet of LLRW off-site for management, including disposal, during 1996. (An additional generator disposed waste that had been shipped off-site during 1995. This brings the total number of generators which shipped and/or disposed LLRW in 1996 to 40.)

Following off-site processing of most of the waste shipped for management, with the primary intent of reducing volume to be disposed, a total of 3,087.925 Curies in 11,769.9 cubic feet was shipped to disposal facilities. Of this total, nuclear power plants disposed 2,891.358 Curies in 9,290.0 cubic feet of LLRW.

34 of the 40 active generators actually disposed LLRW during 1996. Tables 2A and 2B rank these 34 generators by radioactivity and volume of waste disposed, respectively. Waste shipped off-site by the remaining six active generators was either incinerated during the year (without leaving a residue requiring disposal as LLRW) or held by brokers and processors at the end of 1996.

Figure 2 illustrates the paths that LLRW traveled from generator facilities to disposal sites during 1996. Numbers on Figure 2 indicate the volume of LLRW in cubic feet at each step.

Figure 3 illustrates the percentage of radioactivity and volume that was disposed by each category of generator during 1996. Figure 4 shows the proportions of Class A, B and C waste disposed by Connecticut generators during 1996.

Figure 5 and Figure 6 compare 1996 LLRW disposal volume and radioactivity with disposal data from previous years. The 11,769.9 cubic feet of LLRW disposed by Connecticut generators in 1996 is the second lowest figure on record since 1979. Even if the approximately 7,745.0 cubic feet of LLRW held by generators at the end of 1996

TABLE 2A: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996 - BY GENERATOR

### **RANKED BY RADIOACTIVITY**

GENERATOR	VOLUME (cu ft)	RADIOACTIVITY (Curies)
CT Yankee Atomic Power Co.	1,557.1	1,196.031
Millstone 1 Northeast Nuclear Power Co.	4,264.8	1,096.556
Millstone 3 Northeast Nuclear Power Co.	2,101.9	525,599
U.S. Army Connecticut National Guard	13.1	191.014
Millstone 2 Northeast Nuclear Power Co.	1,366.2	73.172
U.S. Navy	997.5	2.002
Pfizer Inc.	34.0	1.453
Boehringer Ingelheim Pharmaceuticals	63.9	1.036
Bayer Corporation (Miles Inc.)	167.8	0.255
ABB Combustion Engineering Nuclear Services	12.0	0.196
Yale University	46.1	0.181
Bristol-Myers Squibb	1,4	0.177
University of CT Health Center	92.5	0.110
Univ. of CT Environ, Health & Safety	35.2	0.049
ABB Combustion Engineering Nuclear Products	900.0	0.037
Bridgeport Hospital	1.2	0.023
United States Surgical Corporation	1.4	0.014
Neurogen Corporation	23.0	0.010
Yale-New Haven Hospital	40.9	0.005
Uniroyal Chemical Co.	4.1	0.003
Ciba-Geigy (ICI Americas)	9.2	0.001
Wesleyan University	5.3	0.001
Hughes Danbury Optical Systems	18.3	<0.001
AlliedSignal Engines (Textron Lycoming)	5.6	<0.001
Connecticut Resources Recovery Authority	4.1	<0.001
Eastern CT State University	1.4	<0.001
Allegheny Ludium Steel Corp.	0.4	<0.001
Hamilton Chemical	0.4	<0.001
Stanley Works (Laboratory)	0.4	<0.001
Advanced Technology Materials, Inc.	0.2	<0.001
Brass Center, Ltd.	0.2	<0.001
Stamford Public Schools	0.2	<0.001
Hopkins School	0.1	<0.001
Cytec Industries Inc.	<0.1	<0.001

TOTALS 11,769.9 3,087.925

## TABLE 2B: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996- BY GENERATOR

### **RANKED BY VOLUME**

GENERATOR	VOLUME (cu ft)	RADIOACTIVITY (Curies)
Millstone 1 Northeast Nuclear Power Co.	4,264.8	1,096.556
Millstone 3 Northeast Nuclear Power Co.	2,101.9	525.599
CT Yankee Atomic Power Co.	1,557.1	1,196.031
Millstone 2 Northeast Nuclear Power Co.	1,366.2	73.172
U.S. Navy	997.5	2.002
ABB Combustion Engineering Nuclear Products	900.0	0.037
Bayer Corporation (Miles Inc.)	167.8	0.255
University of CT Health Center	92.5	0.110
Boehringer Ingelheim Pharmaceuticals	63.9	1.036
Yale University	46.1	0.181
Yale-New Haven Hospital	40.9	0.005
Univ. of CT Environ. Health & Safety	35.2	0.049
Pfizer Inc.	34.0	1.453
Neurogen Corporation	23.0	0.010
Hughes Danbury Optical Systems	18.3	<0.001
U.S. Army Connecticut National Guard	13.1	191.014
ABB Combustion Engineering Nuclear Services	12.0	0.196
Ciba-Geigy (ICI Americas)	9.2	0.001
AlliedSignal Engines (Textron Lycoming)	5.6	<0.001
Wesleyan University	5.3	0.001
Uniroyal Chemical Co.	4.1	0.003
Connecticut Resources Recovery Authority	4.1	<0.001
Bristol-Myers Squibb	1.4	0.177
United States Surgical Corporation	1.4	0.014
Eastern CT State University	1.4	<0.001
Bridgeport Hospital	1.2	0.023
Allegheny Ludlum Steel Corp.	0.4	<0.001
Hamilton Chemical	0.4	<0.001
Stanley Works (Laboratory)	0.4	<0.001
Advanced Technology Materials, Inc.	0.2	<0.001
Brass Center, Ltd.	0.2	<0.001
Stamford Public Schools	0.2	<0.001
Hopkins School	0.1	<0.001
Cytec Industries Inc.	<0.1	<0.001

TOTALS 11,769.9 3,087.925




FIGURE 2: PATHS TO DISPOSAL OF CONNECTICUT LLRW DURING 1996

# FIGURE 3: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996 - BY CATEGORY OF GENERATOR

INSTITUTIONAL 1.9% & INDUSTRIAL 0.3% MILITARY 8.6% MILITARY 6.3% & ALL OTHERS 0.1%

# VOLUME

NUCLEAR POWER 78.9%

NUCLEAR POWER 93.6%


(Percent of 11,769.9 Cubic Feet)

(Percent of 3,087.925 Curies)

RADIOACTIVITY

FUEL FABRICATION 7.6%

PRIVATE RESEARCH 2.6%



# VOLUME

(Percent of 11,769.9 Cubic Feet)


(Percent of 3,087.925 Curies)

RADIOACTIVITY

1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 FIGURE 5: VOLUME OF CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES -1979 THROUGH 1996 160000-140000 20000 80000 120000-100000 J2224 CUBIC FEET

- 14 -

FIGURE 6: RADIOACTIVITY OF CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES - 1979 THROUGH 1996



had been disposed, the total would not have exceeded the lowest pre-1993 annual total (34,233 cubic feet for calendar year 1990).

Thus, for the past four years, Connecticut generators have generated and disposed substantially lower amounts of LLRW than in the previous 15 years. Reasons for the decline include 1) reduction of LLRW inventories prior to January 1, 1993 in anticipation of possible denial of access to disposal capacity thereafter; 2) improved operating procedures at generator facilities, particularly Northeast Utilities' nuclear power plants, which reduced the actual generation of LLRW (source reduction); 3) improved volume reduction during off-site processing for several generator categories, which may be attributable to a large increase in disposal fees at the Barnwell, South Carolina LLRW disposal facility and space constraints for on-site LLRW storage; 4) loss of disposal facility access for Connecticut LLRW during the second half of 1994 and the first half of 1995; and 5) the continuation of on-site storage, rather than resumption of off-site shipments, by a number of generators since the middle of 1995.

Because special circumstances existed during 1993 through 1996, it is not certain that the four-year trend of volume reduction will continue. On the one hand, the downward trend appears to be the result of a change in the LLRW management system that is likely to continue (i.e., higher LLRW disposal fees). On the other hand, all four of Connecticut's nuclear power plants are currently inoperative (December, 1997), having been shut down in 1995 and 1996. NRC consent is required before the Millstone power plants can be restarted. The Connecticut Yankee power plant will not be restarted but will instead be decommissioned. Early decommissioning activities at Connecticut Yankee will generate a substantial quantity of LLRW that was not previously anticipated for management during the next several years.

In addition, Northeast Utilities reports that it plans to dispose a substantial quantity of Class A LLRW at the Envirocare LLRW disposal facility at Clive, Utah in coming years. Because Envirocare will not accept some forms of low-volume processed waste, Northeast Utilities will not ship some waste to off-site processing prior to shipment to Envirocare. Consequently, past volume reductions due to processing may not continue.

The 3,087.925 Curies of radioactivity disposed in 1996 is a relatively low figure. However, had the approximately 53,000 Curies stored on-site by generators (primarily the Millstone 1 nuclear power plant) been disposed, the activity total would have been higher than normal for recent years.

### 3.4 Off-Site Shipment and Processing of LLRW

When shipping LLRW off-site (see Figure 2), generators can contract directly with a contract carrier, or they can hire a LLRW broker. Generally, a waste broker collects waste from several generators and consolidates it into a single full-truck shipment. In addition, brokers often provide waste classification services, prepare the manifest for the shipment, and package the waste.

After being shipped off-site from generator facilities, LLRW is frequently processed to reduce its volume prior to disposal and/or to achieve a more stable waste form for disposal. The services provided to LLRW generators by the processors include incineration, steam reforming, supercompaction, shredding, decontamination, and metal melting and casting for use as radiation shield blocks. All of the processors are located out of state.

In 1996, thirty-seven generators in the fuel fabrication, institutional, nuclear power plant, industrial, and private research categories shipped 54,155.6 cubic feet of LLRW containing 68.224 Curies off-site by way of brokers and processors. These intermediate facilities, in turn, shipped 4,124.3 cubic feet of LLRW containing 49.624 Curies to disposal facilities.

Thus, for the waste shipped to brokers and processors, Connecticut generators achieved a 92.4% decrease in waste volume through processing. This volume reduction calculation does not take into consideration the fact that the amount shipped to disposal by processors and brokers in 1996 includes some waste held from previous years, or that some waste shipped off-site for management in 1996 was held by processors and brokers at year's end.

### 3.5 LLRW Disposal Sites Used

Table 3 presents the volume and radioactivity of LLRW shipped to LLRW disposal facilities during 1996, and Figure 7 illustrates the proportion of LLRW disposed at each facility. The majority of the radioactivity (3,087.888 Curies or >99.9%) and volume (11,769.9 cubic feet or 92.4%) was shipped to the Chem-Nuclear LLRW disposal facility at Barnwell, South Carolina, which is a full-service disposal facility.

Additionally, ABB Combustion Engineering Nuclear Products generated and disposed 900.0 cubic feet of low-activity debris in connection with the decommissioning of its Windsor fuel fabrication facility. This material, which constituted 7.6% of the state's LLRW disposal volume in 1996, was disposed at the Envirocare LLRW facility at Clive, Utah. Envirocare specializes in the disposal of high-volume, low-activity LLRW, such as the ABB Combustion Engineering Nuclear Products decommissioning waste. Envirocare's facility is not a full-service disposal facility, and its operating license will not allow it to accept many forms of LLRW.

Since January 1, 1993, the Barnwell facility has been the only full-service LLRW disposal facility available to Connecticut generators, albeit on an intermittent basis. On January 1, 1993, the LLRW compacts hosting the three full-service disposal facilities then active became entitled to refuse out-of-compact waste pursuant to provisions of the LLRW Policy Amendments Act of 1985. The Northwest Compact exercised the option by limiting the Richland, Washington facility to waste from the Northwest and Rocky Mountain Compacts only. Additionally, the State of Nevada closed the Beatty, Nevada LLRW disposal facility, and it is no longer accepting waste. Only the Barnwell facility remained open to Connecticut waste, although it did close temporarily to out-of-region generators,

TABLE 3: DISPOSAL FACILITIES USED BY CONNECTICUT GENERATORS IN 1996 - BY CATEGORY OF GENERATOR

	BARNWELL, SC		ENVIROCARE, CLIVE, UT	
CATEGORY OF GENERATOR	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
FUEL FABRICATION			900.0	0.037
INDUSTRIAL	38.9	0.210		
INSTITUTIONAL	227.0	0.369		
MILITARY	1,010.6	193.016		
NUCLEAR POWER PLANTS	9,290.0	2,891.358		
PRIVATE RESEARCH	303.4	2.935		
TOTALS	10,869.9	3,087.888	900.0	0.037

Grand Total Disposed: 11,769.9 cubic feet 3,087.925 Curies

FIGURE 7: DISPOSAL FACILITIES USED BY CONNECTICUT GENERATORS IN 1996


### RADIOACTIVITY

ENVIROCARE <0.1%

(Percent of 3,087.925 Curies)

BARNWELL >99.9%

### **VOLUME**



BARNWELL 92.4%

(Percent of 11,769.9 Cubic Feet)

including Connecticut LLRW generators, from mid-1994 to mid-1995. Thus, all of Connecticut's LLRW disposed in 1996 went to the Barnwell facility, excluding the decommissioning waste from ABB Combustion Engineering Nuclear Products.

### 3.6 Decay of LLRW Shipped Off-Site for Management During 1996

LLRW shipped off-site<sup>b</sup> in 1996 by Connecticut generators contained many different radionuclides having a wide variety of half-lives. "Half-life" is the length of time it takes for the amount of a particular radionuclide to be reduced, through radioactive decay, to one-half of its initial value. Each radionuclide has a specific, measurable half-life. More than half of the radioactivity was associated with radionuclides having relatively short half-lives (i.e., less than 5 years), while some of the radionuclides in the waste have very long half-lives.

Figure 8 depicts the effects of radioactive decay on the amount of radioactivity left at various points in the future in Connecticut LLRW shipped off-site in 1996, including the ingrowth and decay of progeny radionuclides. The amount of radioactivity left after 100 years is 269 Curies, approximately 9% of the original 3,107 Curies. After 500 years, the amount remaining is approximately 11 Curies, less than 1% of the original amount.


### 4. LLRW Management After 1996

On July 1, 1995, the Barnwell LLRW disposal facility re-opened to waste from outside the Southeast Compact region, including Connecticut waste, following South Carolina's withdrawal from the Southeast Compact. The facility had been closed to out-of-region waste for a year. Thus, beginning during the second half of 1995, Connecticut generators were again able to dispose their LLRW at Barnwell.

At this writing, it is not known how long the Barnwell facility will remain open to Connecticut generators. One indicator of possible stability for the next several years is that the South Carolina Supreme Court upheld legislation that re-opened the Barnwell LLRW disposal facility to out-of-region generators. Thus, on the one hand, it appears unlikely that the South Carolina courts can be used to close the Barnwell facility. On the other hand, increased disposal costs have resulted in less LLRW being shipped to the Barnwell LLRW disposal facility. Consequently, the State of South Carolina has had some difficulty collecting the anticipated amounts of revenue for public education. This

<sup>&</sup>lt;sup>b</sup>Data gathered for calendar year 1996 contained isotopic composition of LLRW shipped off-site for management. This is in contrast to data for prior years which gave the isotopic composition of LLRW actually disposed. Thus, data for 1996 include LLRW that was held over by brokers or processors at the end of 1996 and LLRW that was incinerated or decontaminated. The data exclude waste shipped off-site in previous years and subsequently disposed in 1996.

DECAY OF 1996 LLRW SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT FIGURE 8:



weakens a major justification for re-opening the facility in 1995 and strengthens the position of those seeking its permanent closure.

Thus, the national LLRW management arena is in a state of continuing flux and uncertainty for a variety of political and economic reasons. It is not yet clear how long Connecticut can depend on existing out-of-state LLRW disposal capacity. To meet longterm needs for managing the LLRW projected to be generated over the next 50 years (see Table 4°), the CHWMS is continuing to move forward with its statutory duties under Connecticut's LLRW management facility siting law to provide for in-state disposal of LLRW. The 1993 LLRW Management Plan, approved by the Connecticut General Assembly in April, 1993, includes a plan for a volunteer approach to LLRW disposal facility siting. Concurrently, the Connecticut Office of Policy and Management and the Northeast Interstate LLRW Compact are seeking to arrange a more permanent out-of-state and out-of-region option for providing LLRW disposal capacity.

These projections were assembled in September, 1994, well before the December, 1996 announcement by Northeast Utilities that the Connecticut Yankee nuclear power plant would be taken out of service and decommissioned. Early shutdown and decommissioning of Connecticut Yankee will significantly reduce the volume and activity to be disposed in Connecticut's LLRW disposal facility. However, new projections taking these developments into account have not yet been compiled.

TABLE 4: 50-YEAR VOLUME AND RADIOACTIVITY PROJECTIONS FOR CONNECTICUT'S LLRW DISPOSAL FACILITY

	LICENSE EX		20-Y LICENSE EX	
	Volume (Cubic Feet)	Activity (Curies)	Volume (Cubic Feet)	Activity (Curies)
CLASS A				
Non-Utility Operations	290,000	1,000	290,000	1,000
Utility Operations	170,000	28,000	340,000	58,000
Utility Decommissioning	790,000	3,000	790,000	3,000
Total	1,250,000	32,000	1,420,000	62,000
CLASS B				
Utility Operations	28,000	21,000	56,000	40,000
Utility Decommissioning	130.000	1.000	130,000	1,000
Total	158,000	22,000	186,000	41,000
CLASS C				
Utility Operations	16,000	530,000	34,000	900,000
Utility Decommissioning	39,000	230,000	39,000	230,000
Total	55,000	760,000	73,000	1,130,000
		7.50aca (1.50aca (1.50ac)		
TOTAL	1,463,000	814,000	1,679,000	1,233,000
NON-UTILITY			Najarahan 12020 (1202)	
Total	290,000	1,000	290,000	1,000
137111774				
UTILITY	04.4.000	E70 000	400.000	000 000
Operations  Decommissioning	214,000 959,000	579,000 234,000	430,000 959,000	998,000
Decommissioning Total	1,173,000	234,000 813,000	959,000 1,389,000	234,000 1,232,000
1.00		J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,404,700
TOTAL	1,463,000	814,000	1,679,000	1,233,000
	,,,,,,,	717,Y29	.,,,,,,,,,,	

<sup>•</sup> Refers to potential extension of operating licenses for nuclear power plants.

### **APPENDIX A:**

LOW-LEVEL RADIOACTIVE WASTE MANAGEMENT IN CONNECTICUT - 1996 ment, Projections, Disposal Technologies, Transportation and Cost Distribution," and it describes the generation and management of LLRW in Connecticut during 1991.<sup>a</sup>

The CHWMS subsequently published updates to the 1993 Management Plan giving information on LLRW generation and management during the following years:

• 1992 data	"Low-Level Radioactive Waste Management in Connecticut - 1992" (January, 1994)
• 1993 data	"Low-Level Radioactive Waste Management in Connecticut - 1993" (April, 1995)
• 1994 data	"Low-Level Radioactive Waste Management in Connecticut - 1994" (February, 1996)
• 1995 data	"Low-Level Radioactive Waste Management in Connecticut - 1995" (December, 1996).

In keeping with the ongoing duty of the CHWMS to provide LLRW generation and management data on a timely basis, the current report provides information in the following general areas:

- inventory of Connecticut LLRW generators for 1996;
- data on sources, management, volumes, types, and half lives of the LLRW shipped for management and disposal in 1996; and
- description and analysis of LLRW generators and LLRW generated in the state, including types of waste and their volumes, radioactivities, and radionuclide compositions; processing methods; and other information.

This report is a compilation and analysis of data from Annual LLRW Report Forms (generator reports) required by state law [4] to be submitted annually to the Department of Environmental Protection (DEP) by LLRW generators. The generator reports contained information on LLRW management practices during 1996 and were similar to the survey questionnaires provided by the CHWMS and the DEP in previous years.

Unless otherwise noted, the 1987 through 1996 generator reports are the source of data presented and analyzed in this report.

Tables and figures referred to in this report appear at the end of the report.

<sup>&</sup>lt;sup>a</sup>Longterm projections of LLRW generation and disposal are presented in a separate CHWMS publication entitled "Projections of Low-Level Radioactive Waste Characteristics and Volumes to be Disposed at the Connecticut LLRW Disposal Facility" dated September 1994 and approved by the General Assembly on April 2, 1995.

An entry on the tables and figures preceded by "<" means that the reported or calculated number rounds to less than the value shown using standard rounding methods.

### 2. LLRW GENERATOR REPORTS

In April, 1997, CHWMS staff, in conjunction with the DEP Monitoring and Radiation Division, received generator reports from Nuclear Regulatory Commission (NRC) radioactive material licensees in the state and entities registered with the Monitoring and Radiation Division. The generator report questionnaire was mailed by DEP to licensees/registrants who had previously indicated a potential for generating LLRW during calendar year 1996. CHWMS staff also examined disposal records from the Barnwell, South Carolina LLRW disposal facility and the Envirocare facility in Utah to determine whether there were additional generators that should complete the questionnaire. These disposal facility records also served as a benchmark by which to verify individual generator reports.

The form used for the 1996 generator reports was similar in content to the questionnaire used in previous years, other than changes discussed below. As in previous surveys, the form focused on the types of waste that are shipped off-site for disposal or for treatment and subsequent disposal. It is this waste for which the CHWMS must select an appropriate LLRW disposal facility site and technology. The form was prepared by DEP and CHWMS staff and is attached as Appendix B.

Several simplifying revisions incorporated into the 1996 form were made at the request of generators. The 1996 questionnaires sought information on the isotopic composition of LLRW *shipped off-site for management*, rather than LLRW ultimately disposed at licensed LLRW disposal facilities. Additionally, the forms requested less detailed tracking of the waste from generator to disposal, and contained less burdensome instructions.

While the character of the data presented in this report differs somewhat from prior LLRW management reports, the CHWMS does not believe the usefulness of the report has been diminished.

The form also requested information about the amount of LLRW stored on-site by generators at the end of the year and awaiting ultimate disposal as LLRW. Connecticut's LLRW generators were unable to dispose of LLRW during parts of 1994 and 1995 because they, along with generators in most states, had been denied access to the country's two remaining full-service LLRW disposal facilities. During this period of denied access, Connecticut LLRW generators initiated large-scale temporary on-site storage of LLRW. In July, 1995, the Barnwell, South Carolina LLRW disposal facility reopened to most out-of-region generators, including those in Connecticut. However, many generators continued to store significant quantities of LLRW on-site for a variety of reasons. Thus, it was especially important to learn how much LLRW had accumulated on-site and where it was being stored. Information regarding on-site storage capacity was obtained in earlier years. In the event that denial of access to disposal facilities is repeated, the State will need this information to determine how long generators would be able to continue their operations that generate LLRW.

Additionally, the generator report included specific questions about mixed waste generation and storage. Mixed waste meets both the NRC definition of LLRW and the U.S. Environmental Protection Agency (EPA) definition of hazardous waste. According to federal law, states are responsible for providing disposal capacity for mixed waste [5]. On March 23, 1989, the Board of Directors of the CHWMS resolved that the capability and capacity to dispose of mixed waste would be included in the plans for a LLRW disposal facility if the State must ultimately provide disposal capacity for mixed waste in Connecticut.

Of the licensees/registrants who received the 1996 generator report form, all completed and returned it. Incomplete or ambiguous responses were resolved by CHWMS staff contacting generator report preparers by telephone.

### 3. INVENTORY OF LLRW SHIPPERS

Table AP-1 lists, in alphabetical order, the 63 Connecticut generators that shipped LLRW off-site for management in 1996; disposed waste in 1996 that had been shipped off-site in previous years; and/or held LLRW in on-site storage at the end of 1996. Additionally, Table AP-1 lists six generators that expect to generate LLRW requiring off-site management in at least one year between 1997 and 2001, but which neither generated, stored, shipped, nor disposed LLRW during 1996. Thus, Table AP-1 presents a total of 69 active and potential generators. There are still other facilities in Connecticut that generate LLRW, but they are not included in this study because they manage their waste on-site. Following the generator name, the table indicates the town in which the generator is located and the generator category to which it has been assigned for analytical purposes. Generator categories are described in Chapter 4.

Each of the three nuclear power plants at Millstone Point was considered a separate generator. Additionally, the two distinct divisions of ABB Combustion Engineering that ship LLRW were also considered separate generators. One division of ABB Combustion Engineering fabricated fuel rods and assemblies for nuclear power plants (listed as "Nuclear Products"), and the other provides decontamination and other services to utilities during nuclear power plant refueling shutdowns (listed as "Nuclear Services").

Table AP-2 shows the volume and radioactivity of the LLRW held on-site and shipped offsite and to disposal facilities by the 63 generators that actually stored, shipped, or disposed LLRW during 1996.

### 3.1 On-Site Storage

An important feature of Connecticut's LLRW management in 1996 was the continuation of large-scale temporary on-site waste storage by generators despite the availability of out-of-state disposal capacity. Prior to 1994, Connecticut's LLRW generators were able to dispose most of their LLRW within a reasonable time after it was generated and maintained only a small inventory of waste on-site from one year to another. For instance, at the end of 1993, Connecticut generators were storing 3,309.0 cubic feet of LLRW for disposal in 1994.

However, as a consequence of national developments in the availability of LLRW disposal capacity, Connecticut generators, as well as generators in many other states, lost access to all full-service LLRW disposal facilities during 1994. On July 1, 1994 they began storing waste on-site indefinitely. By the end of 1994, 40 LLRW generators in 23 Connecticut towns had accumulated and were storing 36,117.631 Curies of radioactivity in 6,101.2 cubic feet of LLRW.

On-site storage of LLRW became the primary management option for Connecticut generators in 1994 as a consequence of federal law and the inability of the states to develop new LLRW disposal capacity. In 1980, Congress had enacted the Low-Level

Radioactive Waste Policy Act (Public Law 96-573) which made each state responsible for providing disposal capacity for the LLRW generated within its borders. Congress recognized that LLRW could be managed most safely and efficiently on a regional basis, so it authorized states to form regional, interstate compacts to undertake their LLRW management responsibilities. As an incentive for states to join LLRW compacts, the law authorized each LLRW compact to exclude from its disposal facilities LLRW generated outside the compact's member states.

Congress amended the LLRW Policy Act in 1985 (Public Law 99-240) by adding milestones and deadlines for states and compacts to meet in developing new disposal facilities. One of the milestones was January 1, 1993, which was the date on which LLRW compacts could start to exclude from their facilities LLRW generated outside the member states.

In June, 1992, the U.S. Supreme Court issued a decision on the constitutionality of the federal LLRW law (New York v. U.S.). The Court found that the basic system set up by the law (i.e., the system of interstate compacts to provide disposal capacity and the authority of compacts to exclude waste from their facilities) is constitutional. The Court found that one provision of the law, the so-called "take-title provision", was unconstitutional. Under that provision, beginning January 1, 1996, if a state had not provided disposal capacity for LLRW, and, if requested by a generator, the state would have been obligated to take title to and possession of the generator's waste. If the state didn't take possession of the generator due to the failure of the state to take possession.

While the take-title provision no longer exists, the authority for LLRW compacts to exclude out-of-compact LLRW remains, having taken effect on January 1, 1993. At the end of 1992, three LLRW disposal facilities were in operation. On January 1, 1993, the State of Nevada and the Rocky Mountain Compact closed the Beatty, Nevada site permanently. On January 1, 1993, the Northwest Compact and the State of Washington restricted access to the Richland, Washington LLRW disposal facility to generators in the Northwest Compact region and, under contract, to generators in the Rocky Mountain Compact region. The Richland facility also accepts naturally occurring radioactive materials (NORM) from states outside these regions because NORM is not covered by the LLRW Policy Act or the 1985 Amendments. The Northwest Compact and the State of Washington have indicated that they do not intend to change their policy on access to the Richland facility. The Southeast Compact and South Carolina allowed the Barnwell, South Carolina disposal facility to accept LLRW from most states, including Connecticut, through June 30, 1994.

Effective July 1, 1994, access to the Barnwell facility was limited to generators in the Southeast Compact region. The Southeast Compact and the State of South Carolina indicated that they did not intend to allow other generators to use the Barnwell facility in the future. No new LLRW disposal facilities had begun operating since January 1, 1993. Therefore, beginning July 1, 1994 when access to the Barnwell facility was restricted, LLRW generators in Connecticut no longer had access to LLRW disposal capacity and began storing LLRW on-site.

On-site storage of LLRW was expected to continue indefinitely. Nonetheless, owing to political and fiscal developments within South Carolina and the Southeast Compact, the Governor and General Assembly of South Carolina enacted legislation which withdrew South Carolina from the Southeast Compact and re-opened the Barnwell facility to LLRW from outside the Southeast Compact region effective July 1, 1995. The State of South Carolina has imposed additional surcharges for the right to dispose LLRW at Barnwell and hopes to collect substantial revenue for public education in South Carolina. In 1996, this legislation was upheld by the Supreme Court of South Carolina.

Although many Connecticut generators resumed LLRW shipments to the Barnwell facility after July, 1995, others continued to store waste on-site during 1996. Reasons cited for this practice are the high costs of disposing LLRW at the Barnwell facility; and lower rates of generating LLRW, which requires a longer time to collect enough LLRW to justify an off-site shipment.

Thus, at the end of 1996, 42 generators in 26 Connecticut towns were storing 52,911.489 Curies of radioactivity in 7,745.0 cubic feet of LLRW. The 42 generators consisted of 23 which only stored LLRW and 19 that stored waste in addition to shipping and/or disposing LLRW.

In summary, the recent history of on-site LLRW storage in Connecticut is as follows:

YEAR	NUMBER OF GENERATORS STORING LLRW ON-SITE	LLRW STORED ON-SITE (ROUNDED)		
TEAN		CUBIC FEET	CURIES	
1993	26	3,309	<1	
1994	40	6,101	36,117	
1995	41	7,575	53,829	
1996	42	7,745	52,911	

At this writing, it is unclear how long generators will continue to store significant quantities of waste on-site and how much waste will ultimately accumulate. Therefore, the CHWMS will continue to monitor the status of on-site LLRW storage in Connecticut. For its part, Northeast Utilities plans to continue shipping LLRW for disposal to reduce the amount of LLRW in on-site storage at Connecticut's nuclear power plants.

#### 3.2 LLRW Disposal

As indicated by Table AP-2, 39 generators shipped a total of 3,106.525 Curies of radioactivity in 61,801.2 cubic feet of LLRW off-site for management, including disposal, in 1996. A total of 3,087.925 Curies in 11,769.9 cubic feet was shipped to disposal facilities by 34 generators. Waste shipped off-site by the remaining six active generators was either incinerated during the year (without leaving a residue requiring disposal as LLRW) or held by brokers and processors at the end of 1996. (Since one generator disposed only waste that had been shipped off-site during 1995, there was a total of 40 active generators that shipped and/or disposed LLRW during 1996.)

Of the total waste disposed during 1996, nuclear power plants contributed 2,891.358 Curies in 9,290.0 cubic feet of LLRW.

Tables AP-3A and AP-3B rank (by radioactivity and volume of waste, respectively) the 34 Connecticut generators that actually disposed LLRW in 1996.

Tables AP-4A and AP-4B compare LLRW disposed at full-service LLRW disposal facilities in 1996 by Connecticut generators with disposal by the other 49 states and the District of Columbia. Table AP-4A ranks the states and D.C. by volume disposed, while Table AP-4B ranks them by radioactivity disposed. Connecticut in 1996 ranked thirteenth in terms of both volume disposed and radioactivity disposed. However, had Connecticut generators disposed the LLRW stored on-site at year's end, Connecticut might have ranked considerably higher in both categories.

Owing to management practices of LLRW brokers and processors, some LLRW shipped off-site in 1996 was held at year's end and not shipped for disposal in 1996. On the other hand, some LLRW disposed in 1996 had been shipped to brokers and processors in prior years. Finally, there are some LLRW radioactivity decreases through decontamination and incineration of LLRW. In combination, all of these factors resulted in a net decrease of 18.600 Curies in the activity of LLRW disposed in 1996 compared to the activity of LLRW shipped off-site during the year.

The number of generators shipping waste off-site or to disposal in recent years is as follows:

YEAR	NUMBER OF GENERATORS SHIPPING LLRW OFF-SITE OR TO DISPOSAL	LLRW SHIPPED OFF- SITE (ROUNDED)		LLRW SHIPPED TO DISPOSAL (ROUNDED)	
		CUBIC FEET	CURIES	CUBIC FEET	CURIES
1987	26	65,514	23,886	45,914	23,886
1988	29	57,388	96,451	39,741	96,450
1989	33	69,065	21,884	49,092	21,884
1990	29	80,100	255,163	34,233	255,160
1991	39	97,765	3,579	48,871	3,586
1992	33	127,021	29,357	75,581	29,357
1993	30	60,578	5,375	15,011	5,372
1994	51	109,900	887	19,338	888
1995	23	55,487	870	9,714	840
1996	40	61,801	3,107	11,770	3,088

Variation in the number of generators relates to several factors. The relatively gradual variations seen before 1994 are probably due, in part, to the existence of small-quantity generators who only need to ship waste every few years. Additionally, while new generators that regularly dispose LLRW have appeared over the years, others have gone out of business or otherwise ceased LLRW-generating operations. On the other hand, the number of generators peaked sharply in 1994 as generators (especially small one-time generators) sought to dispose LLRW before the then-possible closure of the Barnwell, South Carolina LLRW disposal facility to out-of-region waste. Following a year-long denial of access to the Barnwell facility, many Connecticut generators resumed LLRW shipments.

Off-site shipments of LLRW for 1987 through 1996 are covered in Tables AP-5A through AP-5C. Tables AP-6A through AP-6C provide disposal data for the same years.

LLRW shipments fell off sharply beginning in 1993. Reasons for the decline include 1) depletion of LLRW inventories prior to January 1, 1993 in anticipation of possible denial of access to disposal capacity thereafter; 2) improved operating procedures at generator facilities, particularly Northeast Utilities' nuclear power plants, which reduced the actual generation of LLRW (source reduction); 3) improved volume reduction during off-site processing for several generator categories, which may be attributable to a large increase

in disposal fees at the Barnwell, South Carolina LLRW disposal facility and space constraints for on-site LLRW storage; 4) loss of disposal facility access for Connecticut LLRW during the second half of 1994 and the first half of 1995; and 5) the continuation of on-site storage, rather than resumption of off-site shipments, by a number of generators since the middle of 1995.

Because special circumstances existed during 1993 through 1996, it is not certain that the four-year trend of volume reduction will continue.

On the one hand, the downward trend appears to be the result of a change in the LLRW management system that is likely to continue (i.e., higher LLRW disposal fees<sup>b</sup>). Both LLRW generator short-term projections and CHWMS long-term projections predict similar reduced volumes for at least the next five years for most generators. Thus, there is a distinct possibility that the 1993 through 1996 data predict the volumes of LLRW requiring disposal that will be generated over the next several years by most generators.

On the other hand, all four of Connecticut's nuclear power plants are currently inoperative (December, 1997), having been shut down in 1995 and 1996. (See Section 4.1, below.) NRC consent is required before the Millstone power plants can be restarted. The Connecticut Yankee power plant will not be restarted but will instead be decommissioned.

Early decommissioning activities at Connecticut Yankee will generate a substantial quantity of LLRW that was not previously anticipated for management during the next several years. Early decommissioning would, however, reduce the amount of waste that would be managed in the more distant future at a Connecticut LLRW disposal facility.

In addition, Northeast Utilities reports that it plans to dispose a substantial quantity of Class A LLRW at the Envirocare LLRW disposal facility at Clive, Utah in coming years. Because Envirocare will not accept some forms of low-volume processed waste, Northeast Utilities will not ship some waste to off-site processing prior to shipment to Envirocare. Consequently, past volume reductions due to processing may not continue.

The CHWMS will continue to closely track LLRW volumes to determine the effect of nuclear power plant outages and decommissioning on the amount and character of LLRW generated in Connecticut, and whether other generators continue to ship reduced volumes of LLRW.

<sup>&</sup>lt;sup>b</sup>Since November, 1996, the Barnwell LLRW disposal facility has been charging disposal fees based on weight, dose rate, and Curie content, rather than on volume.

## 4. CATEGORIES OF LLRW GENERATORS

The NRC has characterized the waste streams for each category of generator in conjunction with the development of its LLRW regulations [6]. The characterization for a particular type of waste includes the identification of the processes that produce it, and its typical physical form, chemical form, and radionuclide content.

The generator categories for this report generally correspond to the NRC's categories. One exception is the "Private Research" category ("Industrial/Institutional" in the 1988 Management Plan). The NRC methodology has "Industrial" and "Institutional" categories, each with its own typical waste streams. In analyzing the survey responses for the 1988 calendar year, CHWMS staff identified a number of waste shippers who were "industrial" (i.e., they were commercial firms rather than universities or hospitals), but whose waste streams were characteristic of "institutional" waste generators.

For example, several industrial firms shipped liquid scintillation waste off-site, but in the NRC impact analysis methodology, liquid scintillation waste is only an institutional waste stream. Therefore, a separate generator category for these generators was established and named "Private Research". This category is identical to the category called "Industrial/Institutional" in the 1988 Management Plan. It was renamed because "private research" more accurately describes the facilities in this category. This usage is also applied in the current report.

Nonetheless, for calendar year 1993 one industrial generator, Canberra Industries, reported generating liquid scintillation waste in a non-research manner. Canberra Industries manufactures radiation detection instruments, including liquid scintillation counters. In the course of demonstrating its products to prospective buyers, Canberra Industries generates liquid scintillation waste. Accordingly, the CHWMS has established a new industrial waste type, N-LIQSCVL, to account for this waste.

The following sections provide a more detailed description of each LLRW generator category and the processes resulting in the generation of LLRW.

# 4.1 Nuclear Power Plants [7]

In recent decades there have been as many as four commercial nuclear power plants operating simultaneously in Connecticut: Connecticut Yankee in the Haddam Neck section of the Town of Haddam, and Millstone Units 1, 2, and 3 in the Town of Waterford. Between November, 1995 and July, 1996, however, all four plants ceased power-generating operations and have not yet been allowed by the NRC to restart. At this writing, no commercial nuclear power plants are operating in Connecticut. At least one of the plants is to be shut down permanently, and the fate of the other plants is unclear at present.

Connecticut Yankee is owned and operated by the Connecticut Yankee Atomic Power Company, which is owned by eight New England electric utility companies. Northeast Utilities owns a controlling interest (49%) in the Company. The net electrical generating capacity of Connecticut Yankee is 580 megawatts (MWe). The plant has a Westinghouse pressurized water reactor. It went into operation in 1967 and its operating license is scheduled to expire in 2007.

**Status:** Connecticut Yankee was taken off-line on July 22, 1996 so that a safety analysis could be conducted. On December 5, 1996, Northeast Utilities announced that the plant would be shut down permanently. The company has determined that the cost of operating Connecticut Yankee for the remainder of its license would exceed the cost of obtaining replacement power elsewhere.

Northeast Utilities, which operates the three Millstone Units, wholly owns Units 1 and 2, and owns the majority interest (68%) in Unit 3. Northeast Utilities is the parent company of Connecticut Light and Power Company, which provides electric service to most of Connecticut. Other operating companies owned by Northeast Utilities are Western Massachusetts Electric Company, Holyoke Water Power Company, and Public Service of New Hampshire.

Millstone Unit 1 is a 660 MWe General Electric boiling water reactor, which went into operation in 1970 with its operating license scheduled to expire in 2010. **Status**: Millstone Unit 1 was shut down on November 4, 1995 for refueling. It has not been allowed to restart.

Millstone Unit 2 is a 870 MWe Combustion Engineering pressurized water reactor, which went into operation in 1975 with its operating license scheduled to expire in 2015. **Status**: Millstone Unit 2 was shut down on February 20, 1996. It has not been allowed to restart.

Millstone Unit 3 is an 1150 MWe Westinghouse pressurized water reactor, which went into operation in 1985 with its operating license scheduled to expire in 2025. **Status**: Millstone Unit 3 was shut down on March 30, 1996. At this writing (December, 1997) Northeast Utilities expects a restart inspection by the NRC to take place in early 1998.

The pertinent information about the four nuclear power plants is summarized as follows:

# **CONNECTICUT NUCLEAR POWER PLANTS**

PLANT	NET CAP. (MWe)	REACTOR MANUFACTURER	TYPE*	BEGAN OPER.	LICENSE SCH. TO EXPIRE	OFF LINE
CONNECTICUT YANKEE	580	Westinghouse	PWR	1967	2007°	7/96
MILLSTONE UNIT 1	660	General Electric	BWR	1970	2010	11/95
MILLSTONE UNIT 2	870	Combustion Engineering	PWR	1975	2015	2/96
MILLSTONE UNIT 3	1150	Westinghouse	PWR	1985	2025	3/96

PWR - Pressurized Water Reactor BWR - Boiling Water Reactor

During normal operations, the LLRW generated by nuclear power plants comes from maintenance and refueling activities. The primary source of radioactivity in the LLRW at these plants normally is contaminants that build up in the reactor coolant. The contaminants are produced by neutron activation of trace materials and corrosion products, and by radionuclide leakage from fuel elements into the reactor coolant. However, in 1988, 1990, and 1992, the primary source of radioactivity in waste shipped from the plants was contaminated or activated metal equipment.

Recent developments at Connecticut's commercial nuclear power plants are likely to have a significant impact on the quantity and characteristics of LLRW generated and managed in coming years. Most significantly, the closure and decommissioning of Connecticut Yankee will generate an estimated 275,000 cubic feet of LLRW containing approximately 26,000 Curies of radioactivity over approximately 5 years. [Personal communication, Wolf Koste, Supervisor of Radwaste Engineering, Northeast Utilities, August, 1997.]

# 4.2 Fuel Fabricators

Fuel fabrication is the final step in the uranium fuel cycle before the uranium becomes fuel for light water reactors. Enriched uranium hexafluoride is shipped to commercial and military fuel fabrication facilities that convert the enriched uranium hexafluoride to uranium oxide pellets. The pellets are loaded into rods and the rods are configured to form fuel assemblies. Until recently, there were two fuel fabricators in Connecticut.

Prior to 1994, ABB Combustion Engineering Nuclear Products produced fuel assemblies in Connecticut for the commercial nuclear power industry. The fuel pellets were

<sup>&</sup>lt;sup>c</sup>As discussed above, Connecticut Yankee will not operate for the full duration of its NRC license.

manufactured in Missouri and the fuel assemblies were put together in Connecticut. At one time, fuel pellets were manufactured in Connecticut as well, but this activity had previously been moved out of Connecticut. The ABB Combustion Engineering fuel assembly facility ceased manufacturing operations on September 30, 1993, and was being decommissioned during 1994, 1995, and 1996.

The other facility, United Nuclear Corp., manufactured fuel assemblies for the U.S. Navy. United Nuclear Corp. has discontinued these operations and facility decommissioning was completed in 1993. The United Nuclear Corp. facility has been converted to new use as the Mohegan Sun Casino.

## 4.3 Institutional and Private Research Facilities

Medical care and research facilities, academic research institutions, and government facilities are included in the institutional category of generators. Commercial firms (which would otherwise be classed as industrial facilities) that generate waste essentially identical to the waste generated by institutional facilities make up the private research category.

Waste produced by medical sources results from the use of radioactive materials in the practice of medicine. Nuclear medicine, which involves the use of radionuclides for diagnosis and therapy, is widely practiced. Most of the radionuclides used in nuclear medicine have short half-lives.

Bioresearch waste results from the use of radioactive materials in biochemical, biophysical, and physiological investigations. This type of research uses various radionuclides as tracers in test animals and labeling of organic chemicals to study reactions and obtain basic data. Tritium (hydrogen-3), with a half-life of 12.3 years, is the principal radionuclide found in the waste.

LLRW is also generated through research in physics, inorganic chemistry, materials analysis, and geology. Some LLRW is also produced through the instructional or classroom use of radioactive materials.

#### 4.4 Industrial Facilities

This category includes all other commercial producers of LLRW. Many industrial activities are directly related to those of other generators, such as providing assistance during outages at nuclear power plants. Others manufacture consumer products.

This category also includes LLRW generated in the production of products for the military (e.g., aircraft engines, helicopters, and tanks). However, LLRW generated in servicing these products (i.e., after they have been turned over to the military), is included in the military category.

# 4.5 Military Facilities

Nearly all of the LLRW generated within the military category in Connecticut is associated with the maintenance of nuclear powered submarines. Most of this waste is generated by the Navy itself, but the Navy uses a civilian contractor, the Electric Boat Division of General Dynamics, for some maintenance. Shipments from the civilian contractor are infrequent but, when they occur, are assigned to this category.

In 1996, the U.S. Army Connecticut National Guard disposed a significant volume and activity of luminescent tritium-bearing dials and devices.

# 5. OFF-SITE DISPOSAL SHIPMENTS

The volume and radioactivity of LLRW shipped off-site for management and to disposal facilities in 1996 are indicated for each generator and each category of generator in Table AP-7.

Tables AP-8 and AP-9 show the volume and radioactivity of LLRW shipped off-site and to disposal facilities in 1996 by category of generator, as well as the percentages of the total volume and activity contributed by each category.

Proportions of the volume and activity of LLRW shipped to disposal facilities by each generator category are illustrated in Figure AP-1.

A comparison of category subtotals in Table AP-7 for volume shipped off-site and volume shipped for disposal shows that most generator categories achieved significant volume reductions due to off-site processing during 1996. Chapter 7 provides information about off-site processing facilities and on-site volume reduction techniques.

As Tables AP-8 and AP-9 and Figure AP-1 demonstrate, nuclear power plants in Connecticut accounted for most of the radioactivity and more than three-quarters of the volume of LLRW shipped off-site for management and shipped to disposal facilities in 1996. Thus, apart from the large activity disposed by the U.S. Army Connecticut National Guard, 1996 was a typical year for Connecticut in terms of the overall volume and activity distribution.

very significant portion of the total radioactivity disposed. The Millstone 1 nuclear power plant has reported that it was storing 53,000 Curies in 320 cubic feet of B-NFRCOMP at the close of 1995, none of which was shipped off-site during 1996.

## 6.1.7 Metal Sent for Decontamination - O-METDCON

Unlike irradiated metallic hardware which contains radioactivity throughout its entire volume, some metal items such as tools and scaffolding are contaminated only by radioactive particles adhering to their surfaces. This surficial contamination can be removed by a variety of processing techniques, resulting in non-radioactive metal that may be released for unrestricted use. The radioactive material removed must be disposed as LLRW.

Waste radioactive metal fitting this description is generally shipped by the nuclear power plants as P-NCTRASH or B-NCTRASH. However, for the year 1989, Northeast Utilities utilized a separate waste stream designation of O-METALDECON (later shortened to O-METDCON by the CHWMS) to account for this material.

## 6.1.8 Mixed Waste - O-MIXWAST

As noted earlier, mixed waste is waste that meets both the NRC definition of LLRW and the U.S. Environmental Protection Agency (EPA) definition of hazardous waste. Nuclear power plants have generated a variety of mixed wastes in the course of their operations, primarily spent freon, lead paint chips, and organic solvents. The power plants have been accumulating their mixed waste for a number of years due to a nationwide lack of treatment and disposal capacity for most forms of mixed waste. However, during 1996, the power plants shipped 119.4 cubic feet of O-MIXWAST off-site for processing. They were storing an additional 504 cubic feet of mixed wastes at the end of 1996. (Please refer to Chapter 12 for a more complete discussion of mixed waste.)

#### 6.1.9 Miscellaneous Nuclear Power Plant Wastes - O-MISCLNS

Beginning in 1995, the Millstone nuclear power plants have shipped relatively small quantities of pump oils and floor-drain sludges off-site for management as LLRW. Rather than create two new waste type codes for these probably intermittent forms of waste, CHWMS staff carried these wastes in a single new "miscellaneous" waste stream denoted O-MISCLNS. Should other forms of non-recurring waste appear in the future, O-MISCLNS will be used for those wastes as well.

#### 6.2 Fuel Fabricators

LLRW shipped to disposal facilities from fuel fabricators has usually consisted primarily of combustible/compactible trash (F-COTRASH) (paper, plastic, and spent filters) and

noncombustible/noncompactible trash (F-NCTRASH) (tools and equipment). During 1996, ABB Combustion Engineering Nuclear Products was decommissioning its facility in Windsor. As a result of this work, it disposed 900 cubic feet of decommissioning debris at the Envirocare LLRW disposal facility at Clive, Utah during 1996. These decommissioning wastes were classified by the CHWMS as F-NCTRASH for the purpose of this report.

ABB Combustion Engineering Nuclear Products also shipped 3.8 cubic feet of a lead-cadmium-and-uranium-bearing mixed waste liquid off-site for processing. This waste is listed in this report as F-MIXWAST.

#### 6.3 Institutional and Private Research Facilities

The NRC has divided institutional waste streams into those generated by large facilities (-) and those generated by small facilities (+). As characterized by the NRC, there is no difference in the radionuclide composition of large and small facility waste streams. Therefore, for the 1988 and 1993 Management Plans and subsequent updates, each set of waste streams that have been divided by the NRC into separate streams for large and small facilities have been combined into one waste stream. The combined streams are identified by an equal sign (=).

Institutional and private research activities produce several types of LLRW which are described below.

# 6.3.1 Combustible/Compactible Trash - I=COTRASH

Protective clothing, gloves, plastic, rags, paper and packaging materials are typical wastes from all institutional and private research sources.

# 6.3.2 Noncombustible/Noncompactible Trash - I=NCTRASH

Several institutional and private research generators have reported shipping noncombustible/noncompactible trash. The NRC does not have an institutional waste stream for this trash. The CHWMS included one and designated it "I=NCTRASH".

# 6.3.3 Liquids - I=ABSLIQD, I=MWORLQD, and I=AQULIQD

Most liquids associated with the medical use of radionuclides are aqueous, i.e., in a water solution. These include washings from contaminated laboratory equipment in research facilities. In addition, organic laboratory solvents such as alcohols, aldehydes, ketones, and organic acids are waste components commonly associated with bioresearch. These liquids are generally absorbed before they are shipped to a disposal facility, hence this waste stream is denoted I=ABSLIQD. The NRC requires that waste shipped to a disposal

facility contain as little free standing liquid as is reasonably achievable, but in no case may free standing liquid exceed 1% of the volume of the waste [9].

In recent years, generators have shipped bulk free-standing liquids (not absorbed) off-site for processing. Beginning in 1992, generators have shipped small volumes of mixed waste organic liquids containing trace levels of radioactivity off-site for management by incineration. To account for this waste stream, the CHWMS has created the designation I=MWORLQD. In 1993, Yale University shipped 0.005 Curies in four cubic feet of bulk aqueous liquid LLRW off-site for management. This waste was processed to zero volume by evaporation when fed into the SEG LLRW incinerator at Oak Ridge, Tennessee as a coolant. A new waste stream, I=AQULIQD, was established by the CHWMS to account for this waste. In 1994 the CHWMS expanded the definition of I=ABSLIQD to include solidified liquids, as well as absorbed liquids.

# 6.3.4 Liquid Scintillation Vial Waste - I=LIQSCVL

Liquid scintillation vial waste consists of an organic fluid (usually toluene) in a plastic or glass vial. The organic fluid reacts to collisions with radiation emissions and gives off flashes of light that are detected and counted by a scintillation counter. Because it is able to measure radioactivity in extremely small concentrations, liquid scintillation is considered a very useful tool in bioresearch. Liquid scintillation waste includes both the liquid and the vial, although sometimes the two are managed separately.

## 6.3.5 Biological Waste - I=BIOWAST

These wastes consist mainly of the carcasses of animals used in biological research. Animal bedding and excreta, and culture media using radioisotopes are also included in this waste type.

# 6.3.6 Sealed Sources - I=MISCSOR and I=RAMISCL

These wastes consist of radioisotope sources used for calibration and measurement. Because they must sometimes be disposed, the CHWMS has defined a waste stream for miscellaneous sources (I=MISCSOR) and one for radium sources (I=RAMISCL).

#### 6.4 Industrial Facilities

Industrial facilities generate low activity trash (N=LOTRASH). This waste stream is comparable to the combustible/compactible trash and noncombustible/noncompactible trash waste streams for the other categories of generators. As with the institutional waste streams, the NRC distinguishes between large (-) and small (+) facilities. However, for the 1988 and 1993 Management Plans and subsequent updates, the two have been combined into one waste stream (=). The second industrial waste stream generated in

Connecticut is low activity waste (N-LOWASTE) from the use of radioactive material in the manufacture of aircraft products.

TRASH and WASTE differ in that TRASH is items such as tools, gloves, or equipment that have become contaminated with radioisotopes while WASTE is actual waste radioactive material. For instance, some industrial facilities use radioactive metal alloys. The filings or turnings that result from the machining of these alloys are WASTE, while tools or gloves that become contaminated with the radioactive alloy are TRASH.

Because industrial generators must sometimes dispose sealed sources used in their operations, the CHWMS has added a waste stream denoted as miscellaneous sealed sources (N-MISCSOR). Some of these sealed sources must be disposed as Class C LLRW.

The CHWMS has added a waste stream for liquid scintillation wastes generated in a non-research manner by industrial generators. This waste stream has been given the designation N-LIQSCVL. The CHWMS has also added industrial categories for solidified aqueous liquids (N-SOAQLQD), naturally occurring radioactive materials (N-NORM), and mixed waste (N-MIXWAST).

# 6.5 Military Facilities

Military generators in Connecticut include the U.S. Navy, a civilian contractor of the Navy, and the U.S. Army Connecticut National Guard.

U.S. Navy and civilian contractor facilities normally generate three types of waste: Dry waste, wet waste, and mixed waste. The dry waste (M-NAVYDRY) consists of dry compressible material, contaminated equipment, and other waste comparable to the combustible/compactible and the noncombustible/noncompactible trash types of waste for other categories of generators. The wet waste (M-NAVYWET) consists of solidified ion-exchange resins and liquids. The designation "wet" refers to the waste as generated, not to the waste as shipped. Military wet waste is solidified or dewatered before shipment for disposal. Military waste shipped to commercial disposal facilities must meet the same NRC requirements as commercial waste regarding free standing liquid (as little as is reasonably achievable, but in no case exceeding 1% of the volume of the waste).


In 1995, a military generator (General Dynamics Electric Boat Div.) reported the generation of mixed waste. This waste consisted of lead-bearing paint chips and mercury/silver solutions. Accordingly, CHWMS staff denoted an additional waste stream as M-MIXWAST.

In 1996, the U.S. Army Connecticut National Guard disposed 191 Curies of radioactivity in 13 cubic feet of LLRW. This waste consisted primarily of tritium-bearing luminescent dials and other devices and has been classified in this report as M-ARMYWST.

## 7. LLRW MANAGEMENT FACILITIES USED

Tables AP-11A and AP-11B and Tables AP-12A and AP-12B provide data about the volume and activity of the LLRW held on-site and shipped to off-site waste management facilities by Connecticut generators in 1996. Tables AP-11A and AP-11B present data by generator, and Tables AP-12A and AP-12B present data by waste stream.

LLRW shipped off-site can travel along a number of "paths" before management is complete:



For the purposes of this report, brokers and processors have been grouped together as "intermediate" waste handlers.

## 7.1 Methods of Shipping LLRW

When shipping LLRW off-site, the generator can contract directly with a carrier (transporter) or the generator can hire a LLRW broker.

Generally, a waste broker collects waste from several generators and consolidates it into a single full-truck shipment. In addition, brokers often provide waste classification services, prepare the manifest for the shipment, and package the waste. These are important services for the smaller generators.

Table AP-13 identifies the LLRW brokers and processors used by Connecticut generators in 1996, indicates the generator categories that ship LLRW using these intermediates, and shows volumes shipped via various combinations of brokers and processors.

In 1996, 87.6% of LLRW shipped off-site for management went through intermediates. It is clear from the 1996 data that waste brokers are especially important to industrial,

institutional, and private research LLRW generators. Nuclear power plant, fuel fabrication, and military generators, on the other hand, did not utilize brokers.

Some generators use contract carriers solely or contract carriers in addition to brokers. Contract carriers, as contrasted to brokers, merely transport pre-packaged LLRW without providing additional waste management services to generators. Thus, the task of classifying and packaging the waste remains with the generator. In recent years, 95 - 99% of the volume and activity shipped off-site by LLRW generators has been transported by contract carriers.

# 7.2 LLRW Processing/Treatment Facilities Used

LLRW is frequently sent out-of-state for processing that is primarily directed at volume reduction and stabilization. Table AP-14 gives, by generator category, the volumes and activities of LLRW shipped for management by way of various brokers and processing facilities in 1996, the processing methods utilized, and the percent volume reduction achieved through processing.

The services provided to LLRW generators by processors include incineration, high temperature and high pressure "steam reforming", supercompaction, shredding, solidification, decontamination, and metal melting and casting for use as radiation shield blocks.

In 1996, thirty-seven generators in the fuel fabrication, institutional, nuclear power plant, industrial, and private research categories shipped 54,155.6 cubic feet of LLRW containing 68.224 Curies off-site by way of brokers and processors. These intermediates, in turn, shipped 4,124.3 cubic feet of LLRW containing 49.624 Curies to disposal facilities.

Thus, for the waste shipped to brokers and processors, Connecticut generators achieved a 92.4% decrease in waste volume through processing. This volume reduction calculation does not take into consideration the fact that the amount shipped to disposal by processors and brokers in 1996 includes some waste held from previous years, or that some waste shipped off-site for management in 1996 was held by processors and brokers at year's end.

Additionally, the net decrease of 18.600 Curies in the activity of LLRW disposed in 1996 compared to the activity of LLRW shipped off-site during the year is partly a result of processing (decontamination and incineration). However, most of this difference is accounted for in the waste held at year's end by brokers and processors.

In 1996, as in previous years, the military did not utilize brokers or processors.

At present, the CHWMS expects that the broker and processor services used in 1996 will remain available to Connecticut generators in coming years.

#### 7.3 LLRW and Mixed Waste Volume Reduction

It is the policy of the State of Connecticut to encourage generators to develop and implement new on-site LLRW and mixed waste volume reduction and stabilization practices and to use, to the extent possible, off-site LLRW and mixed waste treatment facilities in order to reduce the volume of waste they ship for disposal. One of the goals of waste treatment is to improve the waste form being sent on to disposal sites.

As provided in the 1993 Management Plan, the CHWMS has established a technical assistance program for LLRW generators directed at minimizing the volume and radioactivity and improving the waste form of LLRW generated in Connecticut.

A number of the state's generators report enhanced on-site efforts between 1993 and 1996 to reduce the generation of LLRW. One of the most effective means utilized is controlling the entry of materials into areas where they could become contaminated by radioactivity. Because less material is being contaminated, less requires subsequent processing for volume reduction.

# 7.4 LLRW Disposal Facilities Used

Table AP-15 and Figure AP-2 indicate the volume and radioactivity of LLRW shipped to each disposal facility by Connecticut generators during 1996. The majority of the radioactivity (>99.9%) and volume (92.4%) of LLRW generated in Connecticut was shipped to the Chem-Nuclear LLRW disposal facility at Barnwell, South Carolina. Unlike most previous years, the Barnwell facility was the only full-service LLRW disposal facility available to Connecticut generators.

As noted earlier, ABB Combustion Engineering Nuclear Products generated and disposed 900.0 cubic feet of low-activity debris in connection with the decommissioning of its Windsor fuel fabrication facility. This material, which constituted 7.6% of the state's LLRW disposal volume in 1996, was disposed at the Envirocare LLRW facility at Clive, Utah. Envirocare specializes in the disposal of high-volume, low-activity LLRW, such as ABB Combustion Engineering Nuclear Products' decommissioning waste. Envirocare's facility is not a full-service disposal facility, and Envirocare's operating license will not allow it to accept many forms of LLRW generated in Connecticut.<sup>d</sup>

# 7.5 Status of LLRW Disposal Facility Siting in Connecticut

At this writing, it is not known whether the Barnwell facility will remain open to Connecticut generators for the long term.

<sup>&</sup>lt;sup>d</sup>During 1997 Northeast Utilities began disposing some of its LLRW at the Envirocare facility. The CHWMS does not yet have data concerning this waste, but the waste will be quantified and characterized in data expected to be received in the spring of 1998.

To meet future needs, the CHWMS is continuing to move forward with its statutory duties under Connecticut's LLRW management facility siting law to provide for in-state disposal of LLRW. The 1993 LLRW Management Plan, approved by the Connecticut General Assembly in April, 1993, includes a plan for a volunteer approach to LLRW disposal facility siting.

The CHWMS made progress in implementing the volunteer approach during 1995 and 1996. However, during 1995 significant changes occurred in the national LLRW management situation that have led to changes in the CHWMS's schedule for implementing the volunteer approach. The changes in the national situation include the following:

- The State of South Carolina reopened the Barnwell, South Carolina LLRW disposal facility to LLRW generators throughout the country, except North Carolina;
- The Envirocare of Utah, Inc. LLRW disposal facility began to aggressively market its disposal services for high-volume, low-radioactivity waste and to work with its regulator to expand the types of LLRW that can be disposed there;
- The State of South Carolina withdrew from the Southeast LLRW Compact and announced its intention to form a new compact or to join an existing one; and
- A new LLRW management concept called "assured isolation" was proposed.

As a result of the first change, South Carolina's reopening of the Barnwell LLRW disposal facility, LLRW generators in Connecticut now have access to a full-service LLRW disposal facility (although at a significantly higher price than previously because South Carolina has imposed a substantial surcharge on LLRW disposed at the Barnwell facility). It is, however, uncertain how long this access will continue.

<sup>&</sup>quot;Assured isolation," originally referred to as "assured storage," is a concept that was proposed in an article in *Radwaste Magazine*. Assured isolation is storage of LLRW for an indefinite period of time. According to the authors, assured storage/isolation facilities "will have many robust features such as concrete buildings and overpacks for waste that are now common to engineered disposal facilities proposed by the states and compact regions. The assured storage facility will also have some unique features that do not rely on the long-term performance of the site and that take advantage of the fact that inspection and maintenance will continue indefinitely. Over succeeding generations, the assured storage facility would provide its overseers the multiple options of continuing to monitor and maintain the system at a level justified by its past performance, to close and seal the facility partially or completely, or to transfer the waste to another location and decommission the facility." W.F. Newberry, T.A. Kerr, and D.H. LeRoy, "Assured Storage Facilities: A New Perspective on LLW Management," *Radwaste Magazine*, Volume 2, No. 5 (September, 1995).

There are two primary reasons for the uncertainty about how long access will continue to the Barnwell facility. First, the South Carolina legislation that reopened the Barnwell facility does not set a closure date for operation of the site, but in statements preceding the legislation, state officials speculated that at the projected annual disposal volumes, the site could operate for about 10 years before reaching its licensed capacity. Disposal volumes, however, have been lower than projected. The second reason for the uncertainty about how long Barnwell will remain open is the fact that its operation has been a volatile political issue in South Carolina. Over the past decade, the status of the Barnwell facility been the subject of several policy changes and a major lawsuit that was decided by the South Carolina Supreme Court. It is possible that the present policy of open access could change during any legislative session.

While regaining access to disposal capacity was a consideration, the primary factor that has led to changes in the CHWMS's schedule is the CHWMS's examination of the assured isolation concept. The other changes in the national situation, particularly regaining access to disposal capacity, have had a significant influence on determining how much time the CHWMS would be allowed to study the assured isolation concept. (The change in schedule has important side benefits in that it also allows ample time for the State to explore any potential out-of-state opportunities.)

The CHWMS is now involved in two studies on assured isolation including one on the cost of such a facility for Connecticut and another that looks at the potential legal and liability issues associated with the concept.

If the development of an assured isolation facility is going to be considered as an alternative to a disposal facility, it is important that everyone involved in the volunteer siting process knows that an assured isolation facility is an option before a town begins serious consideration of volunteering. With the reopening of the Barnwell LLRW disposal facility to Connecticut LLRW generators and the continued availability of the Envirocare of Utah LLRW disposal facility for some types of LLRW, Connecticut LLRW generators now have access to LLRW disposal facilities. They no longer have to store their LLRW on site. This makes it possible for the CHWMS and the State to continue their consideration of the assured isolation concept. The CHWMS will postpone inviting towns to participate in the volunteer siting process until that consideration is completed. However, regardless of its progress in studying assured isolation, the CHWMS will consult with the Office of Policy and Management and the Northeast Interstate LLRW Compact Commission on the prospects for reliable, long-term access to out-of-state and out-of-compact disposal capacity before inviting towns to participate in the volunteer siting approach, regardless of the type of facility proposed for development.

## 8. LLRW CLASSES

Tables AP-16 and AP-17, and Figure AP-3 provide information on the distribution of the waste shipped to disposal facilities in 1996 among the waste classes established by the NRC. [10] The classification system is explained in detail in Appendix C of the 1993 Management Plan, Volume 1. Basically, the class to which LLRW is assigned depends on the concentration of certain radionuclides in the waste. Class A waste has the lowest concentration limits for both short- and long-lived radionuclides. Class B waste has higher concentration limits for short-lived radionuclides but the same upper limits for long-lived radionuclides as Class A waste. Class C waste has the highest concentration limits for both short- and long-lived radionuclides. There is no provision in the NRC regulations for defining Class B waste by long-lived radionuclide content; thus LLRW classified on the basis of long-lived radionuclides is either Class A or Class C.

Class A waste contains types and quantities of radionuclides that will decay to acceptable levels as determined by the NRC during the 100-year institutional control period [11]. The NRC requires that Class B LLRW be in a form or in a container that will maintain its structural integrity for 300 years [12]. Class C waste must meet the structural integrity requirements for Class B waste and must be disposed of in association with barriers that will protect a person from inadvertently intruding into the waste for 500 years [13].

Table AP-16 lists, by generator, the radioactivity and volume of the three classes of LLRW shipped for disposal. Prior to 1992, all Class B and C waste generated in Connecticut was generated by the four nuclear power plants. In 1992, however, the United Technologies Research Center disposed an assortment of sealed calibration and measurement sources that met the definition of Class C LLRW. In 1993 and 1994, this practice continued with a number of non-nuclear power plant generators disposing Class B and Class C sealed sources. In 1994, the U.S. Navy disposed 135 Curies of Class B waste consisting of 3.7 cubic feet of tritium-containing glow-in-the-dark diving wrist-watches and exit signs. In 1996, the U.S. Army Connecticut National Guard disposed luminescent dials and devices totalling 191 Curies of radioactivity (primarily tritium) in 10.6 cubic feet of Class B and Class C waste.

Table AP-17 shows the proportions, by waste class, for the total activity and volume shipped to disposal in 1996. These proportions of Class A, B, and C LLRW are also illustrated in Figure AP-3.

Table AP-17A and Figure AP-3A show the average proportions, by waste class, for Connecticut waste shipped to disposal during the nine-year period 1987-1996. This is the time interval for which the CHWMS has detailed generator reports on LLRW management.

The volume distribution for 1996 is more heavily weighted to Class B and Class C waste than the average. Generally, Class A waste is approximately 94% of the total volume disposed while Class B and C make up the remaining 6%. In 1996, however, Class A waste contributed only 74.5% of the total volume disposed.

The radioactivity distribution for 1996, departs even farther from the norm. On average, Class C waste contains approximately 95% of the radioactivity, while Classes A and B each contain on the order of 2%. In 1996, Class C waste represented only 28.1% of the radioactivity, while Class A contained 8.9% and Class B contained 63.0%. This deviation from the normal can be explained in part by the absence of Class C nonfuel reactor core components (B-NFRCOMP and P-NFRCOMP) from 1996 waste disposed. These categories of LLRW normally raise total radioactivity far above the 3,087.925 Curies disposed in 1996, thereby suppressing the activity percent of both Class A and Class B waste. In 1996, this type of Class C LLRW was absent, allowing Class A and B wastes to assert themselves in the activity distribution. Moreover, the Class A waste disposed in 1996 was unusually low in activity, thereby allowing Class B waste to further dominate in terms of radioactivity.

## 9. RADIONUCLIDE CONTENT OF LLRW

#### 9.1 Radionuclide Content of 1996 LLRW

Table AP-18 lists by atomic weight the radionuclides in the LLRW shipped off-site for management<sup>f</sup> by all Connecticut generators in 1996, including the nuclear power plants. For each radionuclide, the table indicates its half-life in years and the radioactivity it contributes to the waste shipped for management by each category of generator. On Tables AP-18A and AP-18B, the same data are listed, in descending order, on the basis of half-life. Table AP-18A presents the radionuclides with half-lives greater than five years, while Table AP-18B shows the radionuclides with half-lives shorter than five years.

Table AP-19 isolates radionuclide data for the nuclear power plants. The table shows the radionuclide content of nuclear power plant LLRW shipped off-site for management in 1996 in terms of Class A, B, and C waste.

The nine highest activity radionuclides, almost entirely contributed by nuclear power plants, are cesium-137 (half-life 30.2 years); zinc-65 (half-life 243.8 days); iron-55 (half-life 2.7 years); cobalt-60 (half-life 5.3 years); cesium-134 (half-life 2.1 years); nickel-63 (half-life 100.0 years); hydrogen-3 (tritium; half-life 12.3 years); manganese-54 (half-life 312.2 days); and cobalt-58 (half-life 70.9 days). Approximately 99.5% of the total radioactivity shipped off-site for management from Connecticut in 1996 was accounted for by these nine radionuclides. Their distribution in Connecticut's LLRW as a percentage of total radioactivity disposed in 1996 is as follows:

<u>Radionuclide</u>	% of Total Curies	
Cs-137	23.1	
Zn-65	22.3	
Fe-55	14.4	
Co-60	9.1	
Cs-134	8.6	
Ni-63	8.0	
H-3	6.6	
Mn-54	5.3	
Co-58	<u>2.1</u>	
TOTAL	99.5%	
.01/12	00.070	

<sup>&</sup>lt;sup>1</sup>Data gathered for calendar year 1996 contained isotopic composition of LLRW *shipped* off-site for management. This is in contrast to data for prior years which gave the isotopic composition of LLRW actually disposed. Thus, data for 1996 include LLRW that was held over by brokers or processors at the end of 1996 and LLRW that was incinerated or decontaminated. The data exclude waste shipped off-site in previous years and subsequently disposed in 1996.

# 9. RADIONUCLIDE CONTENT OF LLRW

# 9.1 Radionuclide Content of 1996 LLRW

Table AP-18 lists by atomic weight the radionuclides in the LLRW shipped off-site for management by all Connecticut generators in 1996, including the nuclear power plants. For each radionuclide, the table indicates its half-life in years and the radioactivity it contributes to the waste shipped for management by each category of generator. On Tables AP-18A and AP-18B, the same data are listed, in descending order, on the basis of half-life. Table AP-18A presents the radionuclides with half-lives greater than five years, while Table AP-18B shows the radionuclides with half-lives shorter than five years.

Table AP-19 isolates radionuclide data for the nuclear power plants. The table shows the radionuclide content of nuclear power plant LLRW shipped off-site for management in 1996 in terms of Class A, B, and C waste.

The nine highest activity radionuclides, almost entirely contributed by nuclear power plants, are cesium-137 (half-life 30.2 years); zinc-65 (half-life 243.8 days); iron-55 (half-life 2.7 years); cobalt-60 (half-life 5.3 years); cesium-134 (half-life 2.1 years); nickel-63 (half-life 100.0 years); hydrogen-3 (tritium; half-life 12.3 years); manganese-54 (half-life 312.2 days); and cobalt-58 (half-life 70.9 days). Approximately 99.5% of the total radioactivity shipped off-site for management from Connecticut in 1996 was accounted for by these nine radionuclides. Their distribution in Connecticut's LLRW as a percentage of total radioactivity disposed in 1996 is as follows:

Radionuclide	% of Total Curies
Cs-137	23.1
Zn-65	22.3
Fe-55	14.4
Co-60	9.1
Cs-134	8.6
Ni-63	8.0
H-3	6.6
Mn-54	5.3
Co-58	2.1
TOTAL	99.5%

Data gathered for calendar year 1996 contained isotopic composition of LLRW *shipped* off-site for management. This is in contrast to data for prior years which gave the isotopic composition of LLRW actually disposed. Thus, data for 1996 include LLRW that was held over by brokers or processors at the end of 1996 and LLRW that was incinerated or decontaminated. The data exclude waste shipped off-site in previous years and subsequently disposed in 1996.

Tables AP-20A to AP-20D list the radionuclides in LLRW shipped off-site for management in 1996 which have been identified by the NRC for inclusion in its impacts analysis methodology for the LLRW disposal regulations [14]. For each radionuclide, the tables indicate its concentration in the various waste streams shipped from Connecticut during 1996 for management. For the nuclear power plants, the highest concentrations (in millicuries per cubic foot of waste) are represented by iron-55, cobalt-60, nickel-63, cesium-134, and cesium-137. The highest concentrations occurred in ion exchange resins and filter cartridges.

## 9.2 Decay of 1996 LLRW

LLRW shipped off-site for management in 1996 by Connecticut generators contained many different radionuclides having a wide variety of half-lives. "Half-life" is the length of time it takes for the amount of a particular radionuclide to be reduced, through radioactive decay, to one-half of its initial value. Each radionuclide has a specific, measurable half-life. The majority of the radioactivity was associated with radionuclides having relatively short half-lives (i.e., less than 5.3 years), while some of the radionuclides in the waste have very long half-lives.

Figure AP-4 depicts the effects of radioactive decay on the amount of radioactivity left in Connecticut LLRW shipped off-site for management in 1996 at various points in the future, including the ingrowth and decay of progeny radionuclides. The amount of radioactivity left after 100 years is 269 Curies, approximately 9% of the original 3,107 Curies. After 500 years, the amount remaining is approximately 11 Curies, less than 1% of the original amount.

<sup>&</sup>lt;sup>g</sup>See footnote f.

# 10. TRENDS IN THE AMOUNTS OF LLRW SHIPPED

Table AP-21 and Figures AP-4 and AP-5 illustrate trends in the volume and activity of LLRW shipped for disposal from Connecticut from 1979 to 1996. The volumes and activities for 1979 to 1986 are taken from the Department of Energy's (DOE) "Annual State-by-State Assessments" [15]. Data for 1987 and subsequent years are taken from surveys conducted by the CHWMS and DEP.

There are a number of caveats associated with the DOE reports and data.

- First, for 1979 through 1982, the information on academic and medical LLRW generators is grouped together under a category labeled "institutional." Based on the information provided in the reports and other information that is readily available, it is not possible to determine the volume of waste attributable to either of the two types of generators.
- Second, for 1979 through 1984, no data is provided on the activity of waste generated by industrial, academic, and medical waste generators. Data on the activity of waste generated by government generators is not provided for 1983 and 1984. Based on information readily available, it is not possible to determine the amount of activity attributable to these types of generators for those years.
- Third, at least through 1985 and possibly through 1986, waste shipment data for waste generators who used brokers were attributed to the state in which the broker was located, rather than to the generator's state. A waste broker often collects waste from several generators and consolidates it into a single full-truck shipment. Most industrial, academic, and medical waste generators use brokers. Therefore, since there are no waste brokers located in Connecticut, these categories of generators are likely to be underreported for Connecticut. Based on the information provided in the reports and other information that is readily available, it is not possible to correct the figures for this factor.
- Finally, there is a problem with the sources of data used in compiling the reports by DOE and EG&G Idaho, Inc., which was then DOE's prime contractor for its LLRW Program. The source of data for nuclear power plants is the semi-annual report each nuclear power plant operator must file with the NRC. One of the things an operator must indicate in the report is the volume and types of LLRW generated during the period that require disposal. Note that this is not necessarily the volume of waste shipped for disposal during the period. It is the volume of waste that will, at some time, have to be shipped for disposal. The source of data on the total volume and activity of waste shipped from the state and the volume and activity (when reported) attributable to generators other than nuclear power plants is the records of the disposal facility operators. These records indicate the volume

and activity of the waste received at each facility. The use of these two different sources of data leads to situations (such as the activity figures for 1979 and 1980 and the volume figure for 1980) where the volume and/or activity reported for nuclear power plants is greater than the volume and/or activity reported for the whole state. As with the other difficulties with the DOE data, it is not possible to resolve these discrepancies with readily available sources of data.

Figure AP-5 demonstrates an overall decline in yearly volumes of LLRW shipped for disposal from Connecticut over the eighteen-year period from 1979 to 1996. This trend is attributable to improvements in operating and waste processing technologies, with the greatest volume reduction attributable to nuclear power plants, as well as to requirements and penalties of the federal Low-Level Radioactive Waste Policy Amendments Act of 1985. Deviations from the overall downward trend can be attributed primarily to:

- The scheduled closure to Connecticut generators of the nation's three LLRW disposal facilities operating in 1992, which encouraged generators to ship as much waste as possible prior to December 31, 1992;
- Disposal surcharges, which also encourage generators to ship as much waste as possible prior to a statutory increase; and
- Nuclear power plant outages (temporary shutdowns) and fuel fabrication facility decommissioning, which cause increased volumes of LLRW to be generated on a temporary basis.

The major trend discernible in the amounts of radioactivity (Figure AP-6) is that the large fluctuations in radioactivity shipped appear to be completely dependent on generation of certain high activity LLRW during non-routine actions taken by the nuclear power plant operators. It appears that the only source of these high-activity wastes is the removal or replacement of reactor equipment and components. The large amounts of radioactivity shipped in 1984 and 1985 resulted from the removal and disposal of the thermal shield from Millstone 2. The increase in 1987 was from the in-core instrumentation shipped from Millstone 2, and the increase in 1988 was from the replacement of control rod blades at Millstone 1. Similarly, most of the radioactivity shipped for disposal in 1990 resulted from removal and disposal of the Connecticut Yankee thermal shield. The extraordinarily low radioactivity of LLRW disposed in 1991, 1993, 1994, 1995, and 1996 is attributable to the fact that no Class C reactor core components were disposed. In 1992, disposal of control rod blades from Millstone 1 accounted for most of the activity disposed.

Some of these activities are scheduled further in advance than others. For example, in 1989 officials from Northeast Utilities indicated that significant amounts of Class C waste would continue to be generated at Millstone 1 over the next several years since the number of control rod blades that were to be replaced over that period would be greater than in previous years [16].

In terms of radioactivity shipped for disposal, non-power plant generators held relatively constant during the period 1987 through 1993 at the 10-24 Curie level. 1994 was unusual in that the U.S. Navy disposed 135 Curies of Class B tritium waste at the Barnwell facility, while other non-power plant generators disposed 12 Curies. Similarly, 1996 was unusual in that the U.S. Army Connecticut National Guard disposed 191 Curies of tritium waste at the Barnwell facility, while other non-power plant generators disposed 6 Curies. On the other hand, 1995 was notable for the low activity of LLRW disposed, both by the nuclear power plants and the non-power plant generators.

# 11. LIQUID SCINTILLATION VIAL WASTE

Table AP-22 reports the radioactivity, by radionuclide, present in liquid scintillation vial (LSV) waste generated in 1987 through 1996. In 1996, LSV waste was generated by the following facilities in Connecticut:

#### INSTITUTIONAL

University of Connecticut Health Center Yale University

#### INDUSTRIAL

United States Surgical Corporation

#### PRIVATE RESEARCH

Bayer Corporation (Miles Inc.) Bristol-Myers Squibb Neurogen Corporation Pfizer Inc.

Excluding volumes retained by brokers at the end of 1996, all LSV waste shipped off-site went to Perma-Fix in Gainesville, Florida or to NSSI in Houston, Texas for incineration (see Chapter 7) and are removed from the Connecticut waste inventory.

One of the primary concerns with liquid scintillation vial waste is that the liquid component is often an organic solvent. Many organic solvents are flammable (ignitable) liquids under U.S. Department of Transportation hazardous material regulations and U.S. Environmental Protection Agency (EPA) hazardous waste regulations. Therefore, if the organic solvent is one listed by the EPA in its hazardous waste regulations or meets the EPA's criteria for an ignitable waste, the waste is a mixed waste. Many facilities that generate LSV waste have expressed interest in and are currently pursuing ways to substitute environmentally benign solvents for hazardous organic solvents. However, even if no substitutes are found, incineration effectively eliminates LSV waste as LLRW and hazardous waste.

Perma-Fix and NSSI have licenses to process LLRW and permits to treat hazardous waste, which means that they are mixed waste management facilities.

There is no reason to believe that these processing facilities will not remain available to Connecticut generators of LSV waste. Even if, for some unforeseen reason, out-of-state processing for LSV waste is no longer available to Connecticut generators, this waste would probably not be disposed of in a Connecticut facility. It appears that the solvents in LSV waste are subject to the land disposal restrictions for hazardous waste developed by the EPA as required by the federal Hazardous and Solid Waste Amendments of 1984. Under these restrictions, before disposal is permitted, various types of hazardous waste must be treated to meet certain standards. The State is not responsible for making such treatment capacity available to generators. The State would be responsible for providing disposal capacity for the waste after it is treated to reduce or eliminate the non-radiological hazards in the waste.

## 12. MIXED WASTE

Mixed waste is waste that satisfies the definition of LLRW in the Low-Level Radioactive Waste Policy Amendments Act of 1985 and contains hazardous waste that either: 1) is listed as a hazardous waste by the EPA in Title 40, Code of Federal Regulations, Part 261, Subpart D; or 2) causes the LLRW to exhibit any of the hazardous waste characteristics identified by the EPA in Title 40, Code of Federal Regulations, Part 261, Subpart C. Management of mixed waste is subject to the regulatory requirements of both the NRC and the EPA. While the management of mixed waste does not appear to present any new or extraordinary technical problems, integrating the two regulatory programs into a coherent whole may present some difficulties.

As mentioned in Chapter 2, according to federal law, states are responsible for providing disposal capacity for mixed waste [17]. On March 23, 1989, the Board of Directors of the CHWMS resolved that the capability and capacity to dispose of mixed waste would be included in the plans for a LLRW disposal facility in Connecticut, if Connecticut ultimately must provide disposal capacity for mixed waste.

In 1990 EPA adopted regulations implementing the land disposal restriction (LDR) provision of the 1984 Hazardous and Solid Waste Amendments (HSWA) of the Resource Conservation and Recovery Act. Pursuant to these EPA regulations, the land disposal of untreated mixed waste was prohibited after May 8, 1990, while, under HSWA, generator storage of mixed waste is also prohibited beyond a reasonable period of time to allow for accumulating sufficient waste for a shipment. However, because of a nationwide lack of mixed waste treatment capacity, EPA granted a national capacity variance deferring imposition of treatment requirements until May 8, 1992. Under the variance, generators could legally store mixed waste or dispose of it without treatment in licensed facilities [18]. In view of the fact that no landfills in the country are licensed to accept untreated commercial mixed waste, generators followed the storage option.

On May 8, 1992, the EPA variance expired, and, pursuant to HSWA, the storage of mixed waste became illegal. Because the lack of mixed waste treatment and disposal capacity remained a continuing problem beyond May 8, 1992, however, mixed waste generators had no alternative to storing their waste on-site. Faced with this dilemma, EPA announced a policy identifying illegal on-site mixed waste storage as a reduced priority among its civil enforcement actions until December 31, 1993 [19]. The policy has since been extended twice, first until April 20, 1996 since "there has been little change in the availability of treatment capacity since the Policy was issued in 1991" and, second, until April 20, 1998 [20].

While the U.S. Department of Energy and private industry are making progress in providing mixed waste treatment capacity, the EPA policy is still in effect with regard to mixed wastes for which there are no available treatment or disposal options. However, EPA has warned generators that they must use appropriate new treatment technologies that come on line or face enforcement action.

The EPA enforcement policy applies to mixed waste generators producing less than 1,000 cubic feet of mixed waste per year, provided that they are otherwise managing their mixed waste in an environmentally responsible manner. Given the 1,000 cubic feet per year threshold, the policy potentially applies to all Connecticut mixed waste generators.

Not considering the LSV waste (commonly a mixed waste) discussed in Chapter 11, the following facilities indicated that they generated mixed waste and/or had mixed waste in on-site storage in 1996:

#### NUCLEAR POWER PLANTS

PRIVATE RESEARCH

Connecticut Yankee Atomic Power Co. Millstone 1 Northeast Nuclear Energy Co. Millstone 2 Northeast Nuclear Energy Co. Millstone 3 Northeast Nuclear Energy Co. Bayer Corporation (Miles Inc.)
Boehringer Ingelheim Pharmaceuticals
Bristol-Myers Squibb

**MILITARY** 

**FUEL FABRICATION** 

U.S. Navy

ABB Combustion Engineering Nuclear Products

#### INSTITUTIONAL

University of Connecticut Environmental Health & Safety University of Connecticut Health Center Yale University

These facilities reported that they were storing a total of 713.5 cubic feet of mixed waste at the close of 1996. The types of waste being stored include organic solvents, lead and other heavy metals, and spent freon.

The nuclear power plants generate and store the greatest quantities of mixed waste. The primary source of mixed waste at the nuclear power plants was their on-site laundries where protective clothing was cleaned. The laundries used freon as a solvent in the cleaning process and waste containing freon is classified by the EPA as hazardous waste. The nuclear power plants have discontinued dry cleaning. Northeast Utilities reported that it was storing 487.7 cubic feet of mixed waste from the Millstone Point nuclear power plants, primarily spent freon, lead paint chips, acids, and organic solvents at the end of 1996. Connecticut Yankee reported that it was storing 16.7 cubic feet of mixed waste.

# 13. MAGNESIUM-THORIUM, NICKEL-THORIUM, AND TUNGSTEN-THORIUM ALLOY WASTES

Magnesium-thorium alloy is a metal used in the manufacture of several products for the U.S. Department of Defense. Thorium is a naturally occurring radioactive material that is regulated by the NRC as a source material. Source materials, like naturally occurring uranium and thorium, are the raw materials of nuclear energy. The isotope of thorium present in the alloy (thorium-232) has a very long half-life (14 billion years) and, consequently, has a very low comparative radioactivity per unit of volume. The magnesium-thorium alloy waste is in the form of metal turnings that result from machining the alloy.

Prior to 1991, magnesium-thorium alloy waste from Connecticut facilities was routinely recycled and did not become classified as LLRW. However, metals companies are now reported to be less willing to accept this highly combustible waste stream for recycling.

AlliedSignal Engines shipped 207 cubic feet of magnesium-thorium off-site for management from its Stratford Army Engine Plant during 1996. Fifteen cubic feet of this material were reduced to 5.6 cubic feet and disposed.

Butkin Precision Manufacturing Corp. was a Connecticut company that worked with magnesium-thorium alloy in the past. Although Butkin went out of business during 1994, the former owner of the company is holding 320 cubic feet of debris containing magnesium-thorium waste in secure storage in Milford. The Connecticut DEP has been monitoring the condition and storage of this waste.

Electro-Methods Overhaul & Repair, a South Windsor firm, was storing 36.8 cubic feet of magnesium-thorium at the end of 1996.

Another thoriated metal alloy waste generated in Connecticut is nickel-thorium. This alloy is a strong, heat resistant metal used in the manufacture of aircraft engine parts. Waste metal from this process is returned periodically to a supplier. At the end of 1996, Pratt & Whitney (based in East Hartford) was storing 300 cubic feet of waste nickel-thorium. Electro-Methods, Inc., a South Windsor affiliate of Electro-Methods Overhaul & Repair, was storing 9.7 cubic feet of nickel-thorium at the end of 1996.

Aerospace Metals, Inc. is a Hartford scrap metal processor which does not actually generate LLRW. It does, however, occasionally come into possession of thoriated metal in loads of scrap, despite efforts to screen out such material. Aerospace Metals stores, and ultimately disposes, scrap thoriated metals it cannot return to the actual generator. At the end of 1996, Aerospace Metals was storing approximately 17 cubic feet of scrap thoriated metal.

## 14. LLRW PROJECTIONS

An additional subject that the CHWMS is required to address pursuant to the Connecticut LLRW disposal facility siting statute is:

projections of the volumes, types and half life of the low-level radioactive wastes which are expected to be generated . . . during the next twenty years . . . . (CGS 22a-163b(3))

In the 1988 LLRW Management Plan, the CHWMS established a planned operating life for a LLRW disposal facility in Connecticut of 50 years. This period of time would cover the planned decommissioning and dismantling of the four nuclear power plants in Connecticut. Having established a planned operating life, the CHWMS developed LLRW projections for the 50 years of operation of the disposal facility in addition to 20-year projections as required in state law. The projections in the 1988 Management Plan focused on volume.

The CHWMS revised its LLRW projections in the 1990 update of the Management Plan. Again, projections were prepared for 20 years and 50 years and they focused on the volume of LLRW that would be generated.

In November, 1991, former Governor Weicker directed the Commissioner of Public Health to review the impact that a LLRW disposal facility would have on people. In response, Susan Addiss, then Commissioner of Public Health, requested that the CHWMS direct its contractor, Rogers and Associates Engineering Corporation (RAE), to prepare a performance appraisal for review by the Department of Public Health (DPH) and its independent contractor. The performance appraisal was conducted with limited information on waste form, disposal technology and disposal site characteristics. Therefore, the performance appraisal can only be considered a qualitative measure of the potential for a site to protect public health and safety.

As part of the performance appraisal, RAE developed an inventory of the radionuclide composition of the LLRW that would be disposed of in a LLRW disposal facility in Connecticut over the 50-year operating life. The performance appraisal yielded results similar to those of previous studies undertaken by the NRC, its contractors, and other states in climates similar to Connecticut's. Commissioner Addiss, in a cover letter to the performance appraisal [21], offered the following:

Based upon information developed in the Performance Appraisal, staff analysis of available data, and assessments by other outside experts, I conclude that a low-level radioactive waste facility can be safely sited in Connecticut if the recommendations in the attached report are carefully followed and if the parameters in the report are as projected.

Commissioner Addiss identified five factors as critical to the safety of a facility in Connecticut. The pertinent one for this discussion is the first, concerning the amount and

type of radioactivity to be placed in the facility, particularly the amount of certain long-lived, mobile radionuclides. She characterized this factor as follows:

The most important factor to be considered is the amount and type of radioactivity to be placed in the site. The Performance Appraisal identified a data gap with respect to this item. With the cooperation of Northeast Utilities, better estimates are now available. Substantial uncertainty still remains; nevertheless, as new information from a variety of sources becomes available, the uncertainty in the predictions will be reduced. The type of radioisotopes and the materials in which they are bound need to be fully understood. This information allows accurate estimates of risk from different exposure pathways. These factors are as critical as the geology in determining the potential for health impact. A few long-lived isotopes, those with radioactive half lives of thousands of years, are at the center of the problem in a determination of risk. Because these isotopes may be soluble in water, it must be assumed that they will eventually be present in the ground water and could lead to human exposure. This is the determining factor with respect to the maximum amount of radioactivity placed in the site. It will not be possible to sufficiently reduce this pathway by considerations of soil permeability and depth to ground water at the [500] year time point. This means that reduction of the potential for certain radioisotopes in certain forms must be considered.

The CHWMS retained RAE to assist it in preparing the LLRW projections for the 1993 LLRW Management Plan. RAE has prepared volume projections and projections of the radionuclide inventory that will be generated over the next 20 years and during the 50-year planned operating life of a LLRW disposal facility in Connecticut. Table AP-23 summarizes the 50-year projections.<sup>h</sup>

While the work undertaken by RAE for the projections included refining the projections of the radionuclide inventory prepared for the Performance Appraisal, special emphasis was placed on reducing the uncertainty in the projections of the specific long-lived, mobile radionuclides Commissioner Addiss referenced. Most of these radionuclides come from the four nuclear power plants.

There are three primary components to LLRW projections:

1. The amount of waste that will be generated by the four nuclear power plants during the remainder of their operating lives;

These projections were assembled in September, 1994, well before the December, 1996 announcement by Northeast Utilities that the Connecticut Yankee nuclear power plant would be taken out of service and decommissioned. Early shutdown and decommissioning of Connecticut Yankee will significantly reduce the volume and activity to be disposed in Connecticut's LLRW disposal facility. However, new projections taking these developments into account have not yet been compiled.

- 2. The amount of waste that will be generated by other LLRW generators over the 20-year and 50-year time periods under consideration; and
- 3. The amount of waste that will be generated during the decommissioning of the four nuclear power plants.

Just before RAE prepared the projections report, Northeast Utilities, operator of the four nuclear power plants in Connecticut, revised its plans and studies for decommissioning the plants. The revised data were incorporated into the projections. Based on this data, approximately 65% of the volume of the LLRW that would have been generated and disposed during the 50-year operating life of Connecticut's LLRW disposal facility (had the Connecticut Yankee plant remained in service) would have come from the decommissioning of the four nuclear power plants. As noted above, the early closure and decommissioning of Connecticut Yankee will alter these figures significantly.

The projections report was approved by the CHWMS Board of Directors on September 7, 1994 and by the General Assembly on April 2, 1995.

#### **Endnotes**

- 1. <u>Connecticut General Statutes</u>, Section 22a-163 et seq.
- 2. CGS Section 22a-163b.
- The Low-Level Radioactive Waste Policy Act of 1980 (Public Law 96-573) and the Low-Level Radioactive Waste Policy Amendments Act of 1985 (Public Law 99-240).
- 4. CGS Section 22a-165d.
- 5. The Low-Level Radioactive Waste Policy Act of 1980 (Public Law 96-573, Section 3) and The Low-Level Radioactive Waste Policy Amendments Act of 1985 (Public Law 99-240, Section 4).
- 6. Nuclear Regulatory Commission, NUREG/CR-4370, "Update of Part 61 Impacts Analysis Methodology" (January, 1986).
- 7. Substantial portions of the descriptions of categories of LLRW generators are taken from the "Regional Management Plan" (April, 1988) prepared for the Northeast Interstate LLRW Commission by Roy F. Weston, Inc. and Catherine C. Stanton & Associates, Inc.
- 8. Portions of the description of LLRW types and streams are taken from the "Regional Management Plan" (April, 1988) prepared for the Northeast Interstate LLRW Commission by Roy F. Weston, Inc. and Catherine C. Stanton & Associates, Inc.
- 9. Title 10 Code of Federal Regulations, Part 61.56(a)(3).
- 10. 10 CFR 61.55.
- 11. 10 CFR 61.55; 10 CFR 61.59.
- 12. 10 CFR 61.7(b).
- 13. 10 CFR 61.7(b); 10 CFR 61.52(a)(2).
- 14. NRC, NUREG/CR-4370 (January, 1986).
- 15. National LLRW Management Program, "State-by-State Assessment of Low-Level Radioactive Wastes Shipped to Commercial Disposal Sites" (Annually).
- 16. Connecticut Hazardous Waste Management Service, "1989 Update of the Connecticut Low-Level Radioactive Waste Management Plan," March, 1990, p. 43.

- 17. The Low-Level Radioactive Waste Policy Act of 1980 (Public Law 96-573, Section 3) and The Low-Level Radioactive Waste Policy Amendments Act of 1985 (Public Law 99-240, Section 4).
- 18. U.S. Environmental Protection Agency, 1990, "Guidance, Resource Conservation and Recovery Act Land Disposal Restrictions, Effects on Storage and Disposal of Commercial Mixed Waste."
- 19. U.S. Environmental Protection Agency, "Policy on Enforcement of RCRA Section 3004(j) Storage Prohibition at Facilities Generating Mixed Radioactive/Hazardous Wastes," 56 Fed. Reg. 42730 (August 29, 1991).
- 20. U.S. Environmental Protection Agency, "Extension of the Policy on Enforcement of RCRA Section 3004(j) Storage Prohibition at Facilities Generating Mixed Radioactive/Hazardous Waste," 59 Fed. Reg. 18813 (April 20, 1994) and 61 Fed. Reg. 18588 (April 26, 1996).
- 21. "Performance Appraisal of a Low-Level Radioactive Waste Disposal Facility at Candidate Sites in Ellington, South Windsor, and East Windsor, Connecticut," (May, 1992) prepared for the Connecticut Hazardous Waste Management Service by Rogers & Associates Engineering Corporation.

TABLES AND FIGURES FOR APPENDIX A

TABLE AP-1: CONNECTICUT GENERATORS THAT SHIPPED LLRW IN 1996 OR THAT PLAN TO SHIP LLRW FOR MANAGEMENT - BY TOWN AND CATEGORY OF GENERATOR

GENERATOR	TOWN	CATEGORY OF GENERATOR
ABB Combustion Engineering Nuclear Products	Windsor	Fuel Fabrication
ABB Combustion Engineering Nuclear Services	Windsor	Industrial
Advanced Technology Materials, Inc.	Danbury	Industrial
Aerospace Metals, Inc.	Hartford	Industrial
Alexion Pharmaceuticals	New Haven	Private Research
Allegheny Ludium Steel Corp.	Wallingford	Industrial
AlliedSignal Engines (Textron Lycoming)	Stratford	Industrial
Alpha Q, Inc.	Colchester	Industrial
Bayer Corporation (Miles Inc.)	West Haven	Private Research
Boehringer Ingelheim Pharmaceuticals	Ridgefield	Private Research
Brass Center, Ltd.	Waterbury	Industrial
Bridgeport Hospital	Bridgeport	Institutional
Bristol-Myers Squibb	Wallingford	Private Research
Butkin Precision Manufacturing Corp.	Milford	Industrial
CT Agricultural Experiment Station	New Haven	Institutional
CT Yankee Atomic Power Co.	Haddam	Nuclear Power Plant
Charlotte Hungerford Hospital	Torrington	Institutional
Ciba-Geigy (ICI Americas)	Farmington	Private Research
Clairol	Stamford	Private Research
Connecticut College	New London	Institutional
Connecticut Resources Recovery Authority	Hartford	Institutional
Cuno Inc.	Meriden	Private Research
Cytec Industries Inc.	Stamford	Private Research
DeKalb Genetics Corp.	Stonington	Private Research
Diagnostic Radiology Associates	Waterbury	Institutional
Eastern CT State University	Windham	Institutional
Electro-Methods Overhaul & Repair	South Windsor	Industrial
Electro-Methods, Inc.	South Windsor	Industrial
Fairfield University	Fairfield	Institutional
Fischer Technology Inc.	Windsor	Industrial
Genaissance Pharmaceuticals, Inc.	New Haven	Private Research
General Dynamics, Electric Boat Div.	Groton	Military
Hamilton Chemical	New Haven	Industrial
Hartford Hospital	Hartford	Institutional
Hopkins School	New Haven	Institutional

#### TABLE AP-1 (continued)

GENERATOR	TOWN	CATEGORY OF GENERATOR
Hughes Danbury Optical Systems	Danbury	Industrial
International Fuel Cells, Inc.	South Windsor	Industrial
John B. Pierce Laboratory	New Haven	Private Research
Kodak S.I.S. (International Biotechnologies)	New Haven	Industrial
Middlesex Hospital	Middletown	Institutional
Millstone 1 Northeast Nuclear Power Co.	Waterford	Nuclear Power Plant
Millstone 2 Northeast Nuclear Power Co.	Waterford	Nuclear Power Plant
Millstone 3 Northeast Nuclear Power Co.	Waterford	Nuclear Power Plant
Neurogen Corporation	Branford	Private Research
Olin Research	Cheshire	Private Research
Packard BioScience Company (Canberra Industries)	Meriden	Industrial
Pfizer Inc.	Groton	Private Research
Protein Sciences Corporation (MicroGene System Inc.)	Meriden	Industrial
RSA Laboratories, Inc.	Hebron	Industrial
S.V.G. Lithography Systems, Inc.	Wilton	Industrial
Schlumberger-Doll Research	Ridgefield	Private Research
Seymour High School	Seymour	Institutional
Stamford Public Schools	Stamford	Institutional
Stanley Works (Laboratory)	New Britain	Industrial
Trinity College	Hartford	Institutional
U.S. Army Connecticut National Guard	Windsor Locks	Military
U.S. Navy	Groton	Military
Uniroyal Chemical Co.	Middlebury	Private Research
United States Surgical Corporation	North Haven	Industrial
United Technologies Research Center	East Hartford	Industrial
United Technologies, Hamilton Standard Div.	Windsor Locks	Industrial
United Technologies, Pratt & Whitney Div.	East Hartford	Industrial
Univ. of CT Environ. Health & Safety	Mansfield	Institutional
University of CT Health Center	Farmington	Institutional
VA Connecticut Healthcare System (V.A. Med. Ctr. Hosp.)	West Haven	Institutional
Wesleyan University	Middletown	Institutional
Windham Community Memorial Hospital	Windham	Institutional
Yale University	New Haven	Institutional
Yale-New Haven Hospital	New Haven	Institutional

TABLE AP-2: CONNECTICUT GENERATORS THAT HELD LLRW ON-SITE FOR STORAGE OR SHIPPED LLRW OFF-2: CONNECTICUT GENERATORS THAT HELD LLRW ON-SITE FOR MANAGEMENT AND TO DISPOSAL FACILITIES IN 1996

		LLRW ON-SITE	LLRW HELD IN ON-SITE STORAGE	LLRW SH SITE FOR N	LLRW SHIPPED OFF. SITE FOR MANAGEMENT		LLRW SHIPPED TO DISPOSAL FACILITIES
GENERATOR	CATEGORY OF GENERATOR "	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)
	-			,			! !
ABB Combustion Engineering Nuclear Products	t	1,578.5	0.032	903.8	0.037	0.006	0.037
ABB Combustion Engineering Nuclear Services	Q	1,150.0	0.100	7,797.5	0.757	12.0	0.196
Advanced Technology Materials, Inc.	Ω	0.0	0.000	4.0	<0.001	0.2	<0.001
Aerospace Metals, Inc.	Ω	17.0	0.005	0.0	0000	0.0	0.000
Alexion Pharmaceuticals	PR	43.6	0.042	0.0	0.000	0.0	0.000
Allegheny Ludlum Steet Corp.	ō	0.0	0.000	0.4	<0.001	0.4	<0.001
AlliedSignal Engines (Textron Lycoming)	<u>Q</u>	0.0	0.000	207.0	0.005	5,6	<0.001
Bayer Corporation (Miles Inc.)	PA	7.5	<0.001	811.7	0.248	167.8	0.255
Boehringer Ingelheim Pharmaceuticals	PA	57.0	0.052	42.3	0.518	63.9	1.036
Brass Center, Ltd.	<u>Q</u>	0.0	0000	0.2	40.001	0.2	<b>40.001</b>
Bridgeport Hospital	⊨	0.0	0.000	7.5	0.023	1.2	0.023
Bristol-Myers Squibb	e d	0.0	0000	294.0	0.482	1,4	0.177
Butkin Precision Manufacturing Corp.	ð	320.0	0.001	0.0	0.000	0.0	0.000
CT Agricultural Experiment Station	E	12.6	0.001	0.0	0.000	0.0	0.000
CT Yankee Atomic Power Co.	NPP	2,193.8	1.000	14,823.6	1,252.541	1,557.1	1,196.031
Charlotte Hungerford Hospital	E	0.0	0000	0.7	0.001	0.0	0.000
Ciba-Geigy (ICI Americas)	æ	0.0	0.000	134.8	0.001	9.2	0.001
Connecticut College	E	1.0	0.001	0.0	0.000	0.0	0.000
Connecticut Resources Recovery Authority	Ħ	0.0	0.000	4.7	<0.001	4.1	<0.001
Cuno Inc.	PR H	7.5	0.001	7.5	0.001	0.0	0.000
Cytec Industries Inc.	R.A.	0.0	0.000	<del>.</del> 6	€0.00	6.0	<0.001
DeKalb Genetics Corp.	Æ	10.7	<0.001	0.0	0.000	0.0	0.000
Eastern CT State University	±	5.6	<0.001	1.4	<b>-0.00</b>	1.4	<b>40.001</b>
Electro-Methods Overhaul & Repair	<u>Q</u>	36.8	<0.001	0.0	0.000	0.0	0.000
Electro-Methods, Inc.	Ō	9.7	<0.001	0.0	0.000	0.0	0.000
Fairfield University	<b>=</b>	6.5	0.001	0.0	0.000	0.0	0.000
Fischer Technology Inc.	Ω	& 1.0	0.068	0.0	0.000	0.0	0.000
Genaissance Pharmaceuticals, Inc.	A4	0.2	9000	0.0	0.000	0.0	0.000
Hamilton Chemical	Q	0.0	0000	9.4	<0.001	0.4	<0.001
Hartford Hospital	⊏	7.0	0.001	0.0	0.000	0.0	0.000
Hopkins School	╘	0.0	0.000	0.1	<0.001	0.1	<0.001
Hughes Danbury Optical Systems	9	10.0	<0.001	43.8	<0.001	18.3	<0.001
John B. Pierce Laboratory	Æ	20.3	0.001	0.0	0.000	0.0	0.000
Kodak S.I.S. (International Biotechnologies)	₽.	7.5	<0.001	0.0	0.000	0.0	0.000
Middlesex Hospital	E	22.0	0.010	0.0	0000	0.0	0.000
Millstone 1 Northeast Nuclear Power Co.	ddN	97.69	52,800.000 ***	21,178.9	1,080.916	4,264.8	1,096.556
Millstone 2 Northeast Nuclear Power Co.	APP	133.0	33.900	7,028.0	75.987	1,366.2	73.172
Millstone 3 Northeast Nuclear Power Co.	ddN	190.8	75.200	4,164.2	499.312	2,101.9	525.599

TABLE AP-2 (continued)

		LLRW ON-SIT	LLRW HELD IN ON-SITE STORAGE	LLRW SI SITE FOR	LLRW SHIPPED OFF- SITE FOR MANAGEMENT	LLRW S DISPOSA	LLRW SHIPPED TO DISPOSAL FACILITIES
GENERATOR	CATEGORY OF GENERATOR	VOLUME (au ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)
Neurogen Corporation	F.	0'94	600'0	133.0	0.043	8	440
Olin Research	H.	2.6	40,00	000	0.000	0.63	0.010
Pfizer Inc.	H.	206.3	980.0	1,768.2	2.057	9, 5, 0, 0,	1.453
Protein Sciences Corporation (MicroGene System Inc.)	ب ہے	4.1	0.020	0.0	0.000	0.0	0000
C.V.O. Lishconnelly, Proceedings	؛ ⊆	1.0	<0.001	0.0	0.000	0.0	0.00
Schlimhome-Dell Decemb	⊋ 8	1.2	<0.001	0.0	0.000	0.0	0.000
Committee Colors	Ξŧ	0.5	40.001	0.0	0.000	0.0	0.000
Commond Dublic Colonia	= 1	0.0	0.000	Ξ:	<0.001	0.0	0.000
Charles Mode A should be	<b>=</b> 4	0.0	0.000	0.2	<0.001	0.2	<0.001
Trinks (Laboratory)	⊇ !	0.0	0.000	0.4	<0.001	0.4	<0.001
The American Company of the Company	<u> </u>	13.0	0.001	0.0	0000	0.0	0.000
U.S. Army Compecticut National Guard	≥ 2	0.0	0.000	13.1	191.014	13.1	191,014
U.S. Navy	≥ (	142.0	<b>40.001</b>	5.766	2.002	997.5	2.002
United States Co.	œ.	9.69	0.033	74.5	0.018	<b>4</b> .	0.003
United States Surgical Corporation	Q :	4.0	<0.001	15.0	0.014	4.	0.014
Cinited Technologies Research Center	⊋ :	ф. Т	0.003	7.4	<0.001	0.0	0000
United Technologies, marrimon Standard DIV.	⊋ 4	3.5	0.075	0.0	0.000	0.0	0.000
United Jacon Modes, Praint & Whithey Liv.	2 t	300.0	0.020	0.0	0.000	0.0	0000
Univ. of C. Elividor. Teamil of Calety	= (	0.0	0.000	79.0	0.123	35.2	0.049
VA Comparing Unable of States At a 1821 At 1821	= !	245.0	0.222	150.0	0.050	92.5	0.110
Working Helder Heater System (V.A. Med. Cit. Hosp.)	<b>=</b> 1	0.0	0.000	15.0	<0.001	0.0	0.000
Westergal Offwelsing	= !	0.0	0.000	15.0	0.001	5.3	0.001
Wirditari Community Memorial Hospital	<b>=</b> !	0.0	0.000	3.0	0.001	0.0	0000
Valo None Have the state	<b>=</b> !	213.9	0.600	1,075.9	0.402	46.1	0.181
rate-inew naveri rospital	=	0.0	0.000	0.0	0.000	40.9	0.005
		7,745.0	52,911.490	61,801.2	3,106,525	11,769.9	3,087.925

\* Note: Generator Categories Are Abbreviated as Follows on This and Subsequent Tables and Figures ID- Industrial PR- Private Research IT- Institutional NPP- Nuclear Power Plant M- Military FF- Fuel Fabrication

<sup>\*\* 36,000</sup> Curies of this radioactivity were contained in 330 cubic feet of Class C control rod blades.

### TABLE AP-3A: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996 - BY GENERATOR

#### RANKED BY RADIOACTIVITY

GENERATOR	VOLUME (cu ft)	RADIOACTIVITY (Curies)
CT Yankee Atomic Power Co.	1,557.1	1,196.031
Millstone 1 Northeast Nuclear Power Co.	4,264.8	1,096.556
Millstone 3 Northeast Nuclear Power Co.	2,101.9	525.599
U.S. Army Connecticut National Guard	13.1	191.014
Millstone 2 Northeast Nuclear Power Co.	1,366.2	73.172
U.S. Navy	997.5	2.002
Pfizer Inc.	34.0	1.453
Boehringer Ingelheim Pharmaceuticals	63.9	1,036
Bayer Corporation (Miles Inc.)	167.8	0.255
ABB Combustion Engineering Nuclear Services	12.0	0.196
Yale University	46.1	0.181
Bristol-Myers Squibb	1.4	0.177
University of CT Health Center	92.5	0.110
Univ. of CT Environ. Health & Safety	35.2	0.049
ABB Combustion Engineering Nuclear Products	900.0	0.037
Bridgeport Hospital	1.2	0.023
United States Surgical Corporation	1.4	0.014
Neurogen Corporation	23.0	0.010
Yale-New Haven Hospital	40.9	0.005
Uniroyal Chemical Co.	4.1	0.003
Ciba-Geigy (ICI Americas)	9.2	0.001
Wesleyan University	5.3	0.001
Hughes Danbury Optical Systems	18.3	<0.001
AlliedSignal Engines (Textron Lycoming)	5.6	<0.001
Connecticut Resources Recovery Authority	4.1	<0.001
Eastern CT State University	1.4	<0.001
Allegheny Ludlum Steel Corp.	0.4	<0.001
Hamilton Chemical	0.4	<0.001
Stanley Works (Laboratory)	0.4	<0.001
Advanced Technology Materials, Inc.	0.2	< 0.001
Brass Center, Ltd.	0.2	<0.001
Stamford Public Schools	0.2	<0.001
Hopkins School	0.1	<0.001
Cytec Industries Inc.	<0.1	<0.001

TOTALS 11,769.9 3,087.925

#### TABLE AP-3B: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996-BY GENERATOR

#### **RANKED BY VOLUME**

GENERATOR	VOLUME (cu ft)	RADIOACTIVITY (Curies)
Millstone 1 Northeast Nuclear Power Co.	4,264.8	1,096.556
Millstone 3 Northeast Nuclear Power Co.	2,101.9	525.599
CT Yankee Atomic Power Co.	1,557.1	1,196.031
Millstone 2 Northeast Nuclear Power Co.	1,366.2	73.172
U.S. Navy	997.5	2.002
ABB Combustion Engineering Nuclear Products	900.0	0.037
Bayer Corporation (Miles Inc.)	167.8	0.255
University of CT Health Center	92.5	0.110
Boehringer Ingelheim Pharmaceuticals	63.9	1.036
Yale University	46.1	0.181
Yale-New Haven Hospital	40.9	0.005
Univ. of CT Environ. Health & Safety	35.2	0.049
Pfizer Inc.	34.0	1.453
Neurogen Corporation	23.0	0.010
Hughes Danbury Optical Systems	18.3	<0.001
U.S. Army Connecticut National Guard	13.1	191.014
ABB Combustion Engineering Nuclear Services	12.0	0.196
Ciba-Geigy (ICI Americas)	9.2	0.001
AlliedSignal Engines (Textron Lycoming)	5.6	<0.001
Wesleyan University	5.3	0.001
Uniroyal Chemical Co.	4.1	0.003
Connecticut Resources Recovery Authority	4.1	<0.001
Bristol-Myers Squibb	1.4	0.177 <sup>-</sup>
United States Surgical Corporation	1.4	0.014
Eastern CT State University	1.4	<0.001
Bridgeport Hospital	1.2	0.023
Allegheny Ludlum Steel Corp.	0.4	<0.001
Hamilton Chemical	0.4	<0.001
Stanley Works (Laboratory)	0.4	<0.001
Advanced Technology Materials, Inc.	0.2	<0.001
Brass Center, Ltd.	0.2	<0.001
Stamford Public Schools	0.2	<0.001
Hopkins School	0.1	<0.001
Cytec Industries Inc.	<0.1	<0.001

TOTALS 11,769.9 3,087.925

#### TABLE AP-4A: LLRW SHIPPED TO FULL-SERVICE DISPOSAL FACILITIES IN 1996 BY THE 50 STATES AND THE DISTRICT OF COLUMBIA \*

#### **RANKED BY VOLUME**

STATE	VOLUME (cu ft)	RADIOACTIVITY (Curies)
Oregon	52,127	357
Illinois	51,989	57,328
Tennessee	44,864	649
Washington	34,614	636
Michigan	24,951	41,907
Pennsylvania	24,185	71,905
Virginia	17,667	10,375
California	17,154	3,502
New York	16,245	1,312
New Jersey	15,805	907
Georgia	13,406	122,520
Massachusetts	12,483	16,629
		3,088 2,348
Arizona	9,329	16
Alabama	9,275	22,281
Mississippi	8,548	2,818
Ohio	7,372	50,021
Florida	6,491	1,418
Louisiana	5,571	799
Texas	5,321	3,942
Nebraska	5,013	32,751
Utah	4,936	<1
Colorado	4,853	77
Minnesota		1.406
	4,070	•
owa	·3,643	552
Maine	3,499	477
Maryland	3,391	349
Oldahoma	3,254	<1
Missouri	2,943	150
Wisconsin	2,397	153
Hawaii	1,572	1
Kentucky	1,259	462
Kansas	1,185	3,996
Arkansas	571	303
Vermont	563	46
ndiana	337	10
District of Columbia	165	<1
Alaska	145	603
Delaware	127	6
Nevada	118	2
New Mexico	102	4
Rhode Island	91	<1
Montana	82	<1
West Virginia	35	<1
North Dakota	4	<1
New Hampshire	2	<1
Wyoming	<1	13
ldaho	0	0
South Dakota	0	0
North Carolina	Ö	Ö
TOTALS	443,470	456,119

Source of Data: Except for Connecticut, the volume and radioactivity data were obtained from the U.S. Department of Energy Manifest Information Management System.

<sup>\*\*</sup> For Connecticut, the volumes in parentheses include 900 cubic feet of high-volume, low-activity LLRW disposed by ABB Combustion Engineering Nuclear Products at Envirocare's LLRW disposal facility at Clive, Utah. LLRW disposed at the Envirocare facility is not reported in the D.O.E. Manifest Information Management System.

#### TABLE AP-4B: LLRW SHIPPED TO FULL-SERVICE DISPOSAL FACILITIES IN 1996 BY THE 50 STATES AND THE DISTRICT OF COLUMBIA \*

#### RANKED BY RADIOACTIVITY

TATE	VOLUME (cu ft)	RADIOACTIV (Curies)
Georgia	13,406	122,520
Pennsylvania	24,185	71,905
llinois	51,989	57,328
Ohio	7,372	50,021
Aichigan .	24,951	41,907
iebraska	5,013	32,751
labama	9,275	22,281
lassachusetts	12,483	16,629
irginia	17,667	10,375
a yrram. Ansas	1,185	3,996
au 15415 6x 285		
	5,321	3,942
alifornia	17,154	3,502
ONNECTICUT	10,870	3,088
lississippi	8,548	2,818
outh Carolina	10,846	2,348
lorida	6,491	1,418
linnesota	4,070	1,406
ew York	16,245	1,312
ew Jersey	15,805	907
ouisiana	5,571	799
arressee	44,864	649
/ashington	34,614	636
laska	145	603
wa	3,643	552
laine	3,499	477
entucky	1,259	462
regon	52,127	357
laryland	3,391	349
rkansas	571	303
/isconsin	2,397	153
lissouri	2,943	150
colorado	4,853	77
ermont	563	46
rizona	9,329	16
	9,329 <1	13
/yoming	337	10
diana elaware	337 127	6
	- <del></del> -	_
ew Mexico	102	4
levada	118	2
lawaii	1,572	1
tah	4,936	<1
Hdahoma	3,254	<1
istrict of Columbia	165	<1
thode Island	91	<1
lontana .	82	<1
/est Virginia	35	<1
lorth Dakota	4	<1
lew Hampshire	2	<1
iaho .	0	0
lorth Carolina	0	0
South Dakota	0	0
TOTALS	443,470	456,119

<sup>\*</sup> Source of Data: Except for Connecticut, the volume and radioactivity data were obtained from the U.S. Department of Energy Manifest Information Management System.

<sup>\*\*</sup> For Connecticut, the volumes in parentheses include 900 cubic feet of high-volume, low-activity LLRW disposed by ABB Combustion Engineering Nuclear Products at Envirocare's LLRW disposal facility at Clive, Utah. LLRW disposed at the Envirocare facility is not reported in the D.O.E. Manifest Information Management System.

TABLE AP-5A: CONNECTICUT LLRW SHIPPED OFF-SITE FOR MANAGEMENT IN 1987 THROUGH 1990 - BY GENERATOR

			1987 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	15 LLRW SHIPF FOR MAN	1988 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	15 LLRW SHIPF FOR MAN	1989 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	16 LLRW SHIPP FOR MAN	1990 ILRW SHIPPED OFF-SITE FOR MANAGEMENT
GENERATOR	CATEGORY OF GENERATOR	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (ou ft)	RADIO- ACTIVITY (Curies)
ABB Combustion Engineering Nuclear Products	11	2.450.0	0.058	34200	0	E 007 7	0.176	7 208 7	0.134
ABB Combustion Engineering Nichear Services	: =	2,180.0	0.000	15720	0900	1,252.0	0.170	2,036.0	26.13
Advanced Technology Materials, the	9 ⊆	F, 10E.0	000	9.5	9000	0.00	56.0	0.400,0	20.5
Aerospace Metals, Inc.	2	S C	000	2 6	0000	9 6	0000	9 6	0000
Aetha Casualty & Surety	) C	0.0	000	2.0	6.69	9 6	0000	9 6	0000
Aircraft Components Inc.	<u> </u>	0.0	0000	0.0	0.00	0.0	0000	000	0000
Alexion Pharmaceuticals	Æ	0.0	0.00	0.0	0000	0.0	0000	0.0	0000
Allegheny Ludium Steel Corp.	Q	0.0	0.000	0.0	0000	0.0	0000	0.0	0.000
AlliedSignal Engines (Textron Lycoming)	Q	0.0	0000	0.0	0.00	0.0	0.00	0.0	0.000
Apha Q, Inc.	Ω	0.0	0.000	0.0	0000	0.0	0000	0.0	0.000
Bayer Corporation (Miles Inc.)	æ	0.0	0.000	43.5	0.005	274.5	0.103	351.1	0.119
Bob's Stores, Inc.	Q	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Boehringer Ingelheim Pharmaceuticals	æ	479.0	0.114	390.0	0.475	382.5	0.119	540.0	7.929
Brass Center, Ltd.	و ا	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Bridgeport Hospital	<b>=</b> :	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Bridgeport Metal Goods	<b>₽</b> ¦	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Bristo-Myers Squibb	£ 4	652.1	0.572	1,135.0	1.441	1,298.7	0.792	1,462.0	1.170
O'Buck Scientific Inc.	ا ⊆	0.0	0.000	0:0	0.000	0.0	0.000	0.0	0.000
CT Varios Attail Dans Co		15.0	0.001	0.0	0.000	7.5	<0.001	0.0	0.000
Control Of State Helicante.	<u> </u>	15,686.1	544.380	12,563.0	337.951	8,330.4	654.180	13,027.0	220,840.630
Charles Discontral Located	= 6	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Chasabminth-Dond's USA Co	- a	0.0	0.000	0.0	0.000	9 6	0000	0 6	0.000
Ciba-Geiov (ICI Americas)	E &	343.7	0.000	0.00	0.000	0.0	0.000	204.4	0.000
Clairo	E &	4.7	0.014	4.6	0.03	t:::C	0000	- 6	0000
Connecticut College	E	0.0	0.000	0.0	0.00	0.0	0000	0.0	0000
Connecticut Resources Recovery Authority	⊨	0.0	0.000	0.0	0.000	0.0	0000	0.0	0000
Cuno Inc.	띮	0.0	0.000	8.0	0.001	19.4	A0.001	18.7	0.005
Cytec Industries Inc.	Œ	0:0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
DeKalb Genetics Corp.	<b>E</b> 1	0.0	0000	0.0	0.000	0.0	0.000	0.0	0.000
Diamon Systems Inc.	<b>=</b> 1	0.0	0.000	0.0	0.000	0:6	0.006	0.66	0.007
Classerii C. Otate Oinversity	= ⊆	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Fairfield University	9 ⊨	3 6	0000	5 6	9000	9 6	0000	9. 6	9000
Fischer Technology Inc.	: ⊊	9 6	000.0	9.0	0000	9 6	0000	9 6	999
General Dynamics, Electric Boat Div.	. ≥	0.0	0.000	397.5	0.001	0.0	0.00	000	0,000
Groton Board of Education	=	0.0	0000	0.0	0000	0	0000	00	0000
Hamilton Chemical	: <b>Q</b>	0.0	0.000	0.0	0.000	0.0	0.00	000	0.000
Hartford Hospital	E	45.7	6000	27.0	9000	56.6	900'0	0.0	0.000
Hopkins School	E	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Hughes Danbury Optical Systems	Q	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
International Fuel Cells, Inc.	<b>Q</b> 1	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
John B. Pierce Laboratory	Æ :	0.0	0.000	0.0	0.000	<b>25</b>	40.00	0.0	0.000
Kodak S.I.S. (international biotechnologies)	⊇ ા	0.0	0.000	52,5	0.010	15.0	0.010	0.0	0.000
Middlesex Hospital	=	0.0	0.000	0.0	0.000	0.0	0.000	7.5	0.220

-
O
<del>g</del>
₹
=
⊆
-
Ę
$\sim$
ဗ
con
_
_
<
10
ŠĀ
Ω.
_
AP
-
Щ
_
四四
g
Z

CATEGORY	LLRW SHIP FOR MA	1987 ILRW SHIPPED OFF-SITE FOR MANAGEMENT	LLRW SHIF FOR MA	1988 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	LLPW SHIP FOR MA	1989 ILRW SHIPPED OFF-SITE FOR MANAGEMENT	1980 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	D OFF-SITE GEMENT
CATEGORY	FOR MA	NAGEMENT	FOR MA	NAGEMENT	FOR MA	NAGEMENT	FOR MAN	GEMENT
CATEGORY								
ב		RADIO		PADIO-	1	PADIO-	HAI SV	PADIO-
GENERATOR	VOLUME (au ft)	ACTIVITY (Curies)	(on ft)	(Curies)	(cu ft)	(Curies)	(a. ft)	(Curies)
2017	000070	000 400	00000	OC 510 788	24 ROS 6	19 915 977	14.421.8	34.111.625
1 ! 2 :	24,300.0	201.100	10,000.0	20,010,00	14 4926	554 266	16 680.7	10.295
a i	4,844.4	22,/04.013	9,191.1	590 967	A 402 A	737 682	3.294.0	176.335
dd (	3,516.0	181.86	6,100.0	700.00	6,106.4	200, 00	20.5	600
ድ	0.0	0.000	0.0	0,000	1 6	0.00	3	900
ᆮ	0.0	0.000	0.0	0000	c./	C87.0	9 6	3 6
<u>_</u>	0.0	0.000	0.0	0000	0.0	0.000	0.0	0.00
느	184.0	0.003	241.0	0.240	157.0	0.041	0.2.0	0.010
ō	8.0	0.005	0.0	0.000	0.0	0.000	0.0	0.000
=	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
8	0.0	0000	0.0	0.000	0.0	0000	0.0	0.000
9	0.0	0.000	0.0	0000	0.7	600'0	0.0	0.000
<b>E</b>	585.0	8.286	502.5	0.340	465.0	12.241	1,290,0	3.552
<u> </u>	0.0	0000	0.0	000'0	0.0	0.000	0.0	0.000
) <b>S</b>	4.0	0.013	0.0	0000	0.0	0.000	0.0	0.000
j F	0.0	0000	0.0	0.000	0.0	0000	0.0	0.000
: ⊊	9 6	0000	0.0	0000	0.0	0.000	0.0	0.000
2 8	44.0	0.00	30.0	0.001	0.09	0.007	0.09	0.007
€ ⊆	9.0	0000	0.0	0000	0.0	0.000	0.0	0.000
≥ 5	2 2	5 6	00	0000	0.0	0000	0.0	0.000
ĒE	3 0	0000	00	0000	0.0	0000	0.0	0.000
: <b>t</b>	8 6	0000	9	0000	0.0	0.00	0.0	0.000
= =	9 6	000	0.0	0000	0.06	<0.00	75.0	0.001
: =	00	0000	0.0	0000	0.0	0.000	0.0	0.000
: S	00	0000	0.0	0000	0.0	0.000	0.0	0.000
; ⊨	0.0	0000	0.0	0000	0.0	0.000	0.0	0.000
: 1=	0.0	0000	0.0	0.000	24.5	<0.001	12,3	<b>40.001</b>
: 2	0.0	0.000	0.0	0000	0.0	0.000	0.0	0.000
ŧ⊨	0.0	0000	0.4	0.001	0.0	0.000	0.0	0.000
: 2	1,703.2	0.113	1,104.4	0.057	1,473.2	0.995	1,716.7	0.511
. E	0.0	0000	55.5	0.054	47.3	0.013	75.0	0.064
<u> </u>	2.500.0	0.092	2,774.5	0.075	1,283.9	0.058	13,663.4	0.021
: 😑	0.0	0000	0.0	0000	0.0	0.000	0.0	0.000
· <u>C</u>	0.0	0000	0.0	0.000	0.0	0.000	1.3	0.002
· 🕰	0.0	0000	0.0	0.000	0.0	0.000	0.0	0.000
Ω.	142.5	0.015	0.0	0000	0.0	0.000	0.0	0.000
۵	0.0	0.000	0.5	0.001	0.0	0.000	1.6	0.850
· <b>=</b>	267.2	0.093	504.7	0.079	127.5	0.054	97.5	0.461
=	609.1	0.332	937.5	0.221	1,312.5	0.369	840.0	0.164
: =	0.0	0000	8.0	0,001	0.0	000'0	0.0	0.000
: <b>E</b>	46.0	0.038	00	0000	67.5	0.002	0.0	0.000
: E	6	0000	0.0	0000	0.7	<b>40.001</b>	5.3	<0.001
: <b>=</b>	000	0000	0.0	0000	0.0	0.000	0.0	0.000
= t	9 4	60.6	45.0	0 003	22.5	<b>c</b> 0.001	0.0	0.000
= t	0.6	000	e c	0000	2.0	950.	0.0	0.000
= <b>E</b>	9.0	90.0	000	0000	0.0	0.00	0.0	0.000
= 6		3.631	5.232.6	7.320	4,170.0	5.157	3,457.5	5.113
= t		900	0.0	900 0	0.0	0000	112.5	40.001
=	0.0	22 006 223	£7 388 2	96 451 231	69.070.1	21.883.737	80,100.5	255,162.918
	8,510,00	43,000,04V	1,,,,,,				•	•
	ororgogoorogogrrrrpr≥r≥grooooerrrrrrr	2, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	184.0 8.0 0.0 0.0 0.0 0.0 0.0 0.0 0	164.0 0.003 8.0 8.0 0.005 8.0 0.006 8.286 0.000 9.0 0.00	184.0 0.003 241.0  8.0 0.006 0.0  0.0 0.000 0.0  0.0 0.000 0.0  0.0 0.000 0.0  44.0 0.000 0.0  22.5	144.0   0.003   241.0   0.240   145   14	184.0         0.005         241.0         0.24.0         157.0           8.0         0.005         0.00         0.00         0.0           0.0         0.005         0.00         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.00         0.0           0.0         0.000         0.0         0.0         0.0           0.0         0.000         0.0         0.0         0.0           0.0         0.000         0.0         0.0         0.0      <	184,0   0.005   0.041   0.04

TABLE AP-5B: CONNECTICUT LLRW SHIPPED OFF-SITE FOR MANAGEMENT IN 1991 THROUGH 1994 - BY GENERATOR

			1991 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	LLRW SHIF FOR MA	1992 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	LLRW SHIP FOR MA	1993 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	1994 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	4 D off-site Gement
GENERATOR	CATEGORY OF GENERATOR	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu fi)	RADIO- ACTIVITY (Curles)	VOLUME (au ft)	RADIO- ACTIVITY (Curles)
ABB Combustion Engineering Nuclear Products	15	3.824.0	0.045	665.5	0.012	12030	0.034	6.070.0	9900
ABB Combustion Engineering Nuclear Services	: ♀	2.603.0	0.707	1,280.0	0.200	3.840.0	0.950	2,560.0	0.50
Advanced Technology Materials, Inc.	: ⊊	00	000	00	000	00	0000	0.000	9000
Aerospace Metals, Inc.	9	0.0	0000	7.5	0.001	00	0.000	000	000
Aetra Casualty & Surety	. Ω	12	0.200	0.0	0.000	0.0	0.000	0.0	0000
Aircraft Components Inc.	2	757.5	0.027	0.0	0000	0.0	0000	0.0	0000
Alexion Pharmaceuticals	æ	0.0	0.000	0.0	0.000	0.0	0.000	22.5	0.023
Allegheny Ludkum Steel Corp.	Q	0.0	0.00	0.0	0.000	0.0	0.000	0.0	0000
AlliedSignal Engines (Textron Lycoming)	Q	0.0	0.000	0.0	0000	0.0	0.000	15.0	<0.001
Alpha Q, Inc.	Ω 1	0.0	0.000	0.0	0.000	0.0	0.000	135.0	900.0
Bayer Corporation (Miles Inc.)	<b>E</b> !	276.6	0.274	383.0	0.320	297.0	0.024	462.1	0.221
Bob's Stores, Inc.	<b>Q</b> (	0.0	0.000	0.0	0.000	0.0	0.000	0.7	<0.001
Boehringer Ingelheim Pharmaceuticals	£ 9	649.2	3.649	360.0	0.903	390.0	0.658	349.9	2.061
Brass Center, Ltd.	⊇ £	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0000
	≃ ⊊	3 3 6	0.00	o 6	0.000	0.0	0.000	0.0	0000
Special Modes	⊇ 8	0.0	0.000	0.0	0.000	0.0	0.000	6.0	A0.001
Brick Scientific Inc	£ e	0.861,1	0 000	0.00	0.00	8.846 8.00	0.447 0.000	262.2	0.275
CT Acricultural Experiment Station	E	7.5	000	00	0000	90	0000	8 6	0000
CT Yankee Atomic Power Co.	ddN	11,336.1	337,978	13.699.8	1.477.764	14.499.1	3.662.647	5.814.1	30.638
Central CT State University	E	0.0	0.000	0.0	0.00	0.0	0000	0.0	0000
Charlotte Hungerford Hospital	E	0.0	0.000	0.0	0.000	0.0	0000	0.0	0000
Chesebrough-Pond's USA Co.	ፎ	0:0	0.000	0.0	0.000	0.0	0.000	0.7	<0.001
Ciba-Geigy (ICI Americas)	<b>E</b> 6	271.5	0.014	379.6	0.094	158.2	0.035	235.2	0.145
Clairol	₹	0.0	0.000	0.0	0.000	15.0	40.001	19.1	0.281
Connecticut Conege	= E		0000	200	0.000	0.0	0.000	٠, د د	60.001
Cuno Inc.	= &	15.0	0.002	9 0	0.00	0.0	0000	2.0	0.000
Cytec Industries Inc.	Œ	0.0	0.000	0.0	0000	0.0	0.000	0.0	0000
DeKalb Genetics Corp.	Н	0.0	0000	0.0	0.000	0.0	0000	0.0	0.000
Dianon Systems Inc.	E	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Eastern CT State University	<b>:</b>	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Electro-Methods, Inc.	<b>♀</b> ≀	0.0	0.000	0.0	0000	0.0	0.000	22.5	<0.001
Fairfield University	= 9	0.0	0.000	0:0	0.000	0.0	0.000	24.0	40.001
Fischer Technology finc.	2 =	0.40	0.496	0.0	0.000	0.0	0.000	0.0	0.000
General Lynamics, Erecure Boat Liv.	<b>S</b> H	1.95.1	0.008	0.00	<0.003	- ·	C0:00	r.801	0.001
Groton Board of Education	= ⊆	) ) (	0000	0.0	0.000	0.0	0.000	0.0	6.001 00.001
	2 ₽	9.0	0.00	9 6	0.00	9 6	0000	0 F	0.000
Hookins School	: <b>:</b>	6. C	0000		t 000	9 6	0000	. c	0000
Hughes Danbury Optical Systems	. □	7.5	0,004	78.0	0.005	82.0	40.00	67.5	40.00
International Fuel Cells, Inc.	Ω	0.0	0.000	0.0	0000	7.5	0.040	0.0	0000
John B. Pierce Laboratory	R	75.0	600.0	43.0	0.004	0.0	0.000	15.5	0.001
Kodak S.I.S. (International Biotechnologies)	Ō	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Middlesex Hospital	E	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000

TABLE AP-5B (continued)

		LLFW SH	1991 LLRW SHIPPED OFF-SITE	LLRWS	1992 LLRW SHIPPED OFF-SITE	in wa	1993 IJ RW SHIDDED OLE STATE	#	1994
		FOT W	FOR MANAGEMENT	FOR	FOR MANAGEMENT	FOR M	FOR MANAGEMENT	FOR MAN	LLKW SHIPPED OFF-SITE FOR MANAGEMENT
	CATEGORY		RADIO		RADIO		0000		
GENERATOR	CENEGOATOR	VOLUME	ACTIVITY	VOLUME	ACTIVITY	VOLUME	ACTIVITY		PADIO
	GENERALOR	(cu n)	(Curies)	(cn t)	(Curies)	(Sa #)	(Curies)	(or #)	ACTIVITY (Carbs)
Milistone 1 Northeast Nicreas Dougs Co.	!								(source)
Millstone 2 Northeast Nuclear Power Co.		20,830.7	2,240.848	25,542.0	23,706,771	74085	1 046 040		
Millstone 3 Northeast Nuclear Power Co.		5,883.5	877.666	38,325.4	3,676.343	13,579.3	445.440	08,650.1	294.862
Neurogen Corporation	e a	0,036.1	104.137	2,758.8	480.788	14.266.4	38.468	13,175.5	245.624
New Britain General Hospital	E	0.001	900.0	135.0	9000	172.5	0.017	3,130.2	168.715
Northrop Grumman Norden Systems (UTC/Westinghouse)	: ⊆	0.0	0.000	0.0	0.000	0.0	000	0.02	0.011
Norwalk Hospital	2 ⊢	0.0	0.000	0.0	0000	0	000	0.0	0.000
Novo Nordisk Bioindustrials (Novo Labs)	= ⊆	0.0	0.000	0.0	0.000	0.0	000.0	₹ 6 77 6	0.696
Nuclear Scanning Associates	2 ⊨	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
Olin Research	- 8	0.0	0000	0.0	0000	0.0	9000	9.0	0000
Packard BioScience Company (Canberra Industries)	£ <u></u>	0.0	0.000	0.0	0.000	00	98.6	), O	0.008
Pfizer Inc.	⊇ 8	0.0	0.000	0.0	0.000	43.1	0.00	d, L	0.044
Pitney Bowes	E	1,185.0	4.863	2,025.0	6.739	1 474 1	2.0.0	8.0	0.056
Protein Sciences Comonation (MisraGene Statem Inc.)	⊇ ເ	0.0	0.000	0.0	0000	- c	3.7.4	1,152.2	0.951
Quinniplac College	2 ₺	26.5	0.015	0.0	0000	9. 4	0.000	0.7	0.200
RSA Laboratories, Inc.	= 9	0.0	0.000	7.5	0.013	9 6	2000	0.0	0.000
A Roche Biomedical Laboratories (CVTO-Boche)	⊇ 8	0.0	0.000	0.0	0000	9: C	0000	0.0	0.000
	Ĭ.	67.5	0.008	0.0	0.000	9.6	0000	<b>7</b> 0	<0.001
Ch Schlumberger-Doll Research	⊋ 8	0.0	0.000	0.0	0.00	9 6	0000	4.1	0.001
2 Seymour High School	ξĿ	0.0	0.000	4.1	40.001	9 6	000.0	8.0	<b>-0.001</b>
Southern CT State University	= E	0.0	0.000	0.0	0000	9 6	900	0.0	0.000
St. Francis Hospital (St. Francis & Mt. Sinai Campusas)	= <b>E</b>	0.0	0.000	0.0	0000	8.0	0.00	0.0	0.000
Stamford Public Schools	= <b>=</b>	0.0	0.000	6.3	0.295	4.1	0 277	0 0	0.000
Stanley Works (Laboratory)	: ⊆	0.0	0.000	0'0	0.000	0.0	0.00	0.10	40.001
State of CT, Office of Emergency Management	! =	0.0	0.000	0.0	0.000	0.0	0000	9. 6	0.000
Frinity College	E	5.5	0.000	0.0	0.000	1.7	<0.001	000	60.00
U.S. Army Connecticut National Guard	2	9.5	2000	0.0	0.000	0.0	0.000	9: O	9000
U.S. Coast Guard Academy	=	9 6	9000	0.0	0.000	0.0	0.000	000	0.00
U.S. Navy	Σ	1 749 8	0.000	0.0	0.000	0.0	0.000	9.0	0.00
Uniroyal Chemical Co.	H.	35.5	0.278	1,044.9	0.117	785.8	1.290	1.559.9	136 860
United Nuclear Corp., Naval Products	Æ	36.016.9	0.393	26 424 0	0.000	7.1.7	0.149	70.8	0.071
United Total Corporation	<u>Q</u>	0.0	0000	0.154,00	0.2/3	437.0	0.083	0.0	0.000
Indu Tochnologies Research Center	<u>Q</u>	0.0	0.000	, <u>7</u>	0.000	0.0	0.000	0.0	0.000
United Technologies, nathing Whitman Div.	ی ی	0.0	0.000	0.0	0000	98 4. c	0.665	0.0	0.000
United Technologies, Sikorsky Div.	2 €	0.0	0000	705.0	0.00	9 6	0.00	555.0	0.001
Univ. of CT Environ Health & Safety	2 ℓ	0.0	0.000	0.0	0.000	9 6	0.00	0.0	0.00
University of CT Health Center	= E	120.0	0.333	48.5	0.057		0.00	0.0	0.000
V.A. Medical Center	= E	761.6	0.193	780.0	0.179	322.5	0.023	75.5	0.192
VA Connecticut Healthcare System (VA Med Cir Loca)	= b	0.0	0.000	0.0	0000	0.0	- 000	247.5	0.069
Valley Medical Laboratory	= E	15.0	<0.001	11.5	0.072	5.6	0.00	0.0	0.000
Waterbury Hospital	= t	<b>4</b> .0	<0.001	5,3	0.001	2 6	0000	0.7	0.020
Weslevan University	= t	0.0	0.000	0.0	0000	9 6	0.00	0.0	0.000
West Hartford, Town of	= <b>t</b>	37.5	<0.001	30.0	40.001	. <del>.</del>	0.000	7.0	40.001
Windham Community Memorial Hospital	= E	0.0	0.000	0.0	0.000	9 6	86	0.08	0.002
Yale University	= E	0.0	0.000	0.0	0.000	2 6	0.00	0.0	0.000
Yale-New Haven Hospital	= 6	2,906.5	5.432	1,184.9	1.726	964.2	3.640	0.0	0.000
TOTALS	=	187.5	0.014	97.5	0.007	0.0	0.000	1,636.1	3.996
		87,765.2	3,579.207	127,020.7	29,357,086		5.374.842	000 001	90.00
							!	0.000,00	880.600

TABLE AP-5C: CONNECTICUT LLRW SHIPPED OFF-SITE FOR MANAGEMENT IN 1995 THROUGH 1996 - BY GENERATOR

		1995 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	95 ED OFF-SITE AGEMENT	18 LLAW SHIPF FOR MAN	1996 ILRW SHIPPED OFF-SITE FOR MANAGEMENT	19 LLRW SHIPP FOR MAN	1997 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	1998 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	8 D OFF-SITE GEMENT
			Cicro		RADIO-		PADIO.		PADIO-
	CATEGORY	VOLUME	ACTIVITY	VOLUME	ACTIVITY	VOLUME	ACTIVITY (Curbe)	VOLUME (cu ft)	ACTIVI(Y (Curies)
GENERATOR	GENERATOR	(cn tt)	(Curies)	(cn ft)	(Curies)	(on Id)	(equino)		
				000	0.037				
ABB Combustion Engineering Nuclear Products	Ŀ	3,500.0	0.198	203.6	0.757				
ABB Combustion Engineering Nuclear Services	<u>Q</u>	1,323.0	0.100	C. /8/, /	20.001				
Advanced Technology Materials, Inc.	₽	0.0	0000	t C	0000				
Aerospace Metals, Inc.	؛ ۵	0.0	0000	0.0	0.000				
Aetna Casualty & Surety	۵ د	0.0	000.0	0.0	0.000				
Aircraft Components Inc.	⊇ 5	9 6	0.000	0.0	0.000				
Alexion Pharmaceuticals	₹ ⊆	0.0	0.000	4.0	<0.001				
Allegheny Ludlum Steel Corp.	9 9	764.5	0.019	207.0	0.005				
Affectsignal Engines (Texitori Lycorima)	<b>.</b>	0.0	0.000	0.0	0.000				
Apria C, inc.	Œ	839.5	0.317	811.7	0.248				
Bob's Stores Inc.	₽	0.0	0.000		0.000				
Roehringer Ingelheim Pharmaceuticals	Æ	95.5	1.008	5.24 5.0	500				
Brass Center, Ltd.	ē	0.0	0.000	7.7	0.023				
Bridgeport Hospital	<b>–</b> 9	0.0	0.000	0.0	0.000				
Bridgeport Metal Goods	⊇ 8	401.3	0.381	294.0	0.482				
	E =	0.0	0000	0.0	0.000				
Buck Scientific Inc.	⊋ Է	0.0	0.000	0.0	0.000				
O CT Agricultural Experiment Station	ddN	11.985.2	2.742	14,823.6	1,252.541				
CT Yankee Atomic Power Co.	E <b>=</b>	0.0	0.000	0.0	0.000				
Central C1 State University	: =	0.0	0.000	0.7	0.001				
Charcotte Hungehold Hospital	Æ	0.0	0.000	0.0	0.000				
Ciba-Gainv (ICI Americas)	æ	207.2	<0.001	134.8	0000				
Clairol	E :	15.0	0.007	9.0	0000				
Connecticut College	<b>=</b> 1	0.0	0.00	4.7	₹0.00				
Connecticut Resources Recovery Authority	= 0	0.0	0000	7.5	0.001				
Cuno Inc.	E 8	0.0	0.000	40.1	<0.001				
Cytec Industries Inc.	Œ	0.0	0.000	0.0	0.000				
Dinne Sutom Inc	=	0.0	0.000	0.0	0.000				
Control Systems inc.	⊨	0'0	0.000	4.	90.00				
Flectro-Methods, Inc.	Ω	0.0	0.000	2.0	0000				
Fairfield University	<b>=</b> !	0.0	0.000	0.0	0000			,	
Fischer Technology Inc.	₽:	0,0	0.000	0.0	0000				
General Dynamics, Electric Boat Div.	<b>≥</b> ì	ο. Ο Ο	0000	0.0	0.000				
Groton Board of Education	= 5	9 6	0000	4.0	<0.001				
Hamilton Chemical	2 ⊱	0.0	0.000	0.0	0.000			-	
Hartford Hospital	= =	0.0	0.000	0.1	40.001				
Hopkins School	: <u>Q</u>	46.5	40.00	43.8	<0.001 0.003				
Hughes Darbury Opinial Systems	2	0.0	0.000	0.0	0.000				
International Fuel Cens. Inc.	æ	0.0	0000	0.0	0000				
Kodak S I S. (International Biotechnologies)	ō	0.0	0.000	0.0	000 6				
Middlesex Hospital	E	0.0	0.000	3	,				

TABLE AP-5C (continued)

			1995 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	LLRW SI FOR I	1996 LLRW SHIPPED OFF-SITE FOR MANAGEMENT	1987 LLRW SHIPPED OFF-SITE	SIE.	1998 1998 - Haw summan	go (
GENEDATOR	CATEGORY		RADIO		a control of the cont	FOR MANAGEMENT	¥	FOR MANAGEMENT	GEMENT
HOINGE	GENERATOR	VOLUME (au ft)	ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	<u>"</u>	ġÈ	VOLUME	PADIO.
Millstone 1 Northeast Nuclear Power Co.					(seumo)	(cu ff) (Curies)	98)	(cn 8)	ACTIVITY Ciriles
Millstone 2 Northeast Nuclear Power Co.	ddN A	9,903.9	439 260	į					(same)
Neuroden Comparation	A ON	10,115.0	374.072	98/1,12	1,080.916				
New Britain General House	L g	10,741.1	48.108	4 164 2	75.987				
Northrop Grimman Manageral	E	330.0	0.036	1330	499.312				
Norwalk Hospital	: 0	0.0	0.000	0.00	0.013				
Novo Nordisk Bioindisarials (Novo Late)	E	0.0	0.000	0.0	0.000				
Nuclear Scanning Associates	Ð	0.0	0.000	0.0	0000				
Olin Research	E	9.0	0000	0.0	0.000				
Packard BioScience Company (Carberra Industries)	æ :	31.2	0.000	0.0	0.00				
Pitrey Rouse	⊋ 8	0.0	0000	0.0	0.000				
Protein Science	₹ ⊆	1,986.3	2.353	1 769 2	0.000				
Quinnipiac College	9 ⊆	0.0	0.000	2.857,1	2.057				
RSA Laboratories. Inc	=	0.0	0.000	0.0	0.000				
A Roche Biomedical Laboratories (CVTO P. 1.	<b>₽</b>	0.0	0.000	0.0	0.00				
	æ	9.0	0.000	0.0	0.000				
C1 Schlumberger-Dolf Research	Ω	0.0	0.000	0.0	0.000				
	E I	0.0	0.000	0.0	0.00				
Southern CT State University	E I	0.0	0000	0.0	0.000				
Stanford D. Francis & Mt. Sinai Campuses)	= t	0.0	0.000	∓ (	<0.001				
Stanley Works & Chook	= E	0.0	0.000	0.0	0.000				
State of CT OHING (Laboratory)	= ⊊	0.0	0.000	0.0	0.000				
Trinity College	9 ⊏	0.0	0.000	0.0	40.001				
U.S. Army Connecticut National Guand	=	0.0	0.000	0.0	100.00				
U.S. Coast Guard Academy	₹	9.0	0.000	0.0	0000				
U.S. Navy	E	9 6	0.000	13.1	191.014				
Uniroyal Chemical Co.	×	571.0	0.00	0.0	0.000				
United Nuclear Corp., Naval Products	Ξŀ	0.0	0.000	997.5	2.002				
United Technological Corporation	t <u>c</u>	0.0	0.000	t.4/	0.018				
United Technologies Hosearch Center	5 5	4.0	<0.001	15.0	0.000				
United Technologies, Pratt & Whitney, Div.	<b>Q</b>	0.0	0.000	7.4	0.014				
United Technologies, Sikorsky Div	Q	0.0	0.000	0.0	0.00				
Univ. of CT Environ. Health & Safety	Ω.	000	0.000	0.0	0.000				
University of CT Health Center	<b>=</b> !	22.5	9.00	0.0	0.000				
V.A. Medical Center	<u>- 1</u>		0000	79.0	0.123				
Valloc Martin Healthcare System (V.A. Med. Ctr. Hosp )	= t	0.0	0.000	150.0	0.050				
Water Water	= E	0.0	0000	0.0	0.000				
Westevan I Iniversity	= =	0.0	0.000	0.0	<0.001				
West Harford Town of	: =	0.0	0.000	9 6	0.000				
Windham Community Memorial University	: =	0.0	0.000	15.0	0.000				
	H	0.0	0.000	0.0	0.00				
wen Hospital		2,163.6	0.000	3.0	0.001				
	E		0.027	1,075.9	0.402				
		55,486.7	869.873	00	0.000				
			•		3,106.525				

TABLE AP-6A: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1987 THROUGH 1990 - BY GENERATOR

		16 LLRW SH DISPOSAL	1987 LLRW SHIPPED TO DISPOSAL FACILITIES	16 LLRW SH DISPOSAL	1988 LLPW SHIPPED TO DISPOSAL FACILITIES	15 LLRW SH DISPOSAL	1989 LLFW SHIPPED TO DISPOSAL FACILITIES	19 LLRW SH DISPOSAL	1990 LLRW SHIPPED TO DISPOSAL FACILITIES
GENERATOR	CATEGORY OF GENERATOR	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (au ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)	VOLUME (cu ft)	RADIO- ACTIVITY (Curies)
ABR Combiestion Engineering Mirchest Bondarde		2450.0	830.0	2 446.0	4 4 5 2 2	4577.0	0.476	4 705 0	7070
ABB Combination Engineering Muchan Company	t s	2,450.0	0.056	3,446.0	0.122	0.776,4	0.176	95.9	0.13 135
Advanced Tochnology Materials 150	5 6	2,162.0	0.186	1,5/2.0	0.060	938.0	0.668	2/2.9	1.781
Advanced legitionogy materials, inc.	⊇ €	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Actual Design of Compt.	⊇ €	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0000
Aircraft Components Inc	5 5	9 6	0000	) o	100.00	0 0	0.00	0.0	0.000
Alexion Pharmaceuticals	2 8	3 6	0000	0.0	000.0	200	0000	9.0	0.000
Allegheny Ludium Steel Com	€ ⊆	9 6	0000	0.0	0000	0.0	0.00	0.0	0000
AlliedSignal Engines (Textron Lycoming)	9 8	9 6	900.0	0.0	0000	0.0	0000	0.0	0000
Alpha Q. Inc.	2	0.0	000	000	000.0	9 6	0000	0.0	0000
Bayer Corporation (Miles Inc.)	8	0.0	0000	12.0	0.001	 	0.00	419	0.000
Bob's Stores, Inc.	Ω	0.0	0000	0.0	0.000	000	0000	900	000
Boehringer Ingelheim Pharmaceuticals	P.	344.0	0.114	62.9	0.474	230.1	0.231	217.3	3.307
Brass Center, Ltd.	Q	0.0	0.000	0.0	0.000	0.0	0.00	0.0	0.000
Bridgeport Hospital	E	0.0	0.000	0.0	0000	0.0	0000	0.0	0.000
Bridgeport Metal Goods	<b>Q</b>	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
	æ	487.1	0.567	880.0	1.431	1,043.7	777.0	1,252.0	1.137
_	<b>Q</b>	0.0	0000	0.0	0.000	0.0	0.000	0.0	0.000
	<b>=</b> :	15.0	0.001	0.0	0.000	0.0	0.000	0.0	0.000
CT Yankee Atomic Power Co.	dd !	11,710.6	544.380	4,622.9	337.514	5,401.9	653.380	5,873.0	220,840.499
Central C1 State University	<b>=</b> t	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
Charlotte Hungerford Hospital	= 8	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0000
Cresebrough-Ponds USA Co.	¥ 8	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Clairel Claire	Ea	040.1 A 7	0.049	0.14	0.04	318.5	0.102	8.142	0.067
Connecticut College	<u> </u>	ř	0000	200	0000	8 8	0000	0.0	0000
Connecticut Resources Recovery Authority	E	0.0	0.000	0.0	0.000	0.0	0000	0.0	0000
Cuno Inc.	æ	0.0	0.000	4.0	<0.001	4.4	0.003	2.2	0.001
Cytec Industries Inc.	PA	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
DeKalb Genetics Corp.	<b>&amp;</b> 1	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Dianon Systems Inc.	<b>=</b> !	0.0	0.000	0:0	0.000	0.0	0.000	0.0	0.000
Easiern C. State University	= ⊆	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Electro-wellious, sec.	∋ ⊦	0.0	0.000	0.0	0000	0.0	0.000	0.0	0.000
Fairment Office Say	= £	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
FEGURATIONS INC. Conomi Dunamico Floatric Rost Div	2 2	0.0	0.00	0.00	0.000	0.0	0.000	0.0	0.000
Category Board of Education	ĒΒ	9 6	0.000	0.00	100.0	0.0	0.000	0.0	0.000
Carotor Board of Education	= ⊆	0.0	0000	0.0	0000	0.0	0.000	0.0	0.000
Lettord Hoenite	) E	AF 7	9000	27.0	9000	9.00	9000	2 6	800
Hookins School	: <b>:</b>	0.0	0.000	0.0	0.000	0.0	9000	0.0	000
Huches Danbury Optical Systems	<u>Q</u>	0.0	0.000	0.0	0000	0	0000	000	0.000
International Fuel Cells, Inc.	Q	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
John B. Pierce Laboratory	PR.	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
Kodak S.I.S. (International Biotechnologies)	<b>Q</b>	0.0	0.000	52.5	0.010	15.0	0.010	0.0	0.000
Middlesex Hospital	ᆮ	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000

_
ned
inti
<u>ප</u>
<b>6</b>
AP
Ш
$\alpha$
¥

TABLE AP-6A (continued)			•	•	000	•	1000	1990	S
		LEW S	1987 LLRW SHIPPED TO	LLRW S	1988 LLRW SHIPPED TO DISPOSAL FACILITIES	LLRW SI DISPOSAI	LLRW SHIPPED TO DISPOSAL FACILITIES	LLRW SHIPPED TO DISPOSAL FACILITIES	PPED TO FACILITIES
		SO ISO	AL LANGELINES						
	CATEGORY		RADIO-	377	RADIO- ACTIVITY	VOLUME	ACTIVITY	VOLUME	ACTIVITY
GENERATOR	OF GENERATOR	VOLUME (ou ft)	(Curies)	(cu #)	(Curies)	(cn ft)	(Curies)	(cn ft)	(Curies)
Milistone 1 Northeast Nuclear Power Co.	Mpp	12,828.0	505,168	9,855.1	95,518.615	15,944.6	19,916.247	10,383.5	34,111.814
Millstone 2 Northeast Nuclear Power Co.	ddN	3,424.4	22,764.019	5,597.9	50.299	9,806.0	554.630	2,682.0	176.476
Milistone 3 Northeast Nuclear Power Co.	ddN	2,756.0	59.131	5,757.9	533./38	8'976'6	0000	2,000c.0	9
Neumoren Cornoration	R H	0.0	0000	0:0	0.000	0,0	0000	G. C	000
New Britain General Hospital	E	0.0	0000	0.0	0.000	v. 6	6,500	0.0	0.00
Northrop Grumman Norden Systems (UTC/Westinghouse)	٥	0.0	0.000	0.0	0000	0.0	0.00	75.0	0.000
Norwalk Hospital	ㅂ	184.0	0.003	226.0	0.239	158.6	67.0	9.0	0000
Novo Nordisk Bioindustrials (Novo Labs)	<u>_</u>	8.0	0.005	0.0	0.000	9.0	0000	000	0000
Nuclear Scanning Associates	E	0.0	0.000	0.0	0000	0.0	0000	000	0.000
Olin Research	H.	0.0	0.000	0.0	0.00	5.0	600.0	0.0	0.000
Packard BioScience Company (Canberra Industries)	₽ ;	0.0	0.000	0.0	0.000	2215	12.234	373.3	8.272
Pfizer Inc.	<b>8</b>	570.0	8.285	t. /84	0000	0.0	0000	0.0	0.000
Pitney Bowes	Ω:	0.0	0.00	9.0	0000	0	0000	0.0	0.000
Protein Sciences Corporation (MicroGene System Inc.)	Q t	2. d	0.013	0.0	0000	0.0	0000	0.0	0.000
Quinnipiac College	= 4	0.0	0000	200	0000	0.0	0000	0.0	0.000
RSA Laboratories, Inc.	⊇ 8	0.0	0.00	7.5	0.001	13.8	0.005	30.0	0.004
	Ξς	2. d	200.0	- 0	0000	0.0	0000	0.0	0.000
_	⊇ 8	0,0	8.5	000	0000	0.0	0000	0.0	0.000
	ξt	6, 6	000	00	0000	0.0	0.000	0.0	0.000
O Seymour High School	= <b>E</b>	000	0000	0.0	0000	0.0	0.000	0.0	0.000
	: =	00	0000	0.0	0.000	15.0	-0.001	1.2	<0.001
St. Francis Hospital (St. Francis & Mt. Office Compuser)	: <b>=</b>	0.0	0.000	0.0	0000	0.0	0.000	0.0	0.000
Station Morks (Jahonston)	: 0	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Statility Works (Lawyland)	E	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Tringly College	E	0.0	0.000	0.0	0.000	24.5	-00.00 -00.00	0.0	0000
11.5 Army Connecticut National Guard	≆	0.0	0.000	0.0	0000	0.0	0000	9 6	900
U.S. Coast Guard Academy	E	0.0	0.000	0.0	0.000	0.0	0.000	17167	0.511
U.S. Navy	Σ	1,703.2	0.113	1,104.4	0.057	2.6/4,1	6000		7000
Uniroyal Chemical Co.	Æ	0.0	0.000	0.0	0.000	1 283 0	0.058	1.548.8	0.021
United Nuclear Corp., Naval Products	t ·	2,500.0	280.0	6,114.0	000	000	0.00	0.0	0000
United States Surgical Corporation	<u>Q</u> (	0.0	0000	0.0	0000	0.0	0000	1.3	0.005
United Technologies Research Center	<u> </u>	0.0	0000	9 6	0000	0.0	0.00	0.0	0.000
United Technologies, Hamilton Standard Div.	2 9	0.0	0.000	0.0	0000	0.0	0.00	0.0	0.000
United Technologies, Pratt & Whitney Div.	2 9	0.54	2000	2.0	0.00	0.0	0.000	1.6	0.850
United Technologies, Sikorsky Div.	⊇ ⊧	0.0	0.00	8	690'0	50.6	0.053	8.04	0.456
Univ. of CT Environ. Health & Safety	= =	340.0	0.314	193.5	0.190	300.8	0.182	276.6	0.297
University of CT Health Center	: t	46.0	0.038	8.0	0.001	67.5	0.002	0.0	0.000
V.A. Medical Center	: b	200	0000	0.0	0.000	0.0	0.000	0.0	0.000
VA Connecticut Heatingare System (V.A. Med. Cu. mosp.)	: t	000	0.000	0.0	0000	0:0	0.000	0.0	0.000
valley medical Laboratory	: =	0.0	0000	0.0	0.000	0.0	0.000	0.0	0.000
Waterbury Hospital	: =	15.0	20.00	10.0	0.003	6.2	40.00	0.0	0.000
Wesleyan University	: <b>:</b>	0.0	0000	0.0	0000	0.0	0.000	0.0	0.000
West Hartford, lown of	: E	0.0	0000	0.0	0.000	0.0	0.000	0.0	0.000
Windram Community memorizar rospinal	: =	3,467.4	3.457	2,403.4	7,048	1,552.8	4.918	1,758.1	5.061
Yale University	: =	00	0000	0.0	0.000	0.0	00:0	0.0	0000
Yale-New Haven Hospital	=	45.914.0	23,886,125	39,740.6	96,450.339	49,091,5	21,883.685	34,233.2	255,160.159
IOIALS									

TABLE AP-6B: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1991 THROUGH 1994 - BY GENERATOR

		1991 LLRW SHIPPED TO PISPOSAL FACILITIES	N PPED TO SACILITIES	1992 LLRW SHIPP DISPOSAL FA	1992 LLRW SHIPPED TO DISPOSAL FACILITIES	1983 LLFW SHIPPED TO DISPOSAL FACILITIES	93 PPED TO FACILITIES	1994 LLRW SHIPPED TO DISPOSAL FACILITIES	PED TO
		- Propulation	ACIENTED TO				Cided		PADIO-
	CATEGORY		PADIO-	!	PADIO	HAIL LOW	ACTIVITY	VOLUME	ACTIVITY
	OF	VOLUME	ACTIVITY (Curies)	VOLUME (cu ft)	(Curies)	(on ft)	(Curles)	(cn ft)	(Curies)
GENERATOR	GENERALOR	(:)							
	ł	7310	0.045	301.6	0.012	429.9	0.034	6,070.0	0.066
ABB Combustion Engineering Nuclear Products	±⊆	516.7	2.010	34.2	0.200	218.0	0.850	0.0	0000
ABB Combustion Engineering Nuclear Services	⊇ ⊊	000	0000	0.0	0.000	0.0	0.00	00	0.000
Advanced Technology Materials, Inc.	⊋ ⊆	000	0000	7.5	0.001	0.0	0.00	000	0.000
Aerospace Metals, Inc.	2 9	12	0.200	0.0	0.000	0.0	0.00	0.0	0.000
Aetna Casualty & Surety	⊇ ⊊	281.0	0.027	0.0	0.000	0.0	9000	5.4	0.023
Aircraft Components Inc.	≘ &	0.0	0.000	0.0	0000	0.0	0000	0.0	0.000
Alexion Pharmaceuticals	<u> </u>	0.0	0.000	0.0	0.000	0.0	0000	15.0	<0.001
Allegheny Ludlum Steel Corp.	9	0.0	0.000	0.0	0000	0.0	0000	135.0	0.005
Alledoigh Ra Crightes (Texason E) comms.	<u>Q</u>	0.0	0.000	430.0	0.319	90.6	0.019	97.5	0.205
Aprila C, Inc. Baver Compression (Miles Inc.)	Æ	67.9	0.255	0.0	0000	0.0	0.000	0.7	2056
Boh's Stores, Inc.	٥	0.0	7 787	301.5	0.657	297.1	0.666	183.5	0000
Boehringer Ingelheim Pharmaceuticals	<b>E</b> 9	4.883	0000	0.0	0.000	0.0	0.000	0.0	0000
Brass Center, Ltd.	2 ŧ	9 6	0000	0.0	0.000	0.0	0000	9 6	40,001
Bridgeport Hospital	= 4	9.0	0000	0.0	0.000	0.0	0.000	6. C.	0.266
S Bridgeport Metal Goods	⊋ 8	013.0	1,517	691.0	0.850	82.9	0.435	0.7	0.062
	Ξ⊆	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
Buck Scientific Inc.	⊇t	6.0	0.001	0.0	0000	0.0	0.000	1.016.6	30.634
CT Agricultural Experiment Station	ddN	4,733.1	337.303	4,976.7	1,477.764	2,135.5	0000	2.0	<0.001
CT Yankee Atomic Power Co.	<u>=</u>	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
Central CI State University	E	0.0	0.000	0.0	0.000	0.0	0000	0.7	40.001
Charlotte number of a USA Co.	æ	0.0	0.000	2002	0.091	20.1	0.038	68.4	0.145
Ciba-Geigy (ICI Americas)	<b>&amp;</b> :	431.1	0.00	0.0	0000	9.0	40.00	16.0	0000
Clairo	<b>E</b> 1	5 5 7	0.00	0.0	0.000	0.0	0.000	4 6	0000
Connecticut College	= t	2 6	0000	0.0	0.000	0.0	0000	7.5	0.001
Connecticut Resources Recovery Authority	- <del>C</del>	7.5	0.001	6.0	40.001	0.0	0000	0.0	0.000
Cuno Inc.	£	0.0	0.000	0.0	0.000	89	0000	0.0	0.000
Cytec Industries Inc.	æ	0.0	0000	0.0	0.000	0.0	0.000	0.0	0.000
Diamon Systems Inc.	E	0.0	0.000	0.0	0000	0.0	0.000	0.0	0.000
Fastern CT State University	<b>=</b> !	0.0	000.0	0.0	0000	0.0	0.000		60.6
Electro-Methods, Inc.	Q t	9.0	0000	0.0	0.000	0.0	0.000	7 6	0000
Fairfield University	= ⊆	0.0	0.496	0.0	0000	0.0	0.00	109.1	0.001
Fischer Technology Inc.	⊇ ≥	139.1	0.008	0.09	40.001		900	1.0	<0.001
General Dynamics, Electric Boat Div.	: ⊨	0.0	0.000	0.0	0.000	0.0	0000	0.0	0.000
Groton Board of Education	: <u>Q</u>	0.0	0.000	0.0	0.000	0.0	0000	7.5	0.001
Hamilton Chemical	· <b>-</b>	6.6	0.004	6.6 6	90.0	000	0.000	0.0	0.000
Hartford Hospital	=	0.0	0.000	0.0	9000	65.3	<0.001	72.4	-0.00
Hopigns Scriptor	Q	7.5	0.004	0.6	0000	7.5	0.040	0.0	0000
Highes Daribury Opiose Systems	Ω	0.0	0.000	0.00	0.00	0.0	0.000	11.0	100.0
International rues ceres,	æ	33.4	0000	0.0	0000	0.0	0.000	0.0	0000
Kodak S.I.S. (International Biotechnologies)	<u>Q</u> !	0.0	0.00	0.0	0000	0.0	0.000	0.0	2000
Middlesex Hospital	=	G.							

7
<u>~</u>
$\underline{\mathbf{w}}$
_
.==
-
_
0
~~
-
ä
70
Ų
~"
AP-6
7
-
Ш
$\neg$
_
$\mathbf{\omega}$
_
~
-

		LLRW &	1991 LLRW SHIPPED TO DISPOSAL FACILITIES	LLPW	1992 LLRW SHIPPED TO DISPOSAL FACILITIES	LLRW DISPOS	1983 LLRW SHIPPED TO DISPOSAL FACILITIES	1994 LLRW SHIPS DISPOSAL FA	1994 LLFW SHIPPED TO DISPOSAL FACILITIES
	CATEGORY		RADIO-		PADIO-		RADIO-		RADIO.
GENERATOR	OF GENERATOR	VOLUME (au ft)	ACTIVITY (Curies)	VOLUME (cu ft)	ACTIVITY (Curies)	VOLUME (cu ft)	ACTIVITY (Curies)	VOLUME (cu ft)	ACTIVITY (Curies)
Millstone 1 Northeast Nuclear Power Co.	MPP	12,402.7	2,241.655	9.730.2	23.707.688	3.553.5	1 213 033	5.031.0	204 007
Milistone 2 Northeast Nuclear Power Co.	MPP	4,817.8	878.928	26,809.3	3,676.375	3.791.3	448.405	2 124 5	246.420
Millistorie 3 Northeast Nuclear Power Co.	d N	4,086.2	104.218	1,456.5	480.512	1,923.2	37.015	1.149.2	169.231
New Dates Company House	Œ i	91.5	0.003	78.0	9000	16.1	0.012	43.4	0.010
Northrop Grimman Norden Statemen (170 August	<b>=</b> !	0.0	0.000	0.0	0.000	0.0	0.00	0.0	0.000
Norwalk Hospital	⊇ t	0.0	0000	0.0	0.000	0.0	0.000	3.4	969.0
Novo Nordisk Bioindustrials (Novo Labs)	= <b>S</b>	3.5	40.001	0.0	0.000	0.0	0.000	0.0	0.000
Nuclear Scanning Associates	9 ⊨	9 6	0.00	0.0	0.000	0.0	0.000	0.0	0.000
Olin Research	: E	0.0	0000	0.0	0000	0.0	0.000	7.0	0.008
Packard BioScience Company (Cariberra Industries)	. ₽	0.0	0000	9 6	0.000	0.0	0.000	2. t	0.044
Pfizer Inc.	Æ	339.8	4.588	650.9	6.624	200.	800.0 000.0	4, CC	9.056
Pitney Bowes	Ō	0.0	0.00	0.0	0.000	\$.000 0.00	0.000	329.3	0.849
Protein Sciences Corporation (MicroGene System Inc.)	<u>Q</u>	26.5	0.015	0.0	0.000	9 0	0.002	) O	0000
Cultimptac College	E!	0.0	0.000	1.3	0.013	0.0	0.000	0.0	0000
Porto Dismodical International Control Posts	₽ ¦	0.0	0.000	0.0	0.000	0.0	0.000	4.0	000
To Bust Hilling Sources for	æ 4	16.6	0.002	0.0	0.000	0.0	0000	4.1	0.001
	⊇ 8	0.0	0.000	0.0	0.000	0.0	0.000	0.8	<0.001
	ξt	0.0	0000	4.4	€0.001	0.0	0000	0.0	0.000
Southern CT State University	= E	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
St. Francis Hospital (St. Francis & Mt. Sinai Campuses)	= t=	) ) (	0000	0.0	0.000	8.0	40.001	0.0	0.000
Stamford Public Schools	: =	0.0	0000	n. 0	682.0	4.1	0.277	0.0	0.000
Stanley Works (Laboratory)	: <u>Q</u>	0.0	0000	9 6	0.000	0.0	0.000	000	0.000
State of CT, Office of Emergency Management	E	0.0	0000	0.0	0000	0.0	0.00	9.0	00.60
Trinity College	⊨	0.0	0.00	1.6	0.00	: 6	00.0	9 6	0000
U.S. Army Connecticut National Guard	≥	0.0	0.000	0.0	0.000	0.0	0000	2.0	0000
U.S. Coast Guard Academy	⊨:	0.0	0.000	0.0	0000	0.0	0.000	0.0	0.000
Unitowal Chemical Co	≥ 6	1,749.8	0.278	1,044.9	0.117	785.8	1.290	1,559.9	136.860
United Nuclear Corp., Naval Products	Eu	150.6	0.166	8.1	0.017	21.3	0.109	105.4	0.114
United States Surgical Corporation	: 9	0.0	0.000	6.141,72	0.2/3	437.0	0.083	0.0	0.000
United Technologies Research Center	<b>Q</b>	0.0	0.000	5. 20	3.510	, , ,	0.000	0.0	0.000
United Technologies, Hamilton Standard Div.	Q	0.0	0000	0.0	0000	2.00	0000	0.0	0.000
United Technologies, Pratt & Whitney Div.	₽	0.0	0.000	705.0	0.002	000	000.0	0.00	0000
United Technologies, Sikorsky Div.	٥	0.0	0000	0.0	0000	0.0	0000	9.0	0000
Univ. of CI Environ. Health & Safety	<b>=</b>	54.2	0.324	20.1	0.057	6.7	0.023	44.5	0.192
University of C.1 Hearth Center	<b>=</b> !	220.4	0.192	213.9	0.161	68.6	0.104	64.0	0.057
VA Connecticit Heathean Curtem NA Mod Co. 11	= t	0.0	0.000	0.0	0.000	0.0	0.00	0.0	0000
Valley Medical I aboratory	<b>=</b>	15.0	-0.001 -0.001	11.5	0.072	1.3	<0.001	0.7	0.020
Waterbury Hospital	= =	0.0	0.000	0.0	0.000	0.0	0.000	0.0	0.000
Wesleyan University	: =	) w	98.6	0.0	0.000	0.0	0.000	0.7	40.001
West Hartford, Town of	: <b>=</b>	9 0	0000	9 C	49.001 100.00	5.1	0.007	89 9. 6	0.002
Windham Community Memorial Hospital	: =	0.0	0000		0.000	0.0	0.000	5.0	0.056
Yale University	<b>=</b>	1.851.5	5 380	755.0	1 705	0.0	0.00	0.0	0.000
Yale-New Haven Hospital	E	85.5	0.014	48.9	0.007	7.500	9,000	330.5	3.91
TOTALS		48,870.5	3,586.346	75,581.3	29,357.347	15,011.0	5,371,588	19,337.9	887.818

TABLE AP-6C: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1995 THROUGH 1996 - BY GENERATOR

		1995 LLRW SHIPPED TO DISPOSAL FACILITIE	1895 LLRW SHIPPED TO DISPOSAL FACILITIES	16 LLRW SF DISPOSAL	1996 LLRW SHIPPED TO DISPOSAL FACILITIES	19 LLRW SH DISPOSAL	1997 LLRW SHIPPED TO DISPOSAL FACILITIES	1998 LLRW SHIPPED TO DISPOSAL FACILITIES	8 PPED TO ACILITIES
	1		CICVO		PADIO-		RADIO-		PADIO-
	CALEGORY	VOLUME	ACTIVITY	VOLUME	ACTIVITY	VOLUME	ACTIVITY	VOLUME	ACTIVITY (Citries)
GENERATOR	GENERATOR	(cn ft)	(Curies)	(cn ft)	(Curles)	(cn rg)	(Curies)	(1 PS)	(squas)
					7000				
400 Combission Engineering Nuclear Products	Ħ	3,500.0	0.198	0.006	0.037				
ABB Companion Engineering Autobar Services	<b>Q</b>	2:5	0.100	12.0	0.190				
ABB Combustion Engineering teached	Q	0.0	0.000	0.2	190.02				
Advanced Technology Materials, IIIC.	<b>.</b> Q	0.0	0.000	0.0	0.000				
Aerospace Metals, Inc.	2	0.0	0.000	0.0	0.000				
Aetha Casually & Surely	<b>Q</b>	0.0	0.000	0.0	0.000				
Alcuston Observationals	Æ	0.0	0.000	0.0	6.66				
Alexand Finding Steel Corp.	<b>Q</b>	0.0	0.000	<b>4</b> 4	8 6				
Alled Signal Engines (Textron Lycoming)	<b>Q</b>	0:0	0000	0.0	0000				
Airba O Inc.	₽	0.0	0.00	46.7.8	0.255				
Raver Comonation (Miles Inc.)	£	151.2	0.26 40.00	8.79I	0.000				
Dob's Stores Inc	<b>₽</b>	0.0	0.000	0.00	1 036				
Door Scottes, Inc.	В	12.5	0.451	8.50 8.00	5 6				
Brase Center   td	<b>Q</b>	0.0	0.000	4 6	0.03				
Discoont Hourital	=	0.0	0.000	7 6	0000				
Dingepoil Toppion Toppion Metal Goods	٥	0.0	0.000	9.5	0.000				
· Distact Mage Scuibb	Æ	3.4	0.002	ŧ 9	000				
This Constitution	٥	0.0	0.000	0.0	0000				
O) buch oderning inc.	E	0.0	0000	4 557 4	1 106 031				
CT Varion Atomic Power Co.	ddN	614.7	2.422	1.755,1	1,196.051				
Control CT State University	E	0.0	0.000	0.0	000				
Charlette Hundarford Hospital	ᆮ	0.0	0.000	0.0	000				
Cheschmidt-Pond's USA Co.	E.	0.0	0.000	9 6	0.00				
Ciha-Gaiov (ICI Americas)	æ	9 9	0000	100	000				
Clairol	æ :	4,7	0.000	000	0000				
Connecticut College	= t	0.0	0000	7	<0.001				
Connecticut Resources Recovery Authority	= 6	9.0	0000	0.0	0.000				
Cuno Inc.	£ 6	0.0	0000	40.1	<0.001				
Cytec Industries Inc.	£ 8	0.0	0.000	0.0	0.000				
DeKalb Genetics Corp.	<u> </u>	0.0	0.000	0.0	0.000				
Dianon Systems Inc.	= <b>=</b>	0.0	0.000	4.	<0.001				
Eastern CT State University	- ⊆	0.0	0.000	0.0	0.000				
Electro-Methods, Inc.	⊇ ⊨	0.0	0.000	0.0	0.000				
Fairfield University	= ⊆	00	000'0	0.0	0.000				
Fischer Technology Inc.	⊋ ≥	97.5	900'0	0.0	0.000				
General Dynamics, Electric Boat Div.	Ē	0.0	0000	0.0	0.000				
Groton Board of Education	= ⊆	00	0.000	4.0	<b>-0.001</b>				
Hamilton Chemical	9 ⊨	0.0	0.000	0.0	0.000				
Hartford Hospital	: ⊏	0.0	0.000	0.1	-0.001 -				
Hopkins School	: ⊆	11.0	40.00	18.3	<b>6</b> .001				
Hughes Danbury Optical Systems	9 6	0.0	0.000	0.0	0000				
International Fuel Cells, Inc.	<u>£</u>	0.0	0.000	0.0	0.000			-	
John B. Pierce Laboratory	≘	0.0	0.000	0.0	0000				
Kodak S.I.S. (Infernational Brotechilolognes)	! <b>!=</b>	0.0	0.000	0.0	0000				
Middlesex Hospital	:								

# TABLE AP-6C (continued)

		LLAWS	LLRW SHIPPED TO DISPOSAL FACII ITIES	LFW	LLRW SHIPPED TO	LLRW S	LLRW SHIPPED TO	H RW SHIPP	LLRW SHIPPED TO
		DISPOSA		DISPOS	DISPOSAL FACILITIES	DISPOSAL FACILITIES	. FACILII IES	DISPOSAL FACILITIES	ACILITIES
	CATEGORY		RADIO-		BADIO				
GENERATOR	OF GENERATOR	VOLUME	ACTIVITY (Clirine)	VOLUME	ACTIVITY	VOLUME	ACTIVITY	VOLUME	RADIO- ACTIVITY
		(u m)	(seumo)	(au it)	(Curies)	(cn ft)	(Curies)	(Su ft)	(Curies)
Millstone 1 Northeast Nuclear Power Co.	day	0 000							
Millstone 2 Northeast Nuclear Power Co.	LON	2,073.6	423.152	4,264.8	1,096.556				
Millstone 3 Northeast Nuclear Power Co.	L GGW	7500	369.348	1,366.2	73.172				
Neurogen Corporation	L 0	7:007	43.403	2,101.9	525.599				
New Britain General Hospital	£ £	43.4	0.025	23.0	0.010				
Northrop Grumman Norden Systems (LTC/Mestinghouse)	= 5	0.0	0000	0.0	0.000				
Norwalk Hospital	⊇ ⊱	0.0	0.000	0.0	0000				
Novo Nordisk Bioindustrials (Novo Lahs)	= ⊆	0.0	0.000	0.0	0.000				
Nuclear Scanning Associates	2 ⊦	0.0	0000	0.0	0.000			_	
Olin Research	= 6	0.0	0.000	0.0	0.000				
Packard BioScience Company (Camberra Industries)	₹ ⊆	1.7	0.001	0.0	0000				
Pfizer Inc.	2 8	0.0	0.000	0.0	0.000				
Pitney Bowes	€ ⊆	4. 0	0.026	<u>8</u>	1.453				
Protein Sciences Corporation (MicroGene System Inc.)	9 ⊆	2 0	0000	0.0	0.000				
Quinnipiac College	2 ⊨	0.0	0.000	0.0	0.000				
RSA Laboratories, Inc.	: <b>S</b>	0.0	0.000	0.0	0.000				
	2 &	0.0	0.000	0.0	0.000				
_	€	0.0	0.000	0.0	0.000				
	. <u>c</u>	0.0	0.000	0.0	0.000				
O) Seymour High School	<u></u>	0.0	0.00	0.0	0.000				
	<b>=</b>	0.0	0000	0.0	0000				
St. Francis Hospital (St. Francis & Mt. Sinai Campuses)	=	0.0	0000	0.0	0.000				
Starmord Public Schools	E	0.0	0.00	9.0	000				
Stanley Works (Laboratory)	₽	0.0	0000	7 P	40.00 100.00				
Trick: Call CI, Office of Emergency Management	E	0.0	0000	00	0000				
Irinity College	E	0.0	0.000	000	0000				
U.S. Army Connecticut National Guard	×	0.0	0.00	13.1	191 014				
U.S. Coast Guard Academy	<b>⊢</b> :	0.0	0.000	0.0	0.000				
Unitoxal Chemical Co	Σť	571.0	0.139	997.5	2.002				
United Nuclear Corn. Naval Products	ξt	0.0	0.000	4.1	0.003				
United States Surgical Compration	t s	0.0	0.000	0.0	0.000				
United Technologies Research Center	2 ⊊	0.0	0.000	4.	0.014				
United Technologies. Hamilton Standard Div	2 ⊆	0.0	0.000	0:0	0.000				
United Technologies, Pratt & Whitney Div.	2 ⊆	0.0	0.000	0.0	0.000				
United Technologies, Sikorsky Div.	) <u>c</u>	9 6	0.000	0.0	0.000				
Univ. of CT Environ. Health & Safety	) <u>F</u>		0.000	0.0	0.000				
University of CT Health Center	: <b>E</b>	0.0	0.000	35.2	0.049				
V.A. Medical Center	: ⊑	÷ 6	0.002	92.5	0.110				
VA Connecticut Healthcare System (V.A. Med, Ctr. Hosp.)	= 1=	0.0	0.000	0.0	0.000				
Valley Medical Laboratory	: ⊨	0.0	0.00	0.0	0.00				
Waterbury Hospital	: =	9.0	0.00	0.0	0.00				
Wesleyan University	: =	0.0	0000	0.0	0.000				
West Hartford, Town of	<b>=</b>	0.0	0.00		0.001				
Windham Community Memorial Hospital	=	00	000.0	9 6	0.000				
Yale University	E	29.5	0.169	0.0 48.1	0.000				
Tale-New Haven Hospital	E	0.0	0.000	- 607	0.101				
CALS		9,713.9	839.713	11,769.9	3,087.925				

TABLE AP-7: CONNECTICUT LLRW SHIPPED OFF-SITE FOR MANAGEMENT
AND TO DISPOSAL FACILITIES IN 1996 BY GENERATOR AND CATEGORY OF GENERATOR

LLRW SHIPPED OFF-LLRW SHIPPED TO SITE FOR MANAGEMENT DISPOSAL FACILITIES **VOLUME** RADIOACTIVITY **VOLUME** RADIOACTIVITY **GENERATOR** (Curies) (cu ft) (cu ft) (Curies) **FUEL FABRICATION** ABB Combustion Engineering Nuclear Products 903.8 0.037 900.0 0.037 TOTAL FUEL FABRICATION 903.8 0.037 900.0 0.037 INDUSTRIAL ABB Combustion Engineering Nuclear Services 7,797.5 0.757 12.0 0.196 Advanced Technology Materials, Inc. <0.001 < 0.001 0.4 0.2 Allegheny Ludium Steel Corp. 0.4 <0.001 0.4 <0.001 AlliedSignal Engines (Textron Lycoming) 207.0 0.005 5.6 < 0.001 Brass Center, Ltd. <0.001 0.2 < 0.001 0.2 Hamilton Chemical 0.4 <0.001 0.4 < 0.001 **Hughes Danbury Optical Systems** 43.8 <0.001 18.3 < 0.001 Stanley Works (Laboratory) <0.001 < 0.001 0.4 0.4 United States Surgical Corporation 15.0 0.014 0.014 1.4 United Technologies Research Center 7.4 <0.001 0.0 0.000 TOTAL INDUSTRIAL 8,072.5 0.776 38.9 0.210 INSTITUTIONAL Bridgeport Hospitai 7.5 0.023 1.2 0.023 Charlotte Hungerford Hospital 0.001 0.7 0.0 0.000 Connecticut Resources Recovery Authority 4.7 <0.001 4.1 < 0.001 Eastern CT State University 1.4 < 0.001 1.4 < 0.001 Hopkins School < 0.001 0.1 0.1 < 0.001 Seymour High School < 0.001 0.0 0.000 1.1 Stamford Public Schools < 0.001 0.2 < 0.001 0.2 Univ. of CT Environ. Health & Safety 79.0 0.123 35.2 0.049 University of CT Health Center 150.0 0.050 92.5 0.110 VA Connecticut Healthcare System (V.A. Med. Ctr. Hosp.) 15.0 <0.001 0.0 0.000 Wesleyan University 0.001 15.0 5.3 0.001 Windham Community Memorial Hospital 0.001 0.000 3.0 0.0 Yale University 0.402 1.075.9 46.1 0.181 Yale-New Haven Hospital 0.000 40.9 0.005 0.0 TOTAL INSTITUTIONAL 1,353.6 0.601 227.0 0.369 MILITARY U.S. Army Connecticut National Guard 13.1 191.014 13.1 191.014 U.S. Navy 2.002 997.5 2.002 997.5 TOTAL MILITARY 1.010.6 193.016 1,010.6 193.016 **NUCLEAR POWER PLANTS** CT Yankee Atomic Power Co. 14.823.6 1,252,541 1,557.1 1,196,031 Millstone 1 Northeast Nuclear Power Co. 21,178.9 1,080.916 4,264.8 1,096.556 1,366.2 Millstone 2 Northeast Nuclear Power Co. 75.987 7,028.0 73.172 Millstone 3 Northeast Nuclear Power Co. 4.164.2 499.312 2,101.9 525 599 **TOTAL NUCLEAR POWER PLANTS** 2,908.756 47,194.7 9,290.0 2,891.358 PRIVATE RESEARCH Bayer Corporation (Miles Inc.) 811.7 0.248 167.8 0.255 1.036 Boehringer Ingelheim Pharmaceuticals 42.3 0.518 63.9 0.482 **Bristol-Myers Squibb** 294.0 1.4 0.177 Ciba-Geigy (ICI Americas) 134.8 0.001 9.2 0.001 0.001 Cuno Inc. 7.5 0.0 0.000 Cytec Industries Inc. < 0.1 < 0.001 < 0.1 < 0.001 **Neurogen Corporation** 133.0 0.013 23.0 0.010 Pfizer Inc. 1,768.2 1.453 2.058 34.0 Uniroyal Chemical Co. 74.5 0.018 4.1 0.003 **TOTAL PRIVATE RESEARCH** 3.266.0 3,339 303.4 2.935

3,106.525

11,769.9

3,087.925

61,801.2

**TOTALS** 

TABLE AP-8: CONNECTICUT LLRW SHIPPED OFF-SITE IN 1996 - BY CATEGORY OF GENERATOR

	VOLU	JME	RADIOAC	TIVITY
CATEGORY OF GENERATOR	cu ft	%	Curies	%
FUEL FABRICATION	903.8	1.5	0.037	<0.1
INDUSTRIAL	8,072.5	13.1	0.776	<0.1
INSTITUTIONAL	1,353.6	2.2	0.601	<0.1
MILITARY	1,010.6	1.6	193.016	6.2
NUCLEAR POWER PLANTS	47,194.7	76.4	2,908.756	93.6
PRIVATE RESEARCH	3,266.0	5.3	3.339	0.1
TOTALS	61,801.2	100.0%¹	3,106.525	100.0%

TABLE AP-9: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996-BY CATEGORY OF GENERATOR

	VOLU	JME	RADIOAC	TIVITY
CATEGORY OF GENERATOR	cu ft	%	Curies	%
FUEL FABRICATION	900.0	7.6	0.037	<0.1
INDUSTRIAL	38.9	0.3	0.210	<0.1
INSTITUTIONAL	227.0	1.9	0.369	<0.1
MILITARY	1,010.6	8.6	193.016	6.3
NUCLEAR POWER PLANTS	9,290.0	78.9	2,891.358	93.6
PRIVATE RESEARCH	303.4	2.6	2.935	0.1
TOTALS	11,769.9	100.0%1	3,087.925	100.0% <sup>1</sup>

<sup>&</sup>lt;sup>1</sup> The figures above do not add precisely to 100% because of rounding effects.

FUEL FABRICATION 7.6% PRIVATE RESEARCH 2.6% FIGURE AP-1: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996 - BY CATEGORY OF GENERATOR INSTITUTIONAL 1.9% & INDUSTRIAL 0.3% MILITARY 8.6% NUCLEAR POWER 78.9% NUCLEAR POWER 93.6% MILITARY 6.3% & ALL OTHERS 0.1%

# VOLUME

(Percent of 11,769.9 Cubic Feet)

(Percent of 3,087.925 Curies)

RADIOACTIVITY

#### TABLE AP-10: WASTE GROUPS AND STREAMS

#### NUCLEAR REGULATORY COMMISSION

NUCLEAR POWER PLANTS
Pressurized Water Reactors

P-COTRASH PWR Combustible/Compactible Trash

P-FCARTRG PWR Cartridge Filters
P-FSLUDGE PWR Filter Studges
P-IXRESIN PWR Ion-Exchange Resins

P-NCTRASH PWR Noncombustible/Noncompactible Trash

Boiling Water Reactors

B-COTRASH BWR Combustible/Compactible Trash

B-FCARTRG BWR Cartridge Filters
B-FSLUDGE BWR Filter Studges
B-IXRESIN BWR for-Exchange Resins

B-NCTRASH BWR Noncombustible/Noncompactible Trash

Light Water Reactors (Pressurized and Boiling Water)

L-NFRCOMP LWR Norfuel Reactor Core Components

OTHER NUCLEAR FUEL CYCLE FACILITIES

F-PROCESS Fuel Fabrication Process Wastes
F-COTRASH Fuel Fab. Combustible/Compactible Trash

F-NCTRASH Fuel Fab. Noncombust./Noncompact. Trash

INSTITUTIONAL WASTE

I-COTRASH Combust./Compact. Trash (large fac.)
HCOTRASH Combust./Compact. Trash (small fac.)

I-ABSLIQD Absorbed Liquids (large facilities)
I+ABSLIQD Absorbed Liquids (small facilities)
I-LIQSCVL LSV\* Waste (large facilities)

I+LIGSCVL LSV\* Waste (smail facilities)
I+BIOWAST Biological Waste (large facilities)
I+BIOWAST Biological Waste (smail facilities)

INDUSTRIAL WASTE

N-LOTRASH Low Activity Trash (large facilities)

N+LOTRASH Low Activity Trash (small facilities)

N-LOWASTE Low Activity Waste

OTHER NON-FUEL CYCLE WASTE

Radium Sources

N-RAMISCL Miscellaneous Non-Medical Sources

MILITARY

M-NAVYDRY Navy Dry Waste

M-NAVYWET Navy Wet Waste

CONNECTICUT HAZARDOUS WASTE MANAGEMENT SERVICE

**NUCLEAR POWER PLANTS** 

Pressurized Water Reactors

P-COTRASH PWR Combustible/Compactible Trash

P-FCARTRG PWR Cartridge Filters
P-FSLUDGE PWR Filter Studges
P-IXRESIN PWR Ion-Exchange Resins

P-NCTRASH PWR Noncombustible/Noncompactible Trash

**Boiling Water Reactors** 

B-COTRASH BWR Combustible/Compactible Trash

B-FCARTRG BWR Cartridge Fitters
B-FSLUDGE BWR Fitter Studges
B-IXRESIN BWR Ion-Exchange Resins

B-NCTRASH BWR Noncombustible/Noncompactible Trash

Light Water Reactors (Pressurized and Boiling Water)

L-NFRCOMP LWR Nonfuel Reactor Core Components (Combined)

B-NFRCOMP BWR Nonfuel Reactor Core Components
P-NFRCOMP PWR Nonfuel Reactor Core Components

Other

O-METDCON Metal Sent for Decontamination

O-MIXWAST Mixed Waste

O-MISCLNS Miscellaneous Non-Hazardous Oils, Sludges, Etc.

**FUEL FABRICATION** 

F-PROCESS Fuel Fabrication Process Wastes
F-COTRASH Fuel Fab. Combustible/Compactible Trash
F-NCTRASH Fuel Fab. Noncombust./Noncompact. Trash
F-MIXWAST Fuel Fab. Mixed Wastes, Miscellaneous

INSTITUTIONAL AND PRIVATE RESEARCH WASTE

l⊭COTRASH Combust./Compact. Trash (large & small fac.)

l⇒ABSLIQD Absorbed or Solidified Liquids (large and small facilities)

I=LIQSCVL LSV\* Waste (large & small facilities)

I⊯BIOWAST Biological Waste (large & small facilities)

⊫NCTRASH Noncombust./Noncompact, Trash (large & small fac.)

I=MISCSOR Miscellaneous Sealed Sources and Devices

I≂RAMISCL Miscellaneous Radium Sources

l⇒MWORLQD Miscellaneous Mixed Waste Organic Liquids

I⇒AQULIQD Miscellaneous Aqueous Liquids
I⇒NORM Naturally Occuring Radioactive Material

INDUSTRIAL WASTE

N=LOTRASH Low Activity Trash (large & small facilities)

N-LOWASTE Low Activity Waste

N-MISCSOR Misceilaneous Sealed Sources and Devices N-LIQSCVL LSV\* Waste (non-research commercial use)

N-SOAQLQD Solidified Aqueous Liquids

N-NORM Naturally Occurring Radioactive Material

N-MIXWAST Miscellaneous Mixed Wastes

OTHER NON-FUEL CYCLE WASTE

Radium Sources

N-RAMISCL Miscellaneous Non-Medical Sources

MILITARY

M-NAVYDRY Navy Dry Waste
M-NAVYWET Navy Wet Waste
M-MIXWAST Navy Mixed Waste

M-ARMYWST Miscellaneous Army Waste

\*LSV - Liquid Scintillation Vial

NRC SOURCE: NUREG/CR-4370, Update of Part 61 Impacts Analysis Methodology, January 1986.

TABLE AP-11A: CONNECTICUT LLRW SHIPPED OFF-SITE FOR MANAGEMENT IN 1996 - BY GENERATOR, CATEGORY OF GENERATOR, AND PATH

	LLRW SHI GENERATO TO DISPOS	LLRW SHIPPED FROM GENERATOR DIRECTLY TO DISPOSAL FACILITIES	LLRW SI- GENERATO AND PF	LLRW SHIPPED FROM GENERATOR TO BROKERS AND PROCESSORS	TOTAL LLRV SITE FOR	TOTAL LLRW SHIPPED OFF- SITE FOR MANAGEMENT
	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
GENERATOR						
NOTACIOGAL			o c	7000	903.8	0.037
PUEL FABRICATION Agineering Nuclear Products	0.006	0.037 0.037	0 <b>60</b>	40.001	903.8	0.037
TOTAL FUEL FABRICATION	<b>:</b>					
	,	*	7 707 5	0.757	7,797.5	0.757
A DD Combination Engineering Nuclear Services	0.0	0.000	6, 181, 1 A 0	40.00	4:0	40.001
Abo Company Linguistics and Advanced Tachnology Materials, Inc.	0.0	0.000	7 6	40.001	4.0	40.001
Alleghery   indign Steel Corp.	0.0	0.00	207.0	0.005	207.0	0.005
Alloyed and Engines (Textron Lycoming)	0.0	0.000	2.101	<b>40.00</b>	0.2	40.00 <b>1</b>
Androighmunights (1977)	0.0	0000	40	40.001	4.0	<0.001
Diass Certai, Eds.	0.0	0.000	, a	000	43.8	<b>6</b> .001
Harringon Croningal Systems	0.0	0.000	43.0	0000	4.0	<0.001
Charley Works (1 ahoratory)	0.0	0,000	, t	0.014	15.0	0.014
Status States Surgical Corporation	0.0	0,000	2.2	6001	7.4	<0.001
United Technologies Research Center	0.0	0000	8,072.5	0.776	8,072.5	0.776
TOTAL INDUSTRIAL	3					
			i.	6600	7.5	0.023
INSTITUTIONAL TOTAL	0.0	0.000	τ, <sub>τ</sub>	0.00	0.7	0.001
Bridgeborr Fushiral	0.0	0.000	7 0.7	500.0	4.7	<0.001
Chanolle runigenora nospire	0.0	0.000	÷ ,	0000	1.4	<0.001
Connecticut resources necessary namens	0.0	0000	4. 0	\$0.00 0.00	0.1	<0.001
Easiern C. Jane University	0.0	0.000	- <del>-</del>	6.65	1.	<0.001
Hopkins School	0.0	0.000	- 6	20.00	0.2	<0.001
Seymour right Schools	0.0	0.000	2.0.5	0 123	79.0	0.123
Statistical Fundam Health & Safety	0.0	0.000	150.0	0.050	150.0	0.050
Chipson the of CT Health Center	0.0	0.000	20.0	100 %	15.0	<0.001
VA Connecticut Healthcare System (V.A. Med. Ctr. Hosp.)	0.0	0.000	5. rt	0.001	15.0	0.001
Washing University	0.0	0.000	2.6	0.001	3.0	0.001
Westeyari Circoraty Windham Community Memorial Hospital	0.0	0.000	1 075 9	0.402	1,075.9	0.402
Vale University	0.0	0.000	1353.6	0.601	1,353.6	0.601
TOTAL INSTITUTIONAL	0.0	0.000				

TABLE AP-11A (continued)

	LLRW SH GENERAT TO DISPO	LLRW SHIPPED FROM GENERATOR DIRECTLY TO DISPOSAL FACILITIES	LLRW S GENERATO AND P	LLRW SHIPPED FROM GENERATOR TO BROKERS AND PROCESSORS	TOTAL LLR SITE FOR	TOTAL LLRW SHIPPED OFF. Site for Management
GENERATOR	VOLUME (au ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
MILITARY						
U.S. Army Connecticut National Guard	13.1	191.014	0.0	0.000	13.1	191.014
U.S. Navy	997.5	2.002	0.0	0.000	997.5	2.002
TOTAL MILITARY	1,010.6	193.016	0.0	0.000	1,010.6	193.016
NUCLEAR POWER PLANTS						
CT Yankee Atomic Power Co.	1,323.3	1,195.494	13,500.3	57.047	14,823.6	1,252.541
Millstone 1 Northeast Nuclear Power Co.	3,027.1	1,078.817	18,151.8	2.099	21,178.9	1,080.916
Millstone 2 Northeast Nuclear Power Co.	390.2	72.119	6,637.8	3.868	7,028.0	75.987
Millstone 3 Northeast Nuclear Power Co.	994.4	498.818	3,169.8	0.494	4,164.2	499.312
TOTAL NUCLEAR POWER PLANTS	5,735.0	2,845.248	41,459.7	63.508	47,194.7	2,908.756
PRIVATE RESEARCH						
Bayer Corporation (Miles Inc.)	0.0	0.00	811.7	0.248	811.7	0.248
Boehringer Ingelheim Pharmaceuticals	0.0	0.000	42.3	0.518	42.3	0.518
Bristo-Myers Squibb	0.0	0.000	294.0	0.482	294.0	0.482
Ciba-Geigy (ICI Americas)	0.0	0.000	134.8	0.001	134.8	0.001
Cuno Inc.	0.0	0.000	7.5	0.001	7.5	0.001
Cytec Industries Inc.	0.0	0.000	<0.1	<0.001	<b>6</b> .1	40.001
Neurogen Corporation	0.0	0.000	133.0	0.013	133.0	0.013
Plizer Inc.	0.0	0.000	1,768.2	2.058	1,768.2	2.058
Uniroyal Chemical Co.	0.0	0.000	74.5	0.018	74.5	0.018
TOTAL PRIVATE RESEARCH	0.0	0.000	3,266.0	3,339	3,266.0	3.339
TOTALS	7,645.6	3,038,301	54.155.6	68.224	61.801.2	3.106.525

TABLE AP-12A: CONNECTICUT LLRW SHIPPED OFF-SITE FOR MANAGEMENT IN 1996 -BY CATEGORY OF GENERATOR, WASTE STREAM, NRC WASTE CLASS, AND PATH

		GENERATO	LLRW SHIPPED FROM GENERATOR DIRECTLY	LLRW SH GENERATO AND PF	LLRW SHIPPED FROM GENERATOR TO BROKERS AND PROCESSORS	TOTAL LLRW SITE FOR I	TOTAL LLRW SHIPPED OFF- SITE FOR MANAGEMENT
	NRC	VOLUME	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
WASTE STREAM	CLASS	(1 ps)					
					į	ď	<0.001
NOITACHER		9	0000	3.8	40.001 0000	0.006	0.037
FUEL TABRICATION F-MIXWAST	∢ •	0.006	0.037	0.0	6.00 6.00	903.8	0.037
F-NCTRASH	<b>⋖</b>	0.008	0.037	o o			
TOTAL FUEL FABRICATION					•	7.5	<0.001
MDISTRIAL		0.0	0.000	7.5	- 60.00 - 700.00	251.8	9000
N-10SCVI	∢	0.0	0.00	8.1.62	8000	<b>6.4</b>	\$0.00
N.I OWASTE	<b>⋖</b>	0.0	0.000	4.0	0.771	7,812.8	0.771
N-SOAOLOD	∢ '	0.0	0000	7,812.8	0.776	8,072,5	0.776
N=LOTBASH	<b>⋖</b>	0.0	0.000	8,012.5	•		
TOTAL INDUSTRIAL						÷	0.001
		•	0000	2.1	0.001	7 7	40,001
INSTITUTIONAL	4	0.0	000.0	0.4	<0.001	2,010	0.290
I=ABSLIQD	: ∢	0.0	90.0	248.0	0.290	240.0	0.182
I=AQULIAD	. ∢	0.0	98.6	896.5	0.182	0.080	0 105
I=BIOWAST	( ◀	0.0	0000	189.5	0.105	189.5	0.03
I=COTRASH	( <	0.0	0.000	7.5	0.023	t,	1000
I=LIQSCVL	<b>.</b> •	0.0	0.000	0.0	<0.001	0.2	100.00
I=MISCSOR	ζ.	0.0	0.000	-	<0.001	<u>:</u>	40.00
I=NCTRASH	٤ ٠	0.0	0000	4.7	<0.001	4.7	20.00
E-NORM	€ '	0.0	0.000	7 020 7	0.601	1,353.6	100.0
I=RAMISCL	•	0.0	0.000	2.2224			
TOTAL INSTITUTIONAL					:		0.126
		•	0 128	0.0	0000	27.13	1.940
MILITARY	∢	C.2	1940	0.0	0.000	226.2	0.062
M-ARMYWSI	. ∢	5.77	0.062	0.0	0.000	1077	2.128
M-NAVYDHY	⋖	7.027	2.128	0.0	0.000	2004	
M-NAVYWEI		0.000,1					
				•	900	3.0	190.880
		3.0	190.880	0.0		3.0	190.880
M-ARMYWST	מ	3.0	190.880	3			
TOTAL MILITARY CLASS B						7.6	0.008
		7.6	0.008	0.0	0.000	7.6	0.008
M-ABMVWST	v	7.6	0.008	0.0		1,010.6	193.016
TOTAL MILITARY CLASS C		1,010.6	193.016	0.0			
TOTAL MILITARY							

TABLE AP-12A (continued)

		LLRW SH GENERAT TO DISPOS	LLRW SHIPPED FROM GENERATOR DIRECTLY TO DISPOSAL FACILITIES		LLRW SHIPPED FROM GENERATOR TO BROKERS AND PROCESSORS	TOTAL ILR SITE FOR	TOTAL LLRW SHIPPED OFF. Site for Management
WASTE STREAM	NRC CLASS	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
NUCLEAR POWER PLANTS							
B-COTRASH	∢	95.0	1.101	13 006 0	1004	0 700 77	000
B-FCARTRG	⋖	0.0	0000	10,000.0	1.53	0.100,41	2.632
B-IXRESIN	<	2.134.2	202.641	9 6	0.09	19.0	0.098
B-NCTRASH	<	0.0	0000	0.74.6	0.000	7,19	202.641
O-METDCON	∢	0.0	0000	5.17.4	0.242	2,1/1.4	0.242
O-MISCLNS	⋖	0.0	0000	477.4	0.000	0.000,0	0.000
O-MIXWAST	<b>4</b>	0.0	0000	1104	3.540	4.7.4	3.548
P-COTRASH	₹	95.0	1 314	0 153 0	2000	4.000	0.006
P-FCARTRG	⋖	120.3	1864	124.4	0.1.20	9,248.8	2.442
P-IXRESIN	⋖	493.3	37.850	005.0	0.5/0	4.142	2.234
P-NCTRASH	∢	0.0	000	9000	0.007	1,488.3	37.857
TOTAL NPP CLASS A		2 037 8	944 776	0,828,0	7/6°CC	8,929.6	55.972
		6,331.0	7.44.7.V	41,458.7	63.508	44,397.5	308.278
B-IXRESIN	8	773.6	873.296	o	000	7736	979 208
T-IXHEVIN	<b>E</b>	1 138 1	970.624		000:0	200	06.5.50
TOTAL NPP CLASS R			0/9:02 1	0.0	0.000	1,138.1	879.621
		7.116,1	1,752.917	0.0	0.000	1,911.7	1,752.917
	S	24.3	1.780	Ċ	000	6	700
g	C	5003	24 450	9 6	0.000	5.5	1.780
P-IXRESIN		2000	26.453	0.0	0.000	500.3	54.453
TOTAL NPP CLASS C	,	9,000	/91.328	0.0	0.000	360.9	791.328
TOTAL NUCLEAR POWER PLANTS		885.5	847.561	0.0	0.000	885.5	847.561
		5,735.0	2,845.248	41,459.7	63.508	47,194.7	2,908.756
PRIVATE RESEARCH							
	∢	0	000	•	6	•	
I=AQULIQD	•	9 6	0.00	- G	-C0:001	0.0	<0.001
I=BlOWAST	: ◀	) o	00.0	8.8	0.452	64.8	0.452
_	( •	0.0	0.000	96.3 6.3	0.023	96.3	0.023
	•	0.0	0.000	1,906.5	1.725	1,906.5	1.725
ç	€ ,	0.0	0.000	977.5	0.163	977.5	0.163
	∢ •	0.0	0.000	109.5	0.968	109.5	0.968
TOUR TOTAL TENED	∢	0.0	0.000	111.4	0.008	111.4	0.008
OIAL PRIVALE MESEAHOR		0.0	0.000	3,266.0	3.339	3,266.0	3.339
TOTALS		7,645.6	3,038,301	54,155.6	68 224	64 804 3	2400 506
			•			1.00	3,100,323

TABLE AP-12B: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996 -BY CATEGORY OF GENERATOR, WASTE STREAM, NRC WASTE CLASS, AND PATH

		LLRW SHI GENERATO TO DISPOS	LLRW SHIPPED FROM GENERATOR DIRECTLY TO DISPOSAL FACILITIES	LLRW SH BROKERS AI TO DISPO	LLRW SHIPPED FROM BROKERS AND PROCESSORS TO DISPOSAL FACILITIES	TOTAL LI DISPOS	TOTAL LLRW SHIPPED TO DISPOSAL FACILITIES
WASTE STREAM	NRC CLASS	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (au ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
WASTESTILLAN							
FUEL FABRICATION F-NCTRASH	<b>⋖</b>	0.009	0.037	0.0 0.0	0.000	900.0 900.0	0.037 <b>0.037</b>
TOTAL FUEL FABRICATION							
INDUSTRIAL		Ċ	0000	24.7	<0.001	24.7	<0.001
N-LOWASTE	∢ ∢	0.0	0.000	4.0	<0.001	4.0	40.001
N-SOAGLGD N=LOTRASH	: ∢	0.0	0.000 <b>0.000</b>	13.8 <b>38.9</b>	0.210 <b>0.210</b>	38.9	0.210
TOTAL INDUSTRIAL		2					
INSTITUTIONAL			0000	1.4	<0.001	1.4	-0.00
I=ABSLIQD	∢ ·	0.0	0000	32.9	0.170	32.9	0.170
I=BIOWAST	⋖	9.0	0000	187.2	0.176	187.2	0.176
I=COTRASH	⋖ ·	9.5	000	1.2	0.023	1.2	0.023
I=MISCSOR	< ⁴	0.0	0000	0.5	<0.001	0.2	<0.001
I=NCTRASH	⋖ ·	00	0000	4.1	<0.001	4.1	<0.001
I=RAMISCL	⋖	0.0	0.000	227.0	0.369	227.0	0.369
TOTAL INSTITUTIONAL							
MILITARY		Č	428	0.0	0.000	2.5	0.126
M-ARMYWST	<b>4</b>	6,7	1 040	0.0	0.000	771.3	1.940
M-NAVYDRY	∢	5.177	0.80	00	0000	226.2	0.062
M-NAVYWET	⋖	1,000.0	2.128	0.0	0.000	1,000.0	2.128
TOTAL MILITARY CLASS A				,		ć	400 000
	<b>a</b>	3.0	190.880	0.0	0000	3.0	190.000
M-ARIMYWSI TOTAL MILITARY CLASS B	<b>a</b>	3.0	190.880	0.0	0.000	3.0	190,060
			000	ć	0000	7.6	0.008
M.ABWYWST	O	9'.2	0.008	0.6	0000	97	9000
CALIMITATION OF TARES OF TARES.		7.6	9000	0.0	9000	2000	102.016
TOTAL MILITARY		1,010.6	193.016	0.0	0.000	1,010.0	2122

TABLE AP-12B (continued)

		CENERAL GENERAL TO DISPO	LLRW SHIPPED FROM GENERATOR DIRECTLY TO DISPOSAL FACILITIES	LLAW SI BROKERS A TO DISPO	LLRW SHIPPED FROM BROKERS AND PROCESSORS TO DISPOSAL FACILITIES	TOTAL L	TOTAL LLRW SHIPPED TO DISPOSAL FACILITIES
WASTE STREAM	NRC CLASS	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
NUCLEAR POWER PLANTS							
B-COTRASH	∢	95.0	1.101	961.0	1.700	1,056.0	2.801
B-FCARTRG	⋖	0.0	0.000	9.0	0.093	9.0	0.093
B-IXRESIN	∢	2,134.2	202.641	0.0	0.000	2,134.2	202.641
B-NCTRASH	∢	0.0	0.000	200.3	0.145	200.3	0.145
O-MISCINS	∢	0.0	0000	18.8	0.851	18.8	0.851
P-COTRASH	⋖	95.0	1.314	582.1	0.680	677.1	1.994
P-FCARTRG	∢	120.3	1,864	5.3	0.354	125.6	2.218
P-IXRESIN	∢	493.3	37.850	1,053.0	15.207	1,546.3	53.057
P-NCTRASH	⋖	0.0	0000	543.5	9.600	543.5	009'9
TOTAL NPP CLASS A		2,937.8	244.770	3,364.8	25.630	6,302.6	270.400
B-IXRESIN	82	773.6	873.296	0.0	0.000	773.6	873.296
P-IXRESIN	80	1,138.1	879.621	0.0	0.000	1,138.1	879.621
TOTAL NPP CLASS B		1,911.7	1,752.917	0.0	0.000	1,911.7	1,752.917
B-FCARTRG	O	24.3	1.780	0.0	0.000	24.3	1.780
O-MISCLNS	O	0.0	0000	190.2	20.480	190.2	20.480
P-FCARTRG	O	500.3	54.453	0.0	0.000	500.3	54.453
P-IXRESIN	O	360.9	791.328	0.0	0.000	360.9	791.328
TOTAL NPP CLASS C		885.5	847.561	190.2	20.480	1,075.7	868.041
TOTAL NUCLEAR POWER PLANTS	3	5,735.0	2,845.248	3,555.0	46.110	9,290.0	2,891.358
PRIVATE RESEARCH							
E-ABSLIQD	∢	0.0	0.000	<b>6</b>	<0.001	₹.	40.001
E-AQULIΩD	∢	0.0	0000	46.4	0.536	46.4	0.536
I≖BIOWAST	∢	0.0	0000	7.5	<0.001	7.5	<0.001
I=COTRASH	∢	0.0	0000	245.4	2.396	245.4	2,396
I=NCTRASH	٧	0.0	0.000	4.1	0.003	4.1	0.003
TOTAL PRIVATE RESEARCH		0.0	0.000	303.4	2.935	303.4	2.935
TOTALS		7,645.6	3,038.301	4,124.3	49.624	11,769.9	3,087.925

## TABLE AP-13: LLRW BROKERS AND PROCESSORS (INTERMEDIATES) USED BY CONNECTICUT GENERATORS IN 1996 - BY CATEGORY OF GENERATOR

INTERMEDIATES *	VOLUME SHIPPED TO INTERMEDIATES (cu ft)	TOTAL VOLUME SHIPPED OFF-SITE BY GENERATOR CATEGORY (cu ft)	VOLUME PERCENT OF CATEGORY TOTAL SHIPPED TO INTERMEDIATES
	(00 1.)	(ou ii)	TO INTENMEDIATES
FUEL FABRICATION			
NSSI TOTAL FUEL FABRICATION	3.8 <b>3.8</b>	903.8	0.4%
	0.0	300.0	U.4 /6
INDUSTRIAL NDL	1.6		
NDL / SEG	0.2		
Radiac	7.5		
Radiac / Perma-Fix	7.5		
SEG	7,804.9		
Teledyne / SEG	43.8		
U.S. Ecology	207.0		
TOTAL INDUSTRIAL	8,072.5	8,072.5	100.0%
INSTITUTIONAL			
ADCO	7.5		
NDL	3.9		
Radiac / Perma-Fix	92.0		
Radiac / SEG	4.7		
SEG	985.0		
Teledyne	0.1 30.0		
Teledyne / SEG U.S. Ecology	1.4		
U.S. Ecology / American Ecology	131.5		
U.S. Ecology / Perma-Fix	97.5		
TOTAL INSTITUTIONAL	1,353.6	1,353.6	100.0%
MILITARY	0.0		
TOTAL MILITARY	0.0	1,010.6	0.0%
NUCLEAR POWER PLANTS			
American Ecology	6.5		
American Ecology / HAKE	8,180.0		
American Ecology / SEG	5,313.8		
DSSI	119.4		
HAKE	3,200.0		
HAKE / MSC	2,368.0		
SEG	19,934.4		
SEG / MSC	2,337.6		<b></b>
TOTAL NUCLEAR POWER PLANTS	41,459.7	47,194.7	87.9%
PRIVATE RESEARCH			
DSSI	0.3		
NDL (SEC	23.9		
NDL / SEG NSSI	192.9 232.2		
Perma-Fix	232.2 854.5		
SEG	1,962.2		
Teledyne / SEG	<0.1		
TOTAL PRIVATE RESEARCH	3,266.0	3,266.0	100.0%
TOTALS	54,155.6	61,801.2	87.6% †

#### TABLE AP-13 (continued)

#### BROKERS USED BY CONNECTICUT LLRW GENERATORS

NDL = NDL Organization, Peekskill, NY
Radiac = Radiac Research Corporation, Brooklyn, NY
Teledyne = Teledyne Isotopes, Inc., Westwood, NJ
U.S. Ecology = U.S. Ecology, Oak Ridge, TN

#### PROCESSORS USED BY CONNECTICUT LLRW GENERATORS

ADCO = ADCO Services, Inc., Tinley Park, IL
American Ecology = American Ecology, Oak Ridge, TN
Chem-Nuclear = Chem-Nuclear Systems, Inc., Barnwell, SC
DSSI = Diversified Scientific Services, Inc., Kingston, TN
Hake = F. W. Hake Company, Memphis, TN
MSC = Manufacturing Sciences Corp., Oak Ridge, TN
NSSI = NSSI/Recovery Services, Inc., Houston, TX
Perma-Fix = Perma-Fix of Florida, Inc., Gainesville, FL
SEG = Scientific Ecology Group, Oak Ridge, TN
U.S. Ecology = U.S. Ecology, Oak Ridge, TN

† The total volume shipped to brokers and processors in 1996 (54,155.6 cu ft) is 87.6% of the total volume shipped off-site (61,801.2 cu ft).

TABLE AP-14: INTERMEDIATES AND PROCESSING METHODS USED BY CONNECTICUT GENERATORS IN 1996-BY CATEGORY OF GENERATOR AND BROKER / PROCESSOR PATHWAY

		GENERATOR TO BROKE AND/OR PROCESSOR	GENERATOR TO BROKER AND/OR PROCESSOR	Broker or processor to disposal facilities	PROCESSOR L FACILITIES	PERCENT
LLRW BROKERS AND/OR PROCESSORS *	PROCESSING METHOD	(cn ft)	(Curies)	(cn ft)	(Curies)	MEDUCTION OF VOLUME
FUEL FABRICATION NSSI TOTAL FUEL FABRICATION	Absorption of Liquids	လ <b>မ</b> ထ <b>အ</b>	<0.001 <b>&lt;0.001</b>	0.0 0	0.000 0.000	1 %0.0
INDUSTRIAL NDL NDL / SEG Radiac / Perma-Fix Radiac / SEG SEG	(No off-site processing) (No off-site processing) Incheration Supercompaction Compaction, Supercomp., Incin., Metal Met, Decontamination	1.6 0.2 7.5 7,804.9	6.001 6.001 6.001 0.014	4.00 t 21 g	0.00 0.00 0.00 0.014 0.018	
Teledyne / SEG U.S. Ecology TOTAL INDUSTRIAL	Supercompaction Supercompaction	43.8 207.0 8,072.5	0.005 0.005 0.776	38. 5.6 6.8	6.001 0.210	<b>99.5%</b>
INSTITUTIONAL ADCO American Ecology NDL Radiac / Perma-Fix Radiac / SEG	Compaction (No off-site processing) (No off-site processing) Incineration Compaction Compaction Compaction Compaction Compaction First New Processing	7.5 0.0 3.9 92.0 4.7 985.0	0.023 0.000 0.002 0.101 <0.001	1.2 22.5 0.2 0.0 4.1 87.0	0.023 0.014 # <0.001 0.000 <0.001 0.186	
Teledyne Teledyne / SEG Teledyne / SEG U.S. Ecology / American Ecology U.S. Ecology / Perma-Fix TOTAL INSTITUTIONAL	(No off-site processing) Supercompaction (No off-site processing) Incheration, Supercompaction	0.1 30.0 1.4 131.5 97.5 1,353.6	60.001 0.001 0.001 0.169 0.004	0.1 5.3 1.4 105.2 0.0	-0.001 -0.001 -0.145 0.369	83.3%
MILITARY TOTAL MILITARY		0.0 0.0	0.000	0.0	0.000	%0.0
NUCLEAR POWER PLANTS American Ecology / HAKE American Ecology / HAKE American Ecology / SEG DSSI HAKE HAKE HAKE TOTAL NUCLEAR POWER PLANTS	Placement Packaging Supercompaction, Metal Melt, Decontamination Incineration, Supercompaction, Metal Melt incineration Decontamination Decontamination Decontamination Incin., Supercomp., Decon., Met. Melt, Pl. Pkg., Seal in Asphalt Incineration, Supercompaction, Decontamination, Metal Melt	6.5 8,180.0 5,313.8 119.4 3,200.0 2,368.0 19,934.4 2,337.6	4.903 51.052 1.092 0.006 0.408 0.198 5.603 0.246	0.0 233.8 0.0 0.0 2,642.0 6792.2	0.000 0.000 0.537 0.000 0.000 38.838 6.735 46.110	91.4%

TABLE AP-14 (continued)

	PROCESSING	GENERATOR AND/OR P	GENERATOR TO BROKER AND/OR PROCESSOR	BROKER OR TO DISPOSA	BROKER OR PROCESSOR TO DISPOSAL FACILITIES	PERCENT
LLRW BROKERS AND/OR PROCESSORS •	МЕТНОО	(cn ft)	(Curies)	(cn ft)	(Curies)	REDUCTION OF VOLUME
PRIVATE RESEARCH						
DSSI	Incineration	0.3	0.129	0.0	0.000	
NDI / SEG	(No off-site processing)	23.9	0.009	7	0.003	
NSCI OLG	Metal Met	192.9	0.011	9.2	0.001	
Dormo-Eiv	incineration	232.2	0.872	0.0	0000	
A 1-20-00	Incineration	854.5	0.131	0.0	0000	
Telephone / SEG	Incin., Comp., Supercomp., Steam Reform., Solidification	1,962.2	2.187	290.1	2.931	
TOTAL DOMATE DESCRIPTION	(No off-site processing)	<b>6</b>	<0.001	40.1	40.001	
IOIAL PHIVAIE NESEANCH		3,266.0	3.339	303.4	2.935	90.7%
TOTALS		K4 155 6	60 954			i

92.4%

49.624

4,124.3

68.224

54,155.6

\* See Table AP-13 for identification of brokers and processors.

For greater detail on processors and processing methods offered, please consult: National LLRW Management Program, DOE/LLW-240, "Commercially Available Low-Level Radioactive and Mixed Waste Treatment Technologies" (October 1996).

<sup>†</sup> Waste held by processor at end of 1996.

<sup>‡</sup> Waste shipped off-site in 1995; disposed in 1996.

TABLE AP-15: DISPOSAL FACILITIES USED BY CONNECTICUT GENERATORS IN 1996 - BY CATEGORY OF GENERATOR

	BAF	NWELL, SC	ENVIRO	CARE, CLIVE, UT
CATEGORY OF GENERATOR	VOLUME (cu ft)	RADIOACTIVITY (Curies)	VOLUME (cu ft)	RADIOACTIVITY (Curies)
FUEL FABRICATION			900.0	0.037
INDUSTRIAL	38.9	0.210		
INSTITUTIONAL	227.0	0.369		
MILITARY	1,010.6	193.016		
NUCLEAR POWER PLANTS	9,290.0	2,891.358		
PRIVATE RESEARCH	303.4	2.935		
TOTALS	10,869.9	3,087.888	900.0	0.037

Grand Total Disposed: 11,769.9 cubic feet 3,087.925 Curies

FIGURE AP-2: DISPOSAL FACILITIES USED BY CONNECTICUT GENERATORS IN 1996


#### **RADIOACTIVITY**

ENVIROCARE <0.1%

(Percent of 3,087.925 Curies)

BARNWELL >99.9%

#### **VOLUME**



BARNWELL 92.4%

(Percent of 11,769.9 Cubic Feet)

TABLE AP-16: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996 - BY NRC CLASS AND GENERATOR

GENERATOR	NRC CLASS	VOLUME (cu ft)	RADIOACTIVIT (Curies)
ABB Combustion Engineering Nuclear Products	A	900.0	0.037
ABB Combustion Engineering Nuclear Services	A	12.0	0.196
Advanced Technology Materials, Inc.	A	0.2	<0.001
Allegheny Ludium Steel Corp.	A	0.4	<0.001
AlliedSignal Engines (Textron Lycoming)	A	5.6	<0.001
Bayer Corporation (Miles Inc.)	A	167.8	0.255
Boehringer Ingelheim Pharmaceuticals	Ą	63.9	1.036
Brass Center, Ltd.	A	0.2	<0.001
Bridgeport Hospital	A	1.2	0.023
Bristol-Myers Squibb	Α	1.4	0.177
CT Yankee Atomic Power Co.	Α	715.0	25.005
Ciba-Geigy (ICI Americas)	A	9.2	0.001
Connecticut Resources Recovery Authority	Α	4.1	<0.001
Cytec Industries Inc.	Α	<0.1	<0.001
Eastern CT State University	Α	1.4	<0.001
Hamilton Chemical	Α	0.4	<0.001
Hopkins School	Α	0.1	<0.001
Hughes Danbury Optical Systems	Α	18.3	<0.001
Millstone 1 Northeast Nuclear Power Co.	Α	3,391.3	205.680
Millstone 2 Northeast Nuclear Power Co.	A	1,071.0	2.368
Millstone 3 Northeast Nuclear Power Co.	Α	1,125.3	37.347
Neurogen Corporation	Α	23.0	0.010
Pfizer Inc.	Α	34.0	1.453
Stamford Public Schools	Α	0.2	<0.001
Stanley Works (Laboratory)	Α	0.4	<0.001
U.S. Army Connecticut National Guard	A	2.5	0.126
U.S. Navy	Α	997.5	2.002
Uniroyal Chemical Co.	Α	4.1	0.003
United States Surgical Corporation	A	1.4	0.014
Univ. of CT Environ. Health & Safety	Α	35.2	0.049
University of CT Health Center	Α	92.5	0.110
Wesleyan University	Α	5.3	0.001
Yale University	A	46.1	0,181
Yale-New Haven Hospital	Ä	40.9	0.005
TOTAL CLASS A		8,771.9	276.079
CT Yankee Atomic Power Co.	В	360.9	369.078
Millstone 1 Northeast Nuclear Power Co.	В	773.6	873.296
Millstone 2 Northeast Nuclear Power Co.	В	240.6	66.819
Millstone 3 Northeast Nuclear Power Co.	В	536.6	443.724
U.S. Army Connecticut National Guard	В	3.0	190,880
TOTAL CLASS B	J		1,943.797
TOTAL GLAGG B		1,914.7	1,343./8/
CT Yankee Atomic Power Co.	C	481.2	801.948
Millstone 1 Northeast Nuclear Power Co.	С	99.9	17.580
Millstone 2 Northeast Nuclear Power Co.	С	54.6	3.985
Millstone 3 Northeast Nuclear Power Co.	С	440.0	44.528
U.S. Army Connecticut National Guard	С	7.6	0.008
TOTAL CLASS C		1,083.3	868.049
TOTALS		11,769.9	3,087.925

TABLE AP-17: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES
IN 1996 - BY NRC WASTE CLASS

	RADIOAC	TIVITY	VOLU	JME
NRC WASTE CLASS	Curies	%	cu ft	%
CLASS A	276.079	8.9	8,771.9	74.5
CLASS B	1,943.797	63.0	1,914.7	16.3
CLASS C	868.049	28.1	1,083.3	9.2
TOTALS	3,087.925	100.0%	11,769.9	100.0%


FIGURE AP-3: CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES IN 1996
- BY NRC WASTE CLASS

## CLASS A 8.9% CLASS C 28.1%

CLASS B 63.0%

**RADIOACTIVITY** 

### VOLUME



CLASS A 74.5%

TABLE AP-17A: AVERAGE COMPOSITION OF LLRW SHIPPED TO DISPOSAL FACILITIES BY CONNECTICUT GENERATORS IN 1987 THROUGH 1996
- BY NRC WASTE CLASS


	RADIOAC	TIVITY	VOLU	ME
NRC WASTE CLASS	Curies	%	cu ft	%
CLASS A	9,424	2.1	326,227	93.5
CLASS B	10,014	2.3	12,906	3.7
CLASS C	421,070	95.6	9,813	2.8
TOTALS	440,508	100.0%	348,946	100.0%

FIGURE AP-3A: AVERAGE COMPOSITION OF LLRW SHIPPED TO DISPOSAL FACILITIES BY CONNECTICUT GENERATORS IN 1987 THROUGH 1996
- BY NRC WASTE CLASS

### **RADIOACTIVITY**

# CLASS B 2.3% CLASS A 2.1% CLASS C 95.6%

### VOLUME



# TABLE AP-18: THE RADIONUCLIDES, HALF-LIVES, AND RADIOACTIVITY IN LLRW SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - BY CATEGORY OF GENERATOR

## ALL HALF-LIVES

ί	i	
Ĺ	ı	
Č	ì	
5		3
Ċ		)
•	۰	
ì	•	
Į		
:	2	
ļ	,	
5		į
ì		١
3		
í		
•	9	ļ
£	٦	٢

							/2-		
		HALF.					NUCLEAR	PRIVATE	
RADIONUCLIDE	:0E	(YEARS*)	FABRICATION	INDUSTRIAL	INSTITUTIONAL	MILITARY	PLANTS	RESEARCH	TOTAL
E E	Tritium	12.3		0.001	0.334	190.894	10.897	1.469	203.595
C-14	Carbon	5,715		0.013	0.069	0.013	1.817	1.244	3.156
NA-22	Sodium	5.6			0.001				0.001
AL-26	Aluminum	710,000			<b>40.00</b>				<b>6</b> 0.001
P-32	Phosphorus	0.04			0.017			0.081	0.098
P-33	Phosphorus	0.07			<0.001			0.055	0.055
S-35	Suffur	0.24			0.058			0.351	0.408
8-13 13-13-13-13-13-13-13-13-13-13-13-13-13-1	Chlorine	301.000			0.001				0.001
CA-45	Calcium	0.45			0.069			0.071	0.140
SC-46	Scandium	0.23			0.001				0.001
CB-51	Chromium	0.08			0.007		0.007	9000	0.022
MN-54	Manganese	0.86		0.021	<0.001	0.044	163.737		163.802
FF-55	tron	2.7		0.022	0.002	0.885	447.672		448.581
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		0.10					40.001		<b>-0.00</b>
25.50	Total #	0.74			0.001		1.217		1.218
	Cobat	1000		0.051		0.089	63.766		63,906
8 6 5 6	CoCan	<u>.</u>		0.00	9	288.0	282 425		283 861
3 3 3	Cooa	5.00		1000	- CO.OO	0.000	0.000		00.00
N-59	Nickel	900'9			•	,	0.002		0000
8-IN	Nickel	100.0		100.0	£0.00	1/0.0	249.129		249.201
ZN-65	Zinc	0.67			<b>40.001</b>		693,403		693.403
KR-85	Krypton	10.7		<b>20.001</b>		0.005			0.005
RB-86	Rubidium	0.05			€0.00		!	600.0	600.0
SR-89	Strontium	0.14			0.002		0.047		0.049
SR-90	Strontium	29.1		0.001	0.022	<0.001	1.438		1.461
ZH-95	Zirconium	0.18		0.063			<0.001		0.063
NB-94	Niobium	24,000				<0.001	<0.001		<0.001
NB-95	Niobium	0.10			0.001		0.003		0.004
TC-99	Technetium	213,000				<0.001	0.012		0.012
RU-103	Rutherium	0.11			€0.00		<0.001		<0.001
AG-110M	Silver	0.68					4.004		4.004
CD-109	Cadmium	1.3			<b>40.001</b>		,		-0.00v
SN-113	Ę	0.32			0.002		0.036		0.038
SB-122	Antimony	0.007					40.001		<0.001
SB-124	Antimony	0.16				<b>40.001</b>	<0.001		<0.001
SB-125	Antimony	2.8		0.038	<0.001		1.989		2.027
F125	lodine	0.16			0.013			0.050	0.063
F129	lodine	17,000,000				<0.001	0.079		0.079
F131	lodine	0.02						0.001	0.001
CS-134	Cesium	2.1			<0.001		268.023		268.023
CS-137	Cesium	30.2		0.008	<0.001	<0.001	717.328		717.336
BA-133	Barium	10.5			<0.001				<0.001
CE-144	Cerium	0.78					40.00 1		۰۵.00 د
PM-147	Promethium	2.6				0.126			0.126

TABLE AP-18 (continued)

					RADK	RADIOACTIVITY (CURIES)	ES)		-
RADIONUCLIDE	CLIDE	HALF- LIFE (YEARS")	FUEL FABRICATION	INDUSTRIAL.	INSTITUTIONAL	MILITARY	NUCLEAR POWER PLANTS	PRIVATE RESEARCH	TOTAL
GD-153	Gadolinium	990		600					6000
H-181	Hafnium	0.12		2000			40,001		0.00
TA-182	Tantalum	0.31					40.00		40.00
RE-187	Rhenium	44,000,000,000				<0.001			<0.001
PO-210	Polonium	0.38			<0.001				40.001
RA-226	Radium	1,599			<0.001	0.003	<0.001		0.003
TH-228	Thorium	1.9					<0.001		<0.001
TH-232	Thorium	14,000,000,000		0.005	<0.001	₹0.001		<0.001	0.005
TH-234	Thorium	0.07					<0.001		<0.001
U-234	Uranium	245,000	0.028						0.028
U-235	Uranium	704,000,000	0.001	<0.001	<0.001				0.001
U-238	Uranium	4,460,000,000	0.008	<0.001	<0.001			<0.001	0.008
NP-237	Neptunium	2,140,000					<0.001		<b>-0.001</b>
PU-238	Plutonium	7.78					0.045		0.045
PU-239	Plutonium	24,110					0.014		0.014
PU-240	Plutonium	6,537					0.005		0.005
PU-241	Plutonium	14.4					1.564		1.564
PU-242	Plutonium	376,000					<0.001		<b>40.001</b>
AM-241	Americium	432.2		<0.001			0.048		0.048
CM-242	Curium	0.45		<0.001			0.010		0.010
CM-243	Curium	28.5					0.005		90.0
CM-244	Curium	18.1		<0.001			0.037		0.037
Unspecifie	Jnspecified Radionuclides								0000
TOTAL									3,106.525

NOTES FOR TABLES AP-18, AP-18A, AND AP-18B

"Source of Half-Lives: Handbook of Chemistry and Physics, (76th Edition, 1995-1996), CRC Press, Inc.

The amounts of 1-129 and To-99 listed in the Tables as attributable to nuclear power plants are the amounts reported by the nuclear power plant operators. As part of the process of preparing LLRW projections, the CHWMS has had Vance & Associates, Inc. analyze 1-129 and To-99 quantities through the use of a computer model. For the purpose of projections, this analysis should more accurately determine the quantities of these two radionuclides produced by the nuclear power plants.

1,460.472

TOTAL

TABLE AP-18A: THE RADIONUCLIDES, HALF-LIVES, AND RADIOACTIVITY IN LLRW SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - BY CATEGORY OF GENERATOR

# HALF-LIVES LONGER THAN 5 YEARS

					RADIC	RADIOACTIVITY (CURIES)	(S:		
RADIONUCLIDE	LIDE	HALF- LIFE (YEARS*)	FUEL FABRICATION	INDUSTRIAL	INSTITUTIONAL	MILITARY	NUCLEAR POWER PLANTS	PRIVATE RESEARCH	TOTAL
DC 407	Ohonium	44 800 000 000				<0.001			<0.001
TH-232	Thoring	14,000,000,000		0.005	c0.001	40.001		<0.001	0.005
U-238	Uranium	4,460,000,000	0.008	<0.001	<0.001			<0.001	0.008
U-235	Uranium	704,000,000	0.001	<0.001	<0.001				0.001
129	lodine	17,000,000				<0.001	0.079		0.079
NP-237	Neptunium	2,140,000					<0.001		40.001
AL-26	Aluminum	710,000			₹0:00				40.001
PU-242	Plutonium	376,000					40.001		<0.001
C36	Chlorine	301,000			0.001				0.001
U-234	Uranium	245,000	0.028						0.028
TC-99	Technetium	213,000				<0.001	0.012		0.012
N-59	Nickel	76,000					0.002		0.002
PU-239	Plutonium	24,110					0.014		0.014
NB-94	Niobium	24,000				<0.001	<b>40.001</b>		<b>40.001</b>
PU-240	Plutonium	6,537					0.005		0.005
C-14	Carbon	5,715		0.013	0.069	0.013	1.817	1.244	3.156
RA-226	Radium	1,599			<0.001	0.003	<0.001		0.003
AM-241	Americium	432.2		40.001			0.048		0.048
NI-63	Nickel	100.0		0.001	40.001	0.071	249.129		249.201
PU-238	Plutonium	7.78				•	0.045		0.045
CS-137	Cesium	30.2		0.008	<0.001	€0.001	717.328		717.336
SR-90	Strontium	29.1		0.001	0.022	<b>c</b> 0.001	1.438		1.461
CM-243	Curium	28.5					0.005	-	0.005
CM-244	Curium	18.1		<0.001			0.037		0.037
PU-241	Plutonium	14.4					1.564		1.564
£	Tritium	12.3		0.001	0.334	190.894	10.897	1.469	203.595
KR-85	Krypton	10.7		<0.001		0.005			0.005
BA-133	Barium	10.5			<0.001				40,001
09-OO	Cobalt	5.3		0.551	<0.001	0.885	282.425		283.861

# TABLE AP-18B: THE RADIONUCLIDES, HALF-LIVES, AND RADIOACTIVITY IN LLRW SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - BY CATEGORY OF GENERATOR

# HALF-LIVES SHORTER THAN 5 YEARS

					RADIO	RADIOACTIVITY (CURIES)	ES)	-	
	<u>.</u>	HALF- LIFE	FUEL	IA ICTO I VIA	AISTITITION	M 900	NUCLEAR POWER	PRIVATE	TOTAL
DNOID N	CIDE	(TEANS)	rabnicai icir	INCOSTRIME	INSTITUTIONAL.	MICHANI	SIMPL	ואייאיין	101
	. ,			,	•				
SB-125	Antimorry	5.8		0.038	40.001		1.989		7707
FE-55	Iron	2.7		0.022	0.002	0.885	447.672		448.581
PM-147	Promethium	2.6				0.126			0.126
NA-22	Sodium	2.6			0.001				0.001
CS-134	Cestum	2.1			<0.001		268.023		268.023
TH-228	Thorium	1.9					<0.001		<0.001
CD-109	Cadmium	1.3			<0.001				<b>-0.00</b>
MN-54	Manganese	0.86		0.021	<0.001	0.044	163.737		163.802
CE-144	Cerium	0.78					<0.001		<0.001
CO-57	Cobalt	0.74			0.001		1.217		1.218
AG-110M	Silver	89'0					4.004		4.004
ZN-65	Zinc	29.0			<0.001		693.403		693.403
GD-153	Gadolinium	99'0		<0.001					<0.001
CA-45	Calcium	0.45			0.069			0.071	0.140
CM-242	Curium	0.45		<0.001			0.010		0.010
PO-210	Polonium	0.38			<0.001				<0.001
SN-113	Ē	0.32			0.002		0.036		0.038
TA-182	Tantalum	0.31					40.001		<0.001
S-35	Suffur	0.24			0.058			0.351	0.409
SC-46	Scandium	0.23			0.001				0.001
CO-58	Cobalt	0.19		0.051		0.089	63.766		63.906
ZR-95	Zirconium	0.18		0.063			<b>40.00</b>		0.063
F125	lodine	0.16			0.013			0.050	0.063
SB-124	Antimony	0.16				<0.001	<b>40.001</b>		<0.001
SR-89	Strontium	0.14			0.002		0.047		0.049
HF-181	Hafnium	0.12					<0.001		<0.001
FE-59	lon	0.12					<0.001		<0.001
RU-103	Ruthenium	0.11			40.001		<0.001		40.001
NB-95	Niobium	0.10			0.001		0.003		0.00
CB-51	Chromium	0.08			0.007		0.007	0.008	0.022
H-234	monum	0.0			•		<0.001	\$ 6	20.00
P-33	Phosphorus	0.07			<0.001			0.055	0.055
RB-86	Rubidium	90.0			<0.001			0.009	0.009
P-32	Phosphorus	0.04			0.017			0.081	0.098
-131	lodine	0.02					•	0.001	0.001
SB-122	Antimony	0.007					<0.001		-00.00 -
Unspecified	Unspecified Radionuclides								0.000

TOTAL

1,646.053

TABLE AP-19: THE RADIONUCLIDES, HALF-LIVES, AND RADIOACTIVITY IN LLRW SHIPPED OFF-SITE FOR MANAGEMENT BY CONNECTICUT NUCLEAR POWER PLANTS IN 1996 - BY NRC CLASS

## **ALL HALF-LIVES**

				RADIOACTIVITY (CURIES)		
RADIONUCLIDE	<b>3</b>	HALF-LIFE (YEARS")	CLASS A	CLASS B	CLASS C	TOTAL
£3	Tritium	12.3	10.284	0.297	0.316	10.897
C-14	Carbon	5,715	0.686	0.579	0.552	1.81
NA-22	Sodium	2.6				
AL-26	Akminum	710,000				
P-32	Phosphorus	0.04				
P-33	Phosphorus	0.07				
S-35	Sulfur	0.24				
CL-36	Chlorine	301,000				
CA-45	Calcium	0.45				
SC-46	Scandium	0.23	1		000	2000
CR-51	Chromium	0.08	9000		0.002	100.0
MN-54	Manganese	0.86	6.214	140.934	16.569	103./3/
FE-55	lon	2.7	127.887	162.924	156.861	2/0.74
FE-59	<u>lron</u>	0.12		;	40.00×	40.001
CO-57	Cobalt	0.74	0.036	1.166	0.015	117.1
85-00	Cobatt	0.19	10.402	47.722	5.642	03./00
09-00	Cobalt	5.3	38.418	170.290	/3./1/	282.423
69-IN	Nickel	76,000	0.002	1	100	0.002
N-63	Nickel	100.0	13.170	204.634	31.325	249.129
29-NZ	Zinc	29.0	40.602	652.720	0.081	080,400
KR-85	Krypton	10.7				
RB-86	Rubidium	0.05			****	7700
SR-89	Strontium	0.14	0.001	0.046	<b>4</b> 0.001	7 7 7
SR-90	Strontium	29.1	0.154	669.0	0.585	6.4.6 \$00.6
ZR-95	Zirconium	0.18	:		40.001	00.00
NB-94	Niobium	24,000	<b>c0.001</b>			00.00
NB-95	Niobium	0.10	0.003		9009	0.000
TC-99	Technetium	213,000	0.00	0.002	100.00	1000
RU-103	Ruthenium	0.11			100.00	4 004
AG-110M	Silver	89.0	0.095	3.855	100	
CD-109	Cadmium	1.3			000	9800
SN-113	重	0.32		0.034	0.002	60.0
SB-122	Antimony	0.007		-0.001		60.00
SB-124	Antimony	0.16			100.00	1000
SB-125	Antimony	2.8	0.248	1.530	0.211	808. -
F125	todine	0.16			,	0.00
F129	lodine	17,000,000	0.079	<0.001	<0.001	8/0.0
F131	lodine	0.02				000
CS-134	Cesium	2.1	14.147	99.448	154.428	208.023
CS-137	Cesium	30.2	45.171	265.555	406.602	77,326

TABLE AP-19 (continued)

				RADIOACTIVITY (CURIES)	JRIES)	
RADIONUCLIDE	XIDE	HALF-LIFE (YEARS")	CLASS A	CLASS B	CLASS C	TOTAL
BA-133	Barium	10.5				
CE-144	Cerium	0.78			<0.001	<0.001
PM-147	Promethium	2.6				
GD-153	Gadofinium	0.66				
HF-181	Hafnium	0.12	<0.001		<0.001	<0.001
TA-182	Tantakım	0.31	<0.001			<0.001
RE-187	Rhenium	44,000,000,000				
PO-210	Polonium	0.38				
RA-226	Radium	1,599	<0.001			<0.001
TH-228	Thorium	1.9	<0.001			40.001
TH-232	Thorium	14,000,000,000				
TH-234	Thorium	0.07	<0.001			<0.001
U-234	Uranium	245,000				
<b>U-23</b> 5	Uranium	704,000,000				
U-238	Uranium	4,460,000,000				
NP-237	Neptunium	2,140,000	<0.001		<0.001	<0.001
PU-238	Plutonium	87.7	0.016	0.012	0.017	0.045
PU-239	Plutonium	24,110	9000	0.005	0.003	0.014
PU-240	Plutonium	6,537	0.001	0.001	0.003	0.005
PU-241	Plutonium	14.4	0.591	0.435	0.538	1.564
PU-242	Plutonium	376,000	<0.001	<0.001	<0.001	<0.001
AM-241	Americium	432.2	0.026	0.015	0.007	0.048
CM-242	Curium	0.45	0.001	0.003	900'0	0.010
CM-243	Curium	28.5	0.002	0.001	0.002	0.005
CM-244	Curium	18.1	0.024	0.010	0.003	0.037
Unspecified	Inspecified Radionuclides					
TOTAL						2,908.759 ***

### NOTES FOR TABLE AP-19

"Source of Half-Lives: Handbook of Chemistry and Physics, (76th Edition, 1995-1996), CRC Press, Inc.

The amounts of 1-129 and Tc-99 listed in the Tables as attributable to nuclear power plants are the amounts reported by the nuclear power plant operators. As part of the process of preparing LLRW projections, the CHWMS has had Vance & Associates, thc. analyze 1-129 and Tc-99 quartities through the use of a computer model. For the purpose of projections, this analysis should more accurately determine the quartities of these two radionuclides produced by the nuclear power plants.

<sup>&</sup>quot;The 0.003 Ci difference between this number and the number previously reported as the total activity shipped off-site for management by nuclear power plants (2,908.756 Ci) is believed to be attributable to minor unreconciled rounding effects in compiling generator data, as well as to the abundance of values <0.001 shown on Table AP-19.

TABLE AP-20A: RADIONUCLIDE CONCENTRATIONS IN WASTE STREAMS SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - NUCLEAR POWER PLANTS (Millicuries per cubic foot)

RADIONUCLIDE B-COTRASH	B-COTRASH	B-FCARTRG	B-IXRES#N	B-NCTRASH	O-METDECON	O-MISCLNS	O-MIXWAST	P-COTRASH	P-FCARTRG	P-IXRESIN	P-NCTRASH
#3 0-14 NA-20	0.000023	0.055272	0.023867	0.000344	0.000272	0.001083	0,048725	0.022473	0.050577 0.138727	0.285847	1,088092
CD-88 CD-80 CD-80	0.149989	28,200946 8,780142	53.026687 28.200014	0.088883	0.059088	0.630499	0,000010	0.028297	46.494270 11.414318	83.626887 62.653542	0.537498 0.335845
N-59 N-63 SR-90 NB-94	0.001764	4.929078 0.006519	4.783685 0.059323 0.000003	0.001073	0.007220	4.479975 0.001799 <0.000001	0.000001	0.023166	7.134583 6.003330 0.000031	75.834198 0.401625 0.000706	0.085253 0.006814 0.001033
CC-139 CC-134 CC-134 CC-137 TH-228	0,000591	0.221478 0.017981 0.179409	- 선생님의 투자() 학생 :	0.001386	0.002258	0.047366 0.337629 0.000001	0.000012	0,000010 0,000178 0,030555 0,112861	0.272325 0.000337 1.021695 3.098998	0.591504 0.000151 85.830821 212.680584	0.000001 0.008629 1.011881 3.046998
TH-232 U-234 U-238 U-238									0.000002		0.000021
	-0.000001	0.000728 0.000427	0.005396 0.002823 0.205654			0.000241		0.000008 0.000001 0.000001 0.000253	0.001147 0.000362 0.000107 0.053173	0.008121 0.001528 0.001460 0.266571	0.000394 0.000072 0.000072
PU-242 AM-241 CM-242		0.000003	0.011383			0.000809		-0.000001 0.000008 0.000001 0.000003	0.000003 0.000730 0.001767 0.000152	0.003472 0.002470 0.001097	0.000078 0.000078 0.000124
CM-244	<0.000001	0.001228	0.010506			0.000377		0.000003	0.00988	0.001427	0.000124

1.2 The concentrations of Tc-99 and I-129 listed in the Table as attributable to nuclear power plants are derived from the amounts reported by the nuclear power plant operators. As part of the process of preparing LLRW projections, the CHWMS has had Vance & Associates, Inc. analyze I-129 and Tc-99 quantities through the use of a computer model. For the purpose of projections, this analysis should more accurately determine the quantities of these two radionuclides produced by the nuclear power plants.

### TABLE AP-20B: RADIONUCLIDE CONCENTRATIONS IN WASTE STREAMS SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - FUEL FABRICATION

(Millicuries per cubic foot)

RADIONUCLIDE	F-MIXWAST	F-NCTRASH	
H-3. C-14 NA-22			
CL-36 FE-55 CO-60 NI-59			
NI-63 SR-90 NB-94 TC-99 CD-109			
SB-125 F-129 CS-134 CS-137			
RA-228 TH-228 TH-232 U-234	<0.000263	0.031121	
U-235 U-238 NP-237 PU-238	<0.000263 <0.000263	0.001461	
PU-239 PU-240 PU-241 PU-242			
AM-241 CM-242 CM-243 CM-244			

TABLE AP-20C: RADIONUCLIDE CONCENTRATIONS IN WASTE STREAMS SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - PRIVATE RESEARCH AND INSTITUTIONAL (Millicuries per cubic foot)

ı ı							1000	
				1000				
ჟ∥			1000 1000 1000 1000 1000 1000 1000 100		N			
-RAMISCI					88			
₹				20.02.00 200.00 1	8		. 9 944 21.136	
-				**************************************			4 90 90 90 \$40 00 00 \$40 00 00	2000 in 2003 in 1
				7997900 Najara			10000 10000	
₹					0.172727			369900 : 18886560
-NORM					727			
1					5			
Ξl					1,00,000	150,000		
-NCTRASH	0.000609					0.000538		
5	88	1927 (C) 2008/48		1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		్రక్ష		80905 2004
3	88	2000 2000 2000 2000 2000 2000 2000 200	10000000 10000000 100000000			ૼ૽ૺ		ecentral Constant Constant
- [				16061817 1608144		- Paris		801 A 351 A
8				() 40 to		4,749 4,749		elijai ele Lises
ᄷᅵ	5 4		000000 000000	491364		764 550 17. 11.		744. aj
I=MWORLQD	1.149735 7.692941	267 (1973) 11.00 (1973)		283.833				
1			2000/00 0001/207			98-98.		10 M M M
- 1				in it		######################################		333
g		9	2	00000 3836	2	e billige		
ξ, Į		ğ	ğ		200	- 1500 At 1540 A	1977	130/j1 w
-MISCSOR		ై	2.960000		9		4,007	Shr
-		0.000650			0.019240	2004		
ا پ	_ <u></u>	03.998		900				Alahan.
SS	£ % 5	25 E	argije. Dan se	7 13 1 1 SHJ289				3,000,00
FLIQSCVL	0.080617 0.045428 0.001011	0.000494	1880000 T			3,8808333 548,74073		34947 + 36368 1
-		00					Hijori Resust	
			(1988) 1871/8	23,325			VIR.	\$1.784 5.555
FS	XI C	27.26	<b>z</b>	E = = =	<b>=</b>	<u>≂</u> ⊗		-
員	2 8 8 8	888	0.000001	8888	8	ğğ		
=COTRASH	0.414264 0.129831 0.000097	0.000122 0.000004 0.000018	0.00000	0.000057	<0.00000	-0.000001 0.000036		
-				**************************************	<b>Y</b>			
_							niêt -	
=BIOWAST	\$ ₹	849	3.\$.				480	Afasi Talah
<u></u>	0.63489		# 924. 324					
9	öö					ijsi		
							i (gi ir	
ا ۾							150 (150 (150 (150 (150 (150 (150 (150 (	
E-AQULIQD	% % %			AM.		åra.	ilian -	- Ar
₫∥	<b>8</b> 8			10000c 4000c	. 33			
4				44.45 T		189		11,84 14,84
RADIONUCLIDE I=ABSLKOD I=A			1200 j 144841		CS-137 RA-226 TH-228 TH-232 0.005423	10	Mail.	er jarde
8			910991 9909a	<u> </u>	, , , , , , , , , , , , , , , , , , ,	ĕ		Alaka Alaka
딣	\$2000 \$4000 \$3000	800 G			300	Š		
¥		gêt.				: S	\$\$\\\	
-					21,3877 21,387			
		265 etg.			) Žiai	F = 17 2		A STATE
اس				grade de la companya		1 - 3 f +	\$494	
		\$25,000 \$15,000 \$1,000 \$1,000 \$1,000	Jan de		in de la companie de La companie de la co			
3							184 4:	ंड, कांक्री = =
RADIO	្វុង	8 <del>1</del> 8 0	2 8 X 8	5 전 원 전 전 전	228 228 232 232 232	23 28 25	8 8 8 <del>2</del> 2	PU-242 AM-241 CM-242 CM-243 CM-244
ا يسد	Ø + 3	医高温定	ያ ተ ሐ ላ	4 4 4 4	ルンエエー	0 0 0 .		~ ~ ~ ~ ~

1111100000

25/50 11

Connecticut Low-Level Radioactive Waste Program.

(800) 246-LLRW

### TRANSMITTAL OF 1996 LLRW MANAGEMENT REPORT

January 16, 1998

The Connecticut Hazardous Waste Management Service (CHWMS) has completed a report entitled "Low-Level Radioactive Waste Management in Connecticut - 1996" (LLRW Management Report).

Enclosed is a copy of the LLRW Management Report. You may request additional copies by calling the CHWMS in Hartford at (860) 244-2007 or 1-800-246-LLRW (toll-free in Connecticut); by emailing CTLLRW@aol.com; or by writing to LLRW Management Report, Connecticut Hazardous Waste Management Service, 50 Columbus Boulevard, 4th Floor, Hartford, CT 06106.

This is the tenth in a series of annual reports designed to keep the people of Connecticut informed about low-level radioactive waste (LLRW) management by the state's generators. It provides a wealth of information on LLRW shipped off-site by Connecticut generators during 1996. Information is also given regarding on-site storage of LLRW during 1996.

Included in the report are names and locations of the state's active and potential generators, waste volumes and radioactivities for 1996, waste types, radionuclide compositions, results of waste processing, and pathways to processing and ultimate disposal. The LLRW Management Report also gives historical data on Connecticut's LLRW disposal volumes and radioactivities.

In 1996, thirty four LLRW generators in Connecticut shipped a total of 11,770 cubic feet of LLRW containing 3,088 Curies to disposal facilities.

TABLE AP-20D: RADIONUCLIDE CONCENTRATIONS IN WASTE STREAMS SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT IN 1996 - INDUSTRIAL AND MILITARY (Millicuries per cubic foot)

RADIONUCLIDE	M-ARMYWST M-N	M-NAVYDRY	M-NAVYWET	N-LIQSCVL	N-LOWASTE	N=LOTRASH	N-SOAQLQD
H-8 C-14 NA-22	14,570.992366	0.016770	0.059682	0.008383		0.000115	
CL-36 FE-55 CO:60 NI-50		1,119305	0.085833			0.070468	
NI-63 SR-90 NB-94 TC-99 0.0000		0.089570 0.000512 0.000196 0.000001	0.007648			0.000169	
CD-109 SB-125 F-129		1,000,00,00	-0.000001			0,004836	
C5-134 C5-137 FA-226 TH-232	0.001145 0.0229160 0.229160 0.001079	0,000512			0.019656	0.001076	
U-234 U-235 U-238 NP-237					0.000048	<0.000001 <0.000001	0.372500
PU-238 PU-239 PU-240 PU-241	238 239 240 240 241						
PU-242 AM-241 CM-242 CM-243						0.000013	
CM-244						0.000013	

FIGURE AP-4: DECAY OF 1996 LLRW SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT




TABLE AP-21: VOLUME AND ACTIVITY OF LLRW SHIPPED TO DISPOSAL FACILITIES BY CONNECTICUT GENERATORS - 1979 TO 1996

	тот	ALS		LEAR PLANTS	OTHI GENERA	
YEAR	VOLUME (cu ft)	ACTIVITY (Curies)	VOLUME (cu ft)	ACTIVITY (Curies)	VOLUME (cu ft)	ACTIVITY (Curies)
1979	140,200	2,764	128,264	NA	11,936	NA
1980	111,722 *	3,056	126,216 •	NA	14,868 *	NA
1981	112,549	2,813	85,286	NA	27,263	NA
1982	64,697	6,843	45,733	NA	18,964	NA
1983	66,745 *	2,469	49,088 *	NA	16,280 *	NA
1984	57,599 *	186,298	50,430 *	NA	6,604 *	NA
1985	62,613	100,038	48,629	NA	13,985	NA
1986	55,700	7,773	43,175	NA	12,524	NA
1987	45,914	23,886	30,719	23,873	15,195	13
1988	39,741	96,450	25,834	96,440	13,907	10
1989	49,092	21,884	36,676	21,863	12,416	21
1990	34,233	255,160	24,580	255,138	9,653	22
1991	48,871	3,586	26,040	3,562	22,831	24
1992	75,581	29,357	42,973	29,342	32,608	15
1993	15,011	5,372	11,403	5,361	3,608	11
1994	19,338	888	9,322	741	10,016	147
1995	9,714	840	5,277	838.3	4,437	1.4
1996	11,770	3,088	9,290	2,891	2,480	197

NA - Reliable data not available to break total activity into generator components.

SOURCE: State-by-State Assessment of LLRW Shipped to Commercial Disposal Sites, DOE National LLRW Program; Connecticut LLRW Generator Reports for 1987 - 1996, inclusive.

<sup>\*</sup>Apparent discrepancy in sum of generator component volumes results from the use of different sources of data for nuclear power plants and for other categories of generators.

1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 FIGURE AP-5: VOLUME OF CONNECTICUT LLRW SHIPPED 1979 THROUGH 1996 0 40000 20000--00009 1600007 140000-80000 100000 120000-CUBIC FEET

DISPOSAL FACILITIES -

FIGURE AP-6: RADIOACTIVITY OF CONNECTICUT LLRW SHIPPED TO DISPOSAL FACILITIES - 1979 THROUGH 1996




TABLE AP-22: RADIONUCLIDE COMPOSITION OF LIQUID SCINTILLATION VIAL (LSV) WASTE SHIPPED OFF-SITE FOR MANAGEMENT FROM CONNECTICUT, 1987 TO 1996

	1998																															
	1996 1997	1200	0.053	0,001	0.012	0.026	0.076	0.001	0.017		<0.001	0.002		<0.001										600'0							0.268	
	1995 16		0.056								0,00			•	0.002	<0.001								0.004			<0.001		0.004		4 0.122	
	1994		0.068	2000	0000	0.000	0.025	600	6000	2	200.0	3		0000		0 000								0.002							0.164	
URIES)	1993		0.064	0.042	0.00	0.054	0.00	2000	4000	1.103	000	9.00		<b>5</b> 00 0	00.00	100	600.0							000	0.00						1401	
RADIOACTIVITY (CURIES)	1992			0.049	40.001	0.019	0.011	810.0	100.00	0.002		0.002			į	40.001	0.005		9	20.00	90.00	40.00	- 60.00 - 60.00	100.05	0.002		,	<b>-0.001</b>				0.130
RADIOAC	1991			0.031	<0.001 ×	960'0				0.001		0.003					<0.001								0.023					0.003		0.237
	1990		0.117					0.017	<0.001	0.002	<0.001	0.003					<0.001	<0.001	<0.001						600.0	<0.001	<0.001					0.216
	1989		0 202	0.019	000	0.042		0.017	40.001	0.003		0,003					40.001								900'0							0.293
	1988		3446	0.000	0.020	CD0.0	20.0	0.052		60.00	<u> </u>	9000	5000	1000		100 6	1000								0.037							0.337
	7801			0.097	0.010	0.001	0.052		0.023	0.003	<b>0</b> .00 <b>t</b>	7	0.001					100.0							100	c00.0				100	100.0	0.199
	•	<b>ઝ</b>		Tritium	Carbon	Sodium	Phosphorus	Phosphorus	Sulfur	Chlorine	Calcium	Scandium	Chromium	kon	Iron	Cobalt	Zinc	Rubidium	Strontium	Strondium	Niobium	Ruthenium	Cadmium	Ē	todine	lodine	Cesium	Cerium	Thorium	Uranium		
		PADIONUCLIDE		8 H	41-7	NA-22	P-32	p-33	S-35	96-10	CA-45	SC-46	CR-51	FE-55	FE-59	CO-57	ZN-65	RB-86	SR-85	SR-90	NB-95	RU-103	CD-104	SN-113	F123	1.125	CS-137	CE-141	TH-232	U-235	Not Specified	TOTALS

TABLE AP-23: 50-YEAR VOLUME AND RADIOACTIVITY PROJECTIONS FOR CONNECTICUT'S LLRW DISPOSAL FACILITY

	N( LICENSE E)		20-Y LICENSE EX	
	Volume (Cubic Feet)	Activity (Curies)	Volume (Cubic Feet)	Activity (Curies)
CLASS A				
Non-Utility Operations	290,000	1,000	290,000	1,000
Utility Operations	170,000	28,000	340,000	58,000
Utility Decommissioning	790,000	3,000	790,000	3,000
Total	1,250,000	32,000	1,420,000	62,000
CLASS B				
Utility Operations	28,000	21,000	56,000	40,000
Utility Decommissioning	130,000	1,000	130,000	1,000
Total	158,000	22,000	186,000	41,000
CLASS C				
Utility Operations	16,000	530,000	34,000	900,000
Utility Decommissioning	39,000	230,000	39,000	230,000
Total	55,000	760,000	73,000	1,130,000
TOTAL	1,463,000	814,000	1,679,000	1,233,000
NON-UTILITY Total	290,000	1,000	290,000	1,000
UTILITY				
Operations	214,000	579,000	430,000	998,000
Decommissioning	959,000	234,000	959,000	234,000
Total	1,173,000	813,000	1,389,000	1,232,000
TOTAL	1,463,000	814		**************************************

<sup>\*</sup> Refers to potential extension of operating licenses for nuclear power plants.

### **APPENDIX B:**

ANNUAL LOW-LEVEL RADIOACTIVE WASTE REPORT FORM FOR 1996

### **State of Connecticut Department of Environmental Protection** Monitoring and Radiation Division

Enter N/A for any blocks which do not apply.

Company/Facility Name:	Facility Number:
2. Company/Facility Address:	3. Date This Form Was Completed
	4. Prepared by: Name/Title
	Signature:
Physical Location (if different from above):	Phone:
5. Radiation Safety Officer: Name/Title/Phone	
Decay in Storage Data	
6. List Isotopes Decayed in Storage	
7 LLRW Decayed & Released in 1996	

Cubic Feet:

Millicuries:

### On-Site Storage Pending Off-Site Processing and/or Disposal as LLRW

- Exclude Decay in Storage.
- Exclude LLRW not yet in possession of radiological safety staff.
- Report Only LLRW for which all on-site processing is complete.

	Actual Volume a	& Activity Stored	Estimated Final Dispo	sal Volume & Activity
A CONTRACTOR OF THE CONTRACTOR	Cubic Feet	Millicuries	Cubic Feet	Millicuries
8. Pre-1996 LLRW in Storage				· · · · · · · · · · · · · · · · · · ·
on December 31, 1996				
9. 1996 LLRW in Storage				
on December 31, 1996				
10. Total LLRW Stored 12/31/96				
(Sum of lines 8 & 9)				

### LLRW Shipped Off-Site for Management

- Exclude material held for decay or discharged to sanitary drain; medical doses you return to a supplier; fresh reagents; raw material inventory; radiation sources and thoriated metals returned to the vendor for recycling; and liquid scintillation vial liquids, except those regulated by the NRC.
- Include mixed waste if shipped off-site for management.
- Volumes and activities shipped by generators are "out-the-gate" quantities.
- See "Reference Tables" on Page 5 for waste steams, processing methods, and facility codes.
- Copy form and attach additional pages if you shipped more than 3 waste streams.

Waste Stream Number	Waste Stream 1	Waste Stream 2	Waste Stream 3	To	tals
Waste Stream Type     (See Table 1)				Volume in Cubic Feet	Activity in Millicuries
2. NRC Waste Class (A, B, C)					
3. On-Site Processing Method (See Table 2)					
4. Volume Shipped Off- Site for Management					

5. LLRW Shipped
Cubic Feet/Millicuries

6. ID of Disposal Facility
(BARN, RICH, CLIV)

BARN=Barnwell, SC RICH=Richland, WA CLIV=Envirocare at Clive, UT

<u> </u>	senerator Shipped W	aste to inter	rmediate Fa	cilities (Pro-	cessor, Broi	cer, Tempor	ary Storage	, etc.)	
7.	LLRW Shipped								
	Cubic Feet/Millicuries						[		
8.	ID's of All Processors							100000000000000000000000000000000000000	
	or Other Facilities*								
9.	All Processing								
	Methods (See Table 2)	ĺ							

Sum of Intermediate I	facilities' S	nipments to	Disposal (C	obtain data i	rom broker	s, processor	s, etc.)	
10. LLRW Disposed		}				_		
Cubic Feet/Millicuries								
11. ID of Disposal Facility								
(BARN, RICH, CLIV)								

Total LLRW Disposed at Licensed Facilities (Sum of Lines 5 and 10)

12. LLRW Disposed
Cubic Feet/Millicuries

13. Final Waste Forms
to Disposal

<sup>\*</sup>See Table 3

### Radionuclides in LLRW Shipped Off-Site for Management

- Aggregate isotopic composition of radioactivity on Page 2, Lines 5 and 7.
- Identify radionuclides by atomic symbol and atomic weight, e.g., Co-60 for cobalt 60.
- Copy form and attach additional pages if you shipped more than 3 waste streams or had additional radionuclides.

		Radioactivity in	Millicuries (mCi)	
Radionuclides	Waste Stream 1	Waste Stream 2	Waste Stream 3	Total
			**************************************	
			ب المالية في المالية في المالية في المالية في المالية في المالية في المالية المالية المالية المالية المالية في	
	·			
				·
	L			1
Grand Totals				

### **Mixed Waste**

1. Mixed Waste Generated	During 1996		
Type of Mixed Waste	Cubic Feet	Millicuries	Description of Waste

2. Total Inventory of Mixed Waste Stored at Your Facility at End of 1996			
Type of Mixed Waste	Cubic Feet	Millicuries	Description of Waste

### **LLRW Projections**

• To be completed by all facilities.

Generation of LLRW for Disposal at Licensed Facilities						
	NRC (	Class A	NRC Class B		NRC Class C	
Year	Cubic Feet	Millicuries	Cubic Feet	Millicuries	Cubic Feet	Millicuries
1997						
1998						
1999						
2000						
2001					_	

### **Annual Assessment Information**

- If an annual assessment in accordance with Connecticut General Statutes 22a-165c is required, the following information will be used to determine your facility's proportionate share.
- Lines A, B, and C below should NOT include LLRW subject to assessment in prior years.

As of	Volume	Activity
December 31, 1996	(Cubic Feet)	(Millicuries)
A. Total LLRW shipped for disposal (i.e., disposed) at licensed		
facilities during 1996		
B. Total LLRW in storage which was packaged for disposal in		
1996 (No further processing needed)		
C. Estimated volume and activity of LLRW in storage		
that was not packaged for disposal within one year of generation		
Total Assessable LLRW		
(Lines A + B + C)		

Reference Tables				
Table 1 - Waste Streams (Use O-OTHER and describe waste stream if not listed below.)		Table 2 - Processing Methods	Table 3 - Intermediate Facilities	
Nuclear Power Plants	Industrial Facilities	Volume Reduction -Solids	, aomico	
P-IXRESIN = PWR Ion Exchange Resin	N=LOTRASH = Low Activity Trash	A1 = Compaction	Brokers	
P-FCARTRG = PWR Cartridge Filters	N-LOWASTE = Low Activity Waste	A2 = Supercompaction	CLEH - Clean Harbors	
P-FSLUDGE = PWR Filter Sludges	N-MISCSOR = Misc. Sealed Sources & Devices	A3 = Incineration	NDL - NDL Organization	
P-COTRASH = PWR Combust /Compact, Trash	N-LIQSCVL = Liquid Scintillation Vial Waste	A4 = Shredding	RADI - Radiac Research	
P-NCTRASH = PWR Noncomb./Noncompact. Trash	N-SOAQLQD = Solidified Aqueous Liquids	A5 = Placement Packaging	TELE -Teledyne Isotopes	
B-IXRESIN = BWR Ion Exchange Resin	N-NARM = Naturally Occurring and Accelerator	A6 = Metal Melt	USEC - U.S. Ecology	
B-FCARTRG = BWR Cartridge Filters	Produced Radioactive Material	A7 = Other (specify method)	Other - please specify	
B-FSLUDGE = BWR Filter Sludges	N-MIXWAST = Miscellaneous Mixed Wastes			
B-COTRASH = BWR Combust./Compact. Trash		Solidification or Encasement	Processors	
B-NCTRASH = BWR Noncomb./Noncompact. Trash	Institutional & Private Research Facilities	B1 = Asphalt or Bitumen	ALLI - Allied Tech	
L-NFRCOMP = Nonfuel Reactor Core Components	=COTRASH = Combustible/Compactible Trash	B2 = Delaware Custom Media	AMEC- American Ecology	
O-METDCON = Metal Sent for Decontamination	I=ABSLIQD = Absorbed or Solidified Liquids	B3 = Cement	CHEM - Chem-Nuclear	
O-MIXWAST = Miscellaneous Mixed Waste	I=LIQSCVL = Liquid Scintillation Vial Wastes	B4 = Other (specify medium)	DSSI- Diversified Sci. Svc	
O-MISCLNS = Misc. Non-Hazardous Oil, Sludge, etc.	=BIOWAST = Biological Waste		ENSC - Ensco Company	
	I=NCTRASH = Noncombust./Noncompact. Trash	C1 = Absorption of Liquids	HAKE - F.W. Hake Co.	
Military Facilities	I=MISCSOR ■ Misc. Sealed Sources & Devices		NSSI- NSSI/Recovery Svc	
M-NAVYDRY = Navy Dry Waste	I=MWORLQD = Misc. Mixed Waste Organic Liquids	Volume Reduction - Liquids	PERM - Perma-Fix	
M-NAVYWET = Navy Wet Waste	I=AQULIQD = Miscellaneous Aqueous Liquids	D1 = Evaporation	SEG - Sci. Ecology Grp.	
M-MIXWAST = Navy Mixed Waste	I=NARM ■ Naturally Occurring and Accelerator	D2 = Dewatering	Other - please specify	
	Produced Radioactive Material	D3 = Other (Specify method)		
Fuel Fabrication Facilities				
F-NCTRASH = Noncombust. /Noncompact. Trash		E1 Decontamination		
F-MIXWAST = Miscellaneous Mixed Waste				

### For Assistance with this Report Call:

Fred Scheuritzel or Andrew Zwick, CT DEP, at 860-424-3029

### This Report is due on or before April 1, 1997.

### Please submit TWO (2) copies to:

Monitoring and Radiation Division
Bureau of Air Management
Department of Environmental Protection
79 Elm Street
Hartford, Connecticut 06106-5127

Certification of Completeness and Accuracy (Pert	ains to all pages of this Report, i	ncluding any attachments.)
Print Full Name & Title of Authorized Official	Signature	Date

### **APPENDIX C:**

BOARD OF DIRECTORS, CONNECTICUT HAZARDOUS WASTE MANAGEMENT SERVICE

### BOARD OF DIRECTORS CONNECTICUT HAZARDOUS WASTE MANAGEMENT SERVICE

### R. Christopher Blake, Esq.

Chairman and Executive Officer

Prior to his appointment to the CHWMS in 1996, Mr. Blake was a partner in the law firm of Guion, Stevens & Rybak in Litchfield. Before entering private practice, he managed the Prosecutorial Unit at the Department of Public Utility Control in New Britain. He serves as a lawyer with the U.S. Naval Reserve, Judge Advocate General Corps. Mr. Blake's education includes a Juris Doctor degree from Vermont Law School and a Bachelor of Arts degree in political science from the University of the South. He lives in Litchfield.

### Wallace C. Pringle, Ph.D.

Vice-Chairman

Director Representing the Scientific Community

Dr. Pringle is the former chairman of and now a professor in the Chemistry Department at Wesleyan University in Middletown with research interest in molecular spectroscopy and water quality. His education includes a Doctor of Philosophy degree in physical chemistry from the Massachusetts Institute of Technology and a post doctoral fellowship at the National Bureau of Standards. He lives in Haddam.

### Richard J. Heller

Secretary

Director Representing the Business Community

Mr. Heller is Sales Engineer for Aqualogic Inc., a North Haven manufacturer of equipment for wastewater treatment, recovery, and recycling. Mr. Heller is responsible for handling sales and accounts throughout the country. He formerly served as Technical Director for JacksonLea in Waterbury where his work included directing safety and hazardous waste activities and overseeing effluent treatment and recovery. Mr. Heller's education includes a Master of Science degree in chemical engineering from the University of Connecticut. He lives in Farmington.

### Robert H. Lutts

Director Representing the General Public

Mr. Lutts is a part-time executive assistant to the Connecticut Republican Party. His previous career was as a pension account executive and consultant, followed by service

as an executive assistant to the Hartford City Council. His education is in history and economics. He lives in West Hartford.

### Barbara H. McWhirter

Director Representing the Business Community

Ms. McWhirter is an attorney at law in private practice, dealing with government regulations, environmental, and corporate matters. Ms. McWhirter's education includes a Juris Doctor degree from the University of Connecticut School of Law and a Bachelor of Science degree in agriculture from the University of Georgia. She lives in Cheshire.

### Samuel C. Stowell

Director Representing the General Public

Mr. Stowell retired in 1995 as Vice President of Pitney Bowes Credit Corporation, after 36 years with the Pitney Bowes family of companies. He served for 19 years on the Board of Estimate and Taxation in Greenwich, serving 14 years on its Budget Committee (13 years as Committee Chairman) and six years as the Board Chairman. Mr. Stowell's education includes a Bachelor of Science degree from Yale University and a Master of Business Administration degree from the Harvard Business School. He lives in Riverside.

### William C. Summers, M.D., Ph.D.

Director Representing the Scientific Community

Dr. Summers is Head of the Radiobiology Section, Department of Therapeutic Radiology, at Yale University in New Haven where he teaches molecular biology and genetics. He conducts research on viral diseases and the genetics of radiation damage, and chairs Yale's Radiation Safety Committee. He is also a professor and lecturer in Yale's Department of History where he teaches courses in the history of medicine and science. Dr. Summers earned a Doctor of Philosophy degree in molecular biology and a Doctor of Medicine degree from the University of Wisconsin, and he subsequently completed a post doctoral fellowship in biophysics at the Massachusetts Institute of Technology. He lives in New Haven.

### Leonard F. D'Amico

Non-voting Director Representing the Office of Policy and Management

Mr. D'Amico is Under-Secretary of the Policy Development and Planning Division of the Connecticut Office of Policy and Management (OPM). He previously served as First Selectman of Beacon Falls for 18 years where he was responsible for the municipal operations of the 5,200-population town. Under his leadership, the town successfully upgraded its wastewater treatment plant, developed and instituted a solid waste and recycling program, and cleaned up toxic-waste sites. Other notable accomplishments

during his tenure included the development of senior-citizens' and recreation centers, the renovation of Town Hall, and the construction of a new police station.

### Carmine DiBattista

Non-voting Director Representing the Department of Environmental Protection

Mr. DiBattista is Chief of the Bureau of Air Management in Connecticut's Department of Environmental Protection. He is a graduate of the University of Connecticut where he majored in zoology and chemistry and a graduate of the University of Southern Connecticut where he earned his Master of Science degree in environmental sciences (biology). He has been employed in the environmental field with local and state governments since 1967 in water, waste, and air management. Prior to his current position, he served as the Department's Director of Waste Management Planning and Standards.

### Brian F. Toal

Non-voting Director Representing the Department of Public Health

Mr. Toal is an Epidemiologist IV with the Division of Environmental Epidemiology and Occupational Health, Connecticut Department of Public Health. During 1993 and 1994, he served as Acting Director of the Division. His education includes a Master of Science degree in public health from the University of Washington, and a Bachelor of Science degree in biology from the University of Connecticut. Having worked in the area of public health since 1981 with private, municipal, and state entities, Mr. Toal is experienced with issues involving environmental contamination, risk assessment, and occupational health surveillance.

### Edgar T. Hurle

Non-voting Director Representing the Department of Transportation

Mr. Hurle is Director of Environmental Planning, Bureau of Policy and Planning, Connecticut Department of Transportation. His education includes a Bachelor of Science degree in natural resource conservation from the University of Connecticut. Having served with the Department of Transportation since 1974, Mr. Hurle is experienced with ecological impact assessment for state transportation projects, and with environmental planning and surveillance to ensure compliance with federal and state law.

**APPENDIX D:** 

**GLOSSARY** 

### **GLOSSARY**

Class A LLRW - LLRW which generally consists of short-lived radionuclides (radioactive half-lives of less than 30 years), but also includes low concentrations of some long-lived radionuclides. Disposal of Class A waste must isolate the waste for at least 100 years.

Class B LLRW - LLRW which includes waste with higher concentrations of short-lived radionuclides than Class A waste and concentrations of long-lived radionuclides similar to Class A waste. Class B waste must be in a structurally stable physical form for disposal or in a structurally stable container that will last for a minimum of 300 years.

Class C LLRW - LLRW which includes waste with the highest concentrations of short-lived and long-lived radionuclides that states are responsible for managing. Disposal units for Class C LLRW must have barriers capable of preventing people in the future from accidentally encountering the waste for at least 500 years. The federal government, not the states, is responsible for managing waste that is classified as **Greater than Class C LLRW**.

Compact - (1) (noun) A voluntary, Congressionally-approved agreement between states; also, a grouping of states pursuant to the agreement. For the management of LLRW, federal law provides for the formation of multi-state compacts having specific powers and responsibilities. Connecticut and New Jersey have entered into and comprise the Northeast Interstate LLRW Compact. (2) (verb) The act of compressing LLRW into smaller volumes prior to disposal.

**Curie** - A unit of radioactivity equivalent to 37 billion radioactive disintegrations per second. This is approximately the level of radioactivity contained in 1 gram of radium-226.

Half-life - The length of time required for the amount of a particular radionuclide to be reduced, through radioactive decay, to one-half of its initial value.

Hazardous Waste - Waste that is listed as hazardous by the U.S. Environmental Protection Agency in 40 CFR Part 261, Subpart D, or that exhibits any of the hazardous waste characteristics identified by the EPA in 40 CFR Part 261, Subpart C. Hazardous wastes may cause or significantly contribute to mortality or illness, or pose a threat to human health or the environment if improperly managed. (§1004, Resource Conservation and Recovery Act (RCRA))

**High-Level Radioactive Waste** - As defined in federal law, radioactive waste consisting of the residues from reprocessing of spent nuclear reactor fuel to recover unfissioned uranium and plutonium, as well as the spent nuclear fuel itself.

**Isotopes** - Atoms of an element (same atomic number) having different atomic weights due to different numbers of neutrons in the atomic nucleus. Isotopes of a particular element differ in their stability and radioactive decay properties.

Low-Level Radioactive Waste (LLRW) - As defined in federal and state law, radioactive waste other than high-level radioactive waste, spent nuclear reactor fuel assemblies, or uranium mining and milling wastes. LLRW includes a wide variety of materials that have a wide range of levels of radioactivity. It includes slightly radioactive items, such as protective clothing, paper towels and laboratory equipment, as well as some very radioactive items, such as materials used to purify reactor coolant in nuclear power plants and used equipment from inside nuclear reactors. LLRW is generated in the operation and maintenance of nuclear power plants, as well as by many public and private institutions (hospitals and universities), private research firms, industrial facilities, and the military.

Millicurie - A unit of radioactivity equivalent to one one-thousandth of a Curie, i.e., 37 million radioactive disintegrations per second.

Mixed Waste - Waste material that meets the definitions of both hazardous waste and radioactive waste, e.g., LLRW that is also hazardous waste.

Naturally-Occurring Radioactive Material (NORM) - Radioactive waste that contains radioactive substances found in nature. NORM includes mining wastes, oil and gas production wastes, water treatment residues, coal ash, and discarded radium sources used in medical procedures.

**Progeny Radionuclide -** A radioactive substance that comes into being as the result of the radioactive decay of another radioactive substance, i.e., the parent radionuclide.

Radiation - Sub-atomic particles and energy emitted by an atomic nucleus during radioactive decay.

Radioactivity - (1) A property of matter by which unstable atomic nuclei spontaneously disintegrate. Through one, several, or a lengthy series of disintegrations, radioactive substances eventually "decay" to stable, non-radioactive substances. (2) A quantitative expression of the rate of decay of a radioactive substance (also "Activity"). As radioactive decay proceeds over time, radioactivity decreases.

Radionuclide / Radioisotope - Radioactive atoms of an element. Not all isotopes of a given element are radioactive.